

Quarterly report 3/2002

on cases of infectious diseases and toxic effects of chemical substances notified in the III quarter 2002

| Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10) | III quarter | | Cumulated data | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | 1.07.02. to 30.09.02. | 1.07.01. to 30.09.01. | 1.01.02. to 30.09.02. | 1.01.01. to 30.09.01. |
| Human immunodeficiency virus /HIV/ disease: total (B20-B24) | 24 | 27 | 80 | 86 |
| Typhoid fever (A01.0) | 1 | - | 5 | 2 |
| Paratyphoid fevers A.B.C. (A01.1-A01.3) | - | - | 1 | 1 |
| Other salmonella infections: total (A02) | 9214 | 7981 | 17003 | 15879 |
| Shigellosis (A03) | 142 | 54 | 198 | 86 |
| Other bacterial intestinal infections: total (A04) | 1311 | 1210 | 3557 | 3587 |
| Viral and other specified intestinal infections: total (A08) | 612 | 625 | 5574 | 3807 |
| Acute diarrhoea: children under 2 years - total (A04; A08; A09) of which: NOS, presumed of infectious origin (A09) | 3674 2569 | 3215 2239 | 14618 8995 | 12082 7641 |
| Tetanus: total (A33-A35) | 11 | 5 | 16 | 14 |
| Diphtheria (A36) | - | - | - | - |
| Whooping cough (A37) | 470 | 502 | 1211 | 1839 |
| Scarlet fever (A38) | 477 | 672 | 3271 | 4948 |
| Meningitis: total of which: meningococcal (A39.0) | 595 18 | 675 19 | 1296 54 | 1418 79 |
| <i>Haemophilus influenzae</i> (G00.0) | 15 | 16 | 46 | 48 |
| other bacterial specified & unspecified (G00.1-G00.9) | 147 | 144 | 437 | 454 |
| viral, specified & unspecified (A87; B00.3; B02.1) | 354 | 446 | 632 | 713 |
| other & unspecified (G03) | 61 | 50 | 127 | 124 |
| Encephalitis: total of which: bacterial (A39.8; G04.2) | 187 30 | 189 27 | 385 85 | 368 87 |
| viral, tick-borne (A84) | 89 | 93 | 99 | 103 |
| other viral, specified (A83; A85; B00.4; B02.0; B25.8) | 9 | 8 | 21 | 17 |
| viral, unspecified (A86) | 34 | 39 | 120 | 101 |
| following immunization (G04.0) | 1 | - | 1 | - |
| other & unspecified (G04.8-G04.9) | 24 | 22 | 59 | 60 |
| Rickettsioses: total (A75-A79) | - | - | 1 | - |
| Acute poliomyelitis including vaccine-associated paralysis (A80) | - | - | 1 | - |
| Varicella /chicken pox/ (B01) | 7639 | 9844 | 65778 | 84309 |
| Measles (B05) | 3 | 28 | 27 | 121 |
| Rubella: total (B06; P35.0) | 4231 | 12948 | 39331 | 81226 |
| Viral hepatitis: type A (B15) | 57 | 224 | 278 | 448 |
| type B (B16; B18.0-B18.1) | 415 | 512 | 1395 | 1666 |
| type C (B17.1; B18.2) | 445 | 408 | 1377 | 1379 |
| type B+C (B16; B18.0-B18.1 + B17.1; B18.2) | 12 | 17 | 49 | 85 |
| other & unspecified (B17.0; B17.2-.8; B18.8-.9; B19) | 40 | 49 | 164 | 164 |
| Mumps (B26) | 6607 | 2747 | 27828 | 10191 |
| Trichinellosis (B75) | 15 | 2 | 26 | 10 |
| Scabies (B86) | 2718 | 2907 | 10265 | 10206 |
| Influenza: total (J10; J11) | 566 | 708 | 156261 | 519968 |
| Bacterial foodborne intoxications: total of which: salmonella enteritis (A02.0) | 11256 9175 | 9652 7956 | 21394 16931 | 19401 15814 |
| staphylococcal (A05.0) | 666 | 264 | 950 | 503 |
| botulism (A05.1) | 38 | 17 | 71 | 51 |
| <i>Clostridium perfringens</i> (A05.2) | 2 | - | 4 | 1 |
| other specified (A05.3-A05.8) | 67 | 119 | 201 | 183 |
| unspecified (A05.9) | 1308 | 1296 | 3237 | 2849 |
| Toxic effects of noxious substances eaten as food: total (T62) of which: ingested mushrooms (T62.0) | 37 26 | 113 107 | 47 33 | 135 123 |
| Other poisonings & toxic effects: total (T36-T60; T63-T65) of which: pesticides (T60) | 1897 37 | 2275 49 | 6570 94 | 6839 208 |
| drugs, medicaments & biological substances (T36-T50) | 1166 | 1364 | 3947 | 3771 |
| alcohol (T51) | 406 | 439 | 1288 | 1320 |
| Acute flaccid paralysis: children 0-14 years | 18 | 19 | 54 | 59 |

Diseases notified in the III quarter 2002 by voivodeship

| Voivodeship | Human immunodeficiency virus /HIV/ disease | | | | Cholera (A00) | Typhoid fever (A01.0) | Paratyphoid fevers A.B.C. (A01.1.-3) | Other salmonella infections | | | Shigellosis (A03) | Other bacterial intestinal infections (A04) | |
|---------------------|--------------------------------------------|-------------------------------------------|-------------------------------------|-------------------------------|---------------|-----------------------|--------------------------------------|-----------------------------|------------------------------|------------------------------------------|-------------------|---------------------------------------------|----------------------------------|
| | Total | resulting in specified diseases (B20-B22) | resulting in other conditions (B23) | unspecified HIV disease (B24) | | | | Total | salmonella enteritis (A02.0) | extraintestinal salmonellosis (A02.1.-9) | | Total | of which: children under 2 years |
| POLAND | 24 | 22 | 2 | - | - | 1 | - | 9214 | 9175 | 39 | 142 | 1311 | 765 |
| Dolnośląskie | 5 | 4 | 1 | - | - | - | - | 555 | 554 | 1 | - | 53 | 30 |
| Kujawsko-Pomorskie | 8 | 7 | 1 | - | - | - | - | 528 | 521 | 7 | 1 | 26 | 9 |
| Lubelskie | - | - | - | - | - | - | - | 1105 | 1105 | - | 4 | 48 | 46 |
| Lubuskie | 2 | 2 | - | - | - | - | - | 284 | 282 | 2 | - | 32 | 22 |
| Łódzkie | 2 | 2 | - | - | - | - | - | 617 | 616 | 1 | - | 158 | 70 |
| Małopolskie | 1 | 1 | - | - | - | - | - | 664 | 662 | 2 | 4 | 98 | 79 |
| Mazowieckie | - | - | - | - | - | 1 | - | 1075 | 1067 | 8 | 20 | 158 | 64 |
| Opolskie | 1 | 1 | - | - | - | - | - | 271 | 270 | 1 | - | 3 | 2 |
| Podkarpackie | - | - | - | - | - | - | - | 864 | 862 | 2 | 2 | 207 | 170 |
| Podlaskie | - | - | - | - | - | - | - | 345 | 345 | - | - | 51 | 12 |
| Pomorskie | - | - | - | - | - | - | - | 606 | 602 | 4 | 1 | 69 | 48 |
| Śląskie | 5 | 5 | - | - | - | - | - | 601 | 596 | 5 | - | 139 | 122 |
| Świętokrzyskie | - | - | - | - | - | - | - | 325 | 323 | 2 | 1 | 39 | 22 |
| Warmińsko-Mazurskie | - | - | - | - | - | - | - | 425 | 425 | - | - | 71 | 5 |
| Wielkopolskie | - | - | - | - | - | - | - | 551 | 547 | 4 | - | 98 | 54 |
| Zachodniopomorskie | - | - | - | - | - | - | - | 398 | 398 | - | 109 | 61 | 10 |

| Voivodeship | Acute amoebic dysentery (A06.0) | Viral & other specified intestinal inf. (A08) | | Acute diarrhoea: children under 2 years | | Plague (A20) | Tularaemia (A21) | Anthrax (A22) | Brucellosis (A23) | | Glanders (A24.0) | Erysipeloid (A26) | Leptospirosis (A27) | Leprosy (A30) |
|---------------------|---------------------------------|-----------------------------------------------|----------------------------------|-----------------------------------------|---------------------------------------------|--------------|------------------|---------------|-------------------|---------------------|------------------|-------------------|---------------------|---------------|
| | | Total | of which: children under 2 years | Total (A04;A08;A09) | of which: NOS, presumed of inf.origin (A09) | | | | Total | of which: new cases | | | | |
| POLAND | - | 612 | 340 | 3674 | 2569 | - | - | 1 | 5 | - | - | 16 | 1 | - |
| Dolnośląskie | - | 18 | 12 | 222 | 180 | - | - | - | 3 | - | - | 1 | - | - |
| Kujawsko-Pomorskie | - | 45 | 26 | 237 | 202 | - | - | - | - | - | - | 3 | - | - |
| Lubelskie | - | 24 | 16 | 240 | 178 | - | - | 1 | - | - | - | - | - | - |
| Lubuskie | - | 20 | 6 | 84 | 56 | - | - | - | - | - | - | - | - | - |
| Łódzkie | - | 60 | 35 | 138 | 33 | - | - | - | - | - | - | - | - | - |
| Małopolskie | - | 66 | 44 | 249 | 126 | - | - | - | - | - | - | 1 | - | - |
| Mazowieckie | - | 105 | 60 | 419 | 295 | - | - | - | - | - | - | 1 | - | - |
| Opolskie | - | 1 | 1 | 40 | 37 | - | - | - | - | - | - | - | - | - |
| Podkarpackie | - | 23 | 13 | 290 | 107 | - | - | - | - | - | - | 5 | - | - |
| Podlaskie | - | 1 | - | 134 | 122 | - | - | - | - | - | - | - | - | - |
| Pomorskie | - | 82 | 43 | 304 | 213 | - | - | - | - | - | - | - | - | - |
| Śląskie | - | 99 | 48 | 378 | 208 | - | - | - | - | - | - | 1 | 1 | - |
| Świętokrzyskie | - | 30 | 10 | 146 | 114 | - | - | - | - | - | - | 1 | - | - |
| Warmińsko-Mazurskie | - | 5 | 2 | 292 | 285 | - | - | - | - | - | - | 1 | - | - |
| Wielkopolskie | - | 33 | 24 | 421 | 343 | - | - | - | - | - | - | 2 | - | - |
| Zachodniopomorskie | - | - | - | 80 | 70 | - | - | - | 2 | - | - | - | - | - |

Diseases notified in the III quarter 2002 by voivodeship (contd)

| Voivodeship | Listeriosis | | Tetanus | | Diphtheria (A36) | Whooping cough (A37) | Scarlet fever (A38) | Meningitis | | | | | |
|---------------------|--------------------|----------------------------------------|-----------------|------------------------------------|------------------|----------------------|---------------------|------------|-----------------------|---------------------------------------|----------------------------------------------------|----------------------------------------------------|---------------------------|
| | Total (A32; P37.2) | of which: neonatal listeriosis (P37.2) | Total (A33-A35) | of which: tetanus neonatorum (A33) | | | | Total | meningococcal (A39.0) | <i>Haemophilus influenzae</i> (G00.0) | other bacterial, specified & unspecified (G00.1-9) | viral, specified & unspecified (A87; B00.3; B02.1) | other & unspecified (G03) |
| POLAND | 2 | - | 11 | - | - | 470 | 477 | 595 | 18 | 15 | 147 | 354 | 61 |
| Dolnośląskie | - | - | - | - | - | 42 | 32 | 47 | - | 2 | 14 | 17 | 14 |
| Kujawsko-Pomorskie | 1 | - | - | - | - | 80 | 45 | 26 | 1 | - | 2 | 22 | 1 |
| Lubelskie | - | - | - | - | - | 1 | 15 | 12 | - | - | 1 | 11 | - |
| Lubuskie | - | - | 1 | - | - | 14 | 6 | 35 | - | 1 | 7 | 26 | 1 |
| Łódzkie | - | - | 1 | - | - | 68 | 12 | 24 | 3 | - | 5 | 9 | 7 |
| Małopolskie | - | - | 2 | - | - | 11 | 37 | 67 | 1 | 3 | 14 | 39 | 10 |
| Mazowieckie | 1 | - | 2 | - | - | 81 | 55 | 44 | 1 | - | 16 | 25 | 2 |
| Opolskie | - | - | 2 | - | - | 17 | 29 | 15 | - | - | 6 | 8 | 1 |
| Podkarpackie | - | - | 2 | - | - | 4 | 20 | 38 | - | 1 | 16 | 18 | 3 |
| Podlaskie | - | - | - | - | - | 53 | 19 | 22 | 2 | - | 9 | 7 | 4 |
| Pomorskie | - | - | - | - | - | 10 | 33 | 29 | 1 | 1 | 2 | 24 | 1 |
| Śląskie | - | - | 1 | - | - | 20 | 47 | 48 | 1 | 5 | 11 | 26 | 5 |
| Świętokrzyskie | - | - | - | - | - | 35 | 19 | 25 | 1 | - | 12 | 11 | 1 |
| Warmińsko-Mazurskie | - | - | - | - | - | 8 | 12 | 41 | 1 | - | 4 | 32 | 4 |
| Wielkopolskie | - | - | - | - | - | 25 | 70 | 75 | 5 | 2 | 11 | 50 | 7 |
| Zachodniopomorskie | - | - | - | - | - | 1 | 26 | 47 | 1 | - | 17 | 29 | - |

| Voivodeship | Encephalitis | | | | | | | | | Erysipelas | | Scleroma (A48.8) | Relapsing fever (A68) | Lyme disease (A69.2) |
|---------------------|--------------|-----------------------|---------------------------------------|-------------------------|-------------------------|------------------------------------------------------|--------------------------|--------------------------------|--------------------------------|--------------------|-------------------------------------------|------------------|-----------------------|----------------------|
| | Total | meningococcal (A39.8) | <i>Haemophilus influenzae</i> (G04.2) | other bacterial (G04.2) | viral, tick-borne (A84) | other viral, specif. (A83; A85; B00.4; B02.0; B25.8) | viral, unspecified (A86) | following immunization (G04.0) | other & unspecified (G04.8-.9) | Total (A46; O86.8) | of which: postpartum or puerperal (O86.8) | | | |
| POLAND | 187 | 2 | 1 | 27 | 89 | 9 | 34 | 1 | 24 | 1374 | - | - | - | 677 |
| Dolnośląskie | 12 | - | - | - | 8 | - | 3 | - | 1 | 57 | - | - | - | 30 |
| Kujawsko-Pomorskie | 6 | 1 | - | 4 | - | - | 1 | - | - | 106 | - | - | - | 33 |
| Lubelskie | 3 | - | - | - | 1 | - | 1 | - | 1 | 37 | - | - | - | 31 |
| Lubuskie | 2 | - | - | - | - | - | - | - | 2 | 34 | - | - | - | 34 |
| Łódzkie | 6 | - | - | - | - | - | 1 | - | 5 | 180 | - | - | - | 19 |
| Małopolskie | 12 | - | - | 5 | 2 | - | 4 | - | 1 | 135 | - | - | - | 78 |
| Mazowieckie | 15 | - | 1 | 2 | 5 | 1 | 6 | - | - | 201 | - | - | - | 23 |
| Opolskie | 1 | - | - | - | - | - | - | 1 | - | 39 | - | - | - | 36 |
| Podkarpackie | 10 | - | - | 1 | - | 2 | 2 | - | 5 | 70 | - | - | - | 79 |
| Podlaskie | 57 | - | - | 3 | 51 | 2 | 1 | - | - | 44 | - | - | - | 84 |
| Pomorskie | 7 | - | - | - | - | 1 | 4 | - | 2 | 106 | - | - | - | 15 |
| Śląskie | 13 | - | - | 5 | - | 3 | 3 | - | 2 | 111 | - | - | - | 54 |
| Świętokrzyskie | 7 | - | - | 4 | - | - | 2 | - | 1 | 71 | - | - | - | 34 |
| Warmińsko-Mazurskie | 25 | - | - | 1 | 22 | - | 1 | - | 1 | 61 | - | - | - | 70 |
| Wielkopolskie | 9 | - | - | 2 | - | - | 5 | - | 2 | 93 | - | - | - | 36 |
| Zachodniopomorskie | 2 | 1 | - | - | - | - | - | - | 1 | 29 | - | - | - | 21 |

Diseases notified in the III quarter 2002 by voivodeship (contd)

| Voivodeship | <i>Chlamydia psittaci</i> infection (A70) | Trachoma (A71) | Rickettsioses | | | | Acute poliomyelitis including vaccine-associated paralysis (A80) | Creutzfeldt-Jakob disease (A81.0) | Subacute sclerosing panencephalitis (A81.1) | Rabies (A82) | Persons bitten by animals suspected of rabies, vaccinated post-exposure | Yellow fever and other viral haemorrhagic fevers (A90-A99) | Varicella /chicken pox/ (B01) | Measles (B05) |
|---------------------|-------------------------------------------|----------------|---------------|--------------------|---------------|----------------------------------|------------------------------------------------------------------|-----------------------------------|---------------------------------------------|--------------|-------------------------------------------------------------------------|------------------------------------------------------------|-------------------------------|---------------|
| | | | Total | typhus fever (A75) | Q fever (A78) | spotted fever & other (A77; A79) | | | | | | | | |
| POLAND | - | - | - | - | - | - | - | - | - | - | 2506 | - | 7639 | 3 |
| Dolnośląskie | - | - | - | - | - | - | - | - | - | - | 102 | - | 463 | - |
| Kujawsko-Pomorskie | - | - | - | - | - | - | - | - | - | - | 129 | - | 499 | - |
| Lubelskie | - | - | - | - | - | - | - | - | - | - | 135 | - | 375 | - |
| Lubuskie | - | - | - | - | - | - | - | - | - | - | 47 | - | 283 | - |
| Łódzkie | - | - | - | - | - | - | - | - | - | - | 112 | - | 444 | - |
| Małopolskie | - | - | - | - | - | - | - | - | - | - | 254 | - | 597 | - |
| Mazowieckie | - | - | - | - | - | - | - | - | - | - | 262 | - | 809 | - |
| Opolskie | - | - | - | - | - | - | - | - | - | - | 31 | - | 295 | - |
| Podkarpackie | - | - | - | - | - | - | - | - | - | - | 253 | - | 231 | - |
| Podlaskie | - | - | - | - | - | - | - | - | - | - | 146 | - | 220 | 1 |
| Pomorskie | - | - | - | - | - | - | - | - | - | - | 155 | - | 388 | - |
| Śląskie | - | - | - | - | - | - | - | - | - | - | 208 | - | 865 | 2 |
| Świętokrzyskie | - | - | - | - | - | - | - | - | - | - | 73 | - | 418 | - |
| Warmińsko-Mazurskie | - | - | - | - | - | - | - | - | - | - | 234 | - | 211 | - |
| Wielkopolskie | - | - | - | - | - | - | - | - | - | - | 218 | - | 1276 | - |
| Zachodniopomorskie | - | - | - | - | - | - | - | - | - | - | 147 | - | 265 | - |

| Voivodeship | Rubella | | | Viral hepatitis | | | | | | Mumps (B26) | Infectious mononucleosis (B27) | Dermatophytosis (B35) | Malaria | |
|---------------------|--------------------|-----------------------------------------------|--------------------------------|-----------------|--------------|-----------------------|-----------------------|-------------------------------------|-------------------------------------------------|-------------|--------------------------------|-----------------------|--------------------------|----------------------------------------|
| | Total (B06; P35.0) | of which: congenital rubella syndrome (P35.0) | Foot-and-mouth disease (B08.8) | Total | type A (B15) | type B (B16; B18.0-1) | type C (B17.1; B18.2) | type B+C (B16;B18.0-1/B17.1; B18.2) | other & unspecif. (B17.0; B17.2-8;B18.8-9; B19) | | | | Total (B50-B54; P37.3-4) | of which: congenital malaria (P37.3-4) |
| POLAND | 4231 | 1 | - | 969 | 57 | 415 | 445 | 12 | 40 | 6607 | 545 | 540 | 10 | - |
| Dolnośląskie | 221 | - | - | 134 | 1 | 50 | 76 | 3 | 4 | 485 | 26 | 2 | 3 | - |
| Kujawsko-Pomorskie | 161 | - | - | 123 | 1 | 59 | 61 | 2 | - | 355 | 47 | 54 | - | - |
| Lubelskie | 396 | - | - | 31 | - | 12 | 18 | - | 1 | 186 | 21 | 114 | - | - |
| Lubuskie | 247 | - | - | 33 | 1 | 16 | 16 | - | - | 179 | 5 | 3 | 1 | - |
| Łódzkie | 204 | - | - | 88 | 1 | 35 | 48 | 1 | 3 | 313 | 46 | 43 | - | - |
| Małopolskie | 186 | - | - | 45 | 5 | 25 | 15 | - | - | 508 | 28 | 1 | 1 | - |
| Mazowieckie | 139 | - | - | 88 | 1 | 42 | 39 | 3 | 3 | 294 | 128 | 7 | - | - |
| Opolskie | 109 | - | - | 19 | - | 14 | 5 | - | - | 217 | 3 | 2 | - | - |
| Podkarpackie | 447 | - | - | 29 | 3 | 9 | 14 | - | 3 | 241 | 35 | 1 | 1 | - |
| Podlaskie | 158 | - | - | 14 | - | 7 | 5 | - | 2 | 32 | 10 | - | - | - |
| Pomorskie | 256 | - | - | 57 | 22 | 22 | 11 | 2 | - | 85 | 44 | - | - | - |
| Śląskie | 376 | - | - | 104 | 1 | 56 | 30 | 1 | 16 | 2649 | 44 | 80 | 2 | - |
| Świętokrzyskie | 180 | - | - | 77 | - | 27 | 47 | - | 3 | 304 | 21 | 232 | - | - |
| Warmińsko-Mazurskie | 48 | - | - | 14 | - | 10 | 4 | - | - | 172 | 8 | - | 1 | - |
| Wielkopolskie | 872 | 1 | - | 99 | 20 | 23 | 52 | - | 4 | 473 | 62 | - | - | - |
| Zachodniopomorskie | 231 | - | - | 14 | 1 | 8 | 4 | - | 1 | 114 | 17 | 1 | 1 | - |

Diseases notified in the III quarter 2002 by voivodeship (contd)

| Voivodeship | Toxoplasmosis | | Cestode infections | | | | | Trichinellosis (B75) | Scabies (B86) | Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0) | Influenza (J10; J11) | |
|---------------------|--------------------|--------------------------------------------|--------------------|----------------------|---------------------|--------------------------------|----------------------------------------------------|----------------------|---------------|---------------------------------------------------------------|----------------------|-------------------------------|
| | Total (B58; P37.1) | of which: congenital toxoplasmosis (P37.1) | Total | echinococcosis (B67) | cysticercosis (B69) | <i>Taenia saginata</i> (B68.1) | other specified & unspec. (B68.0; B68.9; B70; B71) | | | | Total | of which: children 0-14 years |
| POLAND | 135 | 3 | 65 | 12 | - | 36 | 17 | 15 | 2718 | 80 | 566 | 223 |
| Dolnośląskie | 7 | - | 8 | 1 | - | 4 | 3 | - | 144 | - | 9 | 4 |
| Kujawsko-Pomorskie | 13 | 1 | 10 | - | - | 6 | 4 | 1 | 253 | 2 | 64 | 26 |
| Lubelskie | 5 | - | 5 | 3 | - | - | 2 | - | 106 | - | 3 | - |
| Lubuskie | 1 | - | - | - | - | - | - | - | 62 | 8 | - | - |
| Łódzkie | 6 | - | 5 | - | - | 4 | 1 | - | 227 | 5 | 28 | 12 |
| Małopolskie | 5 | - | 2 | 1 | - | - | 1 | - | 265 | - | 1 | - |
| Mazowieckie | 19 | - | 7 | 4 | - | 2 | 1 | - | 151 | 9 | 39 | - |
| Opolskie | 5 | - | - | - | - | - | - | - | 72 | - | 250 | 125 |
| Podkarpackie | 5 | - | - | - | - | - | - | - | 196 | - | 2 | 2 |
| Podlaskie | 11 | - | 5 | 1 | - | 3 | 1 | - | 141 | - | 9 | 7 |
| Pomorskie | - | - | 6 | 1 | - | 5 | - | - | 95 | 38 | 2 | - |
| Śląskie | 9 | - | 6 | - | - | 3 | 3 | - | 506 | 1 | 38 | 5 |
| Świętokrzyskie | 2 | - | 4 | - | - | 4 | - | - | 143 | - | 2 | - |
| Warmińsko-Mazurskie | 14 | - | 3 | - | - | 2 | 1 | - | 133 | - | - | - |
| Wielkopolskie | 29 | 2 | 2 | - | - | 2 | - | 14 | 94 | - | 112 | 40 |
| Zachodniopomorskie | 4 | - | 2 | 1 | - | 1 | - | - | 130 | 17 | 7 | 2 |

| Voivodeship | Bacterial foodborne intoxications | | | | | | | Toxic effects of noxious substances eaten as food | | | | |
|---------------------|-----------------------------------|------------------------------|------------------------|------------------|----------------------------------------|---------------------------|---------------------|---------------------------------------------------|----------------------------|-----------------------------------------------------|------------------------|-----------------------------------------|
| | Total | salmonella enteritis (A02.0) | staphylococcal (A05.0) | botulism (A05.1) | <i>Clostridium perfringens</i> (A05.2) | other specified (A05.3-8) | unspecified (A05.9) | Total | ingested mushrooms (T62.0) | ingested berries or other parts of plants (T62.1-2) | eaten as seafood (T61) | other specified & unspecified (T62.8-9) |
| POLAND | 11256 | 9175 | 666 | 38 | 2 | 67 | 1308 | 37 | 26 | 11 | - | - |
| Dolnośląskie | 774 | 554 | 149 | 2 | - | 22 | 47 | 8 | 8 | - | - | - |
| Kujawsko-Pomorskie | 746 | 521 | 107 | 5 | - | 22 | 91 | 1 | - | 1 | - | - |
| Lubelskie | 1121 | 1105 | - | 2 | - | - | 14 | 7 | 1 | 6 | - | - |
| Lubuskie | 329 | 282 | - | 1 | - | - | 46 | - | - | - | - | - |
| Łódzkie | 738 | 616 | 2 | 2 | - | 1 | 117 | - | - | - | - | - |
| Małopolskie | 840 | 662 | 85 | - | - | 1 | 92 | 2 | 2 | - | - | - |
| Mazowieckie | 1128 | 1067 | 2 | 2 | 2 | 2 | 53 | 2 | 2 | - | - | - |
| Opolskie | 279 | 270 | 4 | 2 | - | - | 3 | 2 | - | 2 | - | - |
| Podkarpackie | 883 | 862 | - | - | - | 1 | 20 | 4 | 4 | - | - | - |
| Podlaskie | 350 | 345 | - | 3 | - | - | 2 | 2 | - | 2 | - | - |
| Pomorskie | 970 | 602 | 128 | - | - | - | 240 | 3 | 3 | - | - | - |
| Śląskie | 937 | 596 | 100 | 2 | - | 8 | 231 | 3 | 3 | - | - | - |
| Świętokrzyskie | 443 | 323 | - | - | - | - | 120 | - | - | - | - | - |
| Warmińsko-Mazurskie | 585 | 425 | 67 | 11 | - | 9 | 73 | - | - | - | - | - |
| Wielkopolskie | 604 | 547 | - | 5 | - | - | 52 | 3 | 3 | - | - | - |
| Zachodniopomorskie | 529 | 398 | 22 | 1 | - | 1 | 107 | - | - | - | - | - |

Diseases notified in the III quarter 2002 by voivodeship (contd)

| Voivodeship | Other poisonings & toxic effects | | | | | | | | Acute flaccid paralysis: children 0-14 years |
|---------------------|----------------------------------|------------------------------------------------------|------------------|------------------------------------------------------------|---------------|--------------------------------------------------------------|----------------------------------------|------------------------------|-------------------------------------------------|
| | Total | aflatox. & other mycotox. food contaminants (T64) | pesticides (T60) | drugs, medicaments & biological substances (T36-T50) | alcohol (T51) | other substances non- medicinal as to source (T52-T59) | contact with venomous animals (T63) | other & unspecified (T65) | |
| POLAND | 1897 | - | 37 | 1166 | 406 | 176 | 28 | 84 | 18 |
| Dolnośląskie | 125 | - | - | 74 | 18 | 5 | 7 | 21 | 2 |
| Kujawsko-Pomorskie | 106 | - | - | 57 | 3 | 23 | 1 | 22 | 3 |
| Lubelskie | 284 | - | 6 | 149 | 105 | 19 | 1 | 4 | 1 |
| Lubuskie | 135 | - | 2 | 100 | 23 | 8 | - | 2 | - |
| Łódzkie | 223 | - | 1 | 122 | 81 | 5 | 1 | 13 | - |
| Małopolskie | 86 | - | 4 | 35 | 28 | 18 | - | 1 | 1 |
| Mazowieckie | 45 | - | 6 | 22 | 8 | 6 | 2 | 1 | 1 |
| Opolskie | 15 | - | 1 | 10 | 1 | 2 | - | 1 | - |
| Podkarpackie | 153 | - | 4 | 106 | 24 | 18 | 1 | - | 2 |
| Podlaskie | 102 | - | 2 | 53 | 28 | 15 | 2 | 2 | - |
| Pomorskie | 72 | - | - | 57 | 10 | 5 | - | - | 3 |
| Śląskie | 129 | - | 2 | 87 | 24 | 9 | 4 | 3 | - |
| Świętokrzyskie | 206 | - | 4 | 133 | 31 | 36 | - | 2 | 2 |
| Warmińsko-Mazurskie | 75 | - | 3 | 54 | 15 | 1 | 2 | - | - |
| Wielkopolskie | 42 | - | 2 | 22 | 2 | 4 | 1 | 11 | 1 |
| Zachodniopomorskie | 99 | - | - | 85 | 5 | 2 | 6 | 1 | 2 |

<http://www.pzh.gov.pl/epimeld>

Prepared by: Mirosław P. Czarkowski (supervisor), Ewa Cielebak, Barbara Kondej, Ewa Stępień
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

Scientific supervision: prof. dr hab. Wiesław Magdzik