

Semi-annually report 2002

on cases of infectious diseases and toxic effects of chemical substances

notified in the I half of 2002

1. Number of cases and incidence rate per 100.000 population in the I half of 2002 and 2001 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2002 ¹		I half of 2001	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	55	0.14	59	0.15
of which: resulting in specified diseases (B20-B22)	53	0.14	58	0.15
resulting in other conditions (B23)	2	0.01	1	0.00
unspecified HIV disease (B24)	-	-	-	-
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	4	0.01	2	0.01
Paratyphoid fevers A.B.C. (A01.1-A01.3)	1	0.00	1	0.00
Other salmonella infections: total	7790	20.16	7898	20.44
of which: salmonella enteritis (A02.0)	7757	20.08	7858	20.34
extraintestinal salmonellosis (A02.1-A02.9)	33	0.09	40	0.10
Shigellosis (A03)	56	0.14	32	0.08
Other bacterial intestinal infections: total (A04)	2246	5.81	2377	6.15
of which: children under 2 years ²	1482	199.89	1496	198.67
Acute amoebic dysentery (A06.0)	1	0.00	-	-
Viral & other specified intestinal infections: total (A08)	4962	12.84	3182	8.23
of which: children under 2 years ²	3036	409.49	1969	261.49
Acute diarrhoea: children under 2 years - total (A04; A08; A09) ²	10944	1476.10	8867	1177.55
of which: NOS, presumed of infectious origin (A09) ²	6426	866.73	5402	717.39
Plague (A20)	-	-	-	-
Tularaemia (A21)	2	0.01	-	-
Anthrax (A22)	-	-	-	-
Brucellosis: total (A23)	21	0.05	11	0.03
of which: new cases	1	0.00	1	0.00
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	46	0.12	42	0.11

¹ Temporary data. ² Incidence rate per 100.000 children under 2 years.

1. Number of cases and incidence rate per 100.000 population in the I half of 2002 and 2001 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2002 ¹		I half of 2001	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	3	0.01	1	0.00
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	6	0.02	6	0.02
of which: neonatal listeriosis (P37.2) ³	1	0.57	-	-
Tetanus: total (A33-A35)	5	0.01	9	0.02
of which: tetanus neonatorum (A33) ³	-	-	-	-
Diphtheria (A36)	-	-	-	-
Whooping cough (A37)	741	1.92	1337	3.46
Scarlet fever (A38)	2794	7.23	4276	11.07
Meningitis: total	703	1.82	743	1.92
of which: meningococcal (A39.0)	37	0.10	60	0.16
<i>Haemophilus influenzae</i> (G00.0)	32	0.08	32	0.08
other bacterial, specified & unspecified (G00.1-G00.9)	290	0.75	310	0.80
viral, specified & unspecified (A87; B00.3; B02.1)	279	0.72	267	0.69
other & unspecified (G03)	65	0.17	74	0.19
Encephalitis: total	196	0.51	179	0.46
of which: meningococcal (A39.8)	3	0.01	3	0.01
<i>Haemophilus influenzae</i> (G04.2)	3	0.01	2	0.01
other bacterial (G04.2)	47	0.12	55	0.14
viral, tick-borne (A84)	10	0.03	10	0.03
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	11	0.03	9	0.02
viral, unspecified (A86)	87	0.23	62	0.16
following immunization (G04.0)	-	-	-	-
other & unspecified (G04.8-G04.9)	35	0.09	38	0.10
Erysipelas: total (A46; O86.8)	1682	4.35	1632	4.22
of which: postpartum or puerperal (O86.8) ³	-	-	-	-
Scleroma (A48.8)	-	-	1	0.00
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	835	2.16	699	1.81
<i>Chlamydia psittaci</i> infection (A70)	4	0.01	-	-
Trachoma (A71)	-	-	-	-
Rickettsioses: total	1	0.00	-	-
of which: typhus fever (A75)	1	0.00	-	-
Q fever (A78)	-	-	-	-
spotted fever & other (A77; A79)	-	-	-	-
Acute poliomyelitis, including vaccine-associated paralysis (A80)	1	0.00	-	-
Creutzfeldt-Jakob disease (A81.0)	1	0.00	3	0.01
Subacute sclerosing panencephalitis (A81.1)	1	0.00	1	0.00
Rabies (A82)	1	0.00	-	-
Persons bitten by animals suspected of rabies, vaccinated post-exposure	4414	11.43	5713	14.78
Yellow fever and other viral haemorrhagic fevers (A90-A99)	-	-	-	-
Varicella /chicken pox/ (B01)	58139	150.49	74465	192.70
Measles (B05)	24	0.06	93	0.24
Rubella: total (B06; P35.0)	35100	90.86	68278	176.69
of which: congenital rubella syndrome (P35.0) ³	1	0.57	-	-

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in the I half of 2002 and 2001.

1. Number of cases and incidence rate per 100.000 population in the I half of 2002 and 2001 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2002 ¹		I half of 2002#	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	2293	5.94	2532	6.55
of which: type A (B15)	221	0.57	224	0.58
type B (B16; B18.0-B18.1)	979	2.53	1154	2.99
type C (B17.1; B18.2)	932	2.41	971	2.51
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	37	0.10	68	0.18
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	124	0.32	115	0.30
Mumps (B26)	21221	54.93	7444	19.26
Infectious mononucleosis (B27)	1049	2.72	961	2.49
Dermatophytosis (B35)	703	1.82	687	1.78
Malaria: total (B50-B54; P37.3-P37.4)	8	0.02	13	0.03
of which: congenital malaria (P37.3-P37.4) ³	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	369	0.96	191	0.49
of which: congenital toxoplasmosis (P37.1) ³	16	9.09	2	1.07
Cestode infections: total	165	0.43	208	0.54
of which: echinococcosis (B67)	22	0.06	24	0.06
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	107	0.28	119	0.31
other specified & unspecified (B68.0; B68.9; B70; B71)	36	0.09	65	0.17
Trichinellosis (B75)	11	0.03	8	0.02
Scabies (B86)	7547	19.54	7299	18.89
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	128	0.33	153	0.40
Influenza: total (J10; J11)	155695	403.02	519260	1343.75
of which: children 0-14 years ⁴	75722	1078.76	251670	3489.97
Bacterial foodborne intoxications: total	10139	26.24	9749	25.23
of which: salmonella enteritis (A02.0)	7757	20.08	7858	20.34
staphylococcal (A05.0)	284	0.74	239	0.62
botulism (A05.1)	33	0.09	34	0.09
<i>Clostridium perfringens</i> (A05.2)	2	0.01	1	0.00
other specified (A05.3-A05.8)	134	0.35	64	0.17
unspecified (A05.9)	1929	4.99	1553	4.02
Toxic effects of noxious substances eaten as food: total	10	0.03	22	0.06
of which: ingested mushrooms (T62.0)	7	0.02	16	0.04
ingested berries or other parts of plants (T62.1-T62.2)	3	0.01	6	0.02
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	4673	12.10	4564	11.81
of which: aflatoxin & other mycotoxin food contaminants (T64)	-	-	2	0.01
pesticides (T60)	57	0.15	159	0.41
drugs, medicaments & biological substances (T36-T50)	2781	7.20	2407	6.23
alcohol (T51)	882	2.28	881	2.28
other substances non-medicinal as to source (T52-T59)	690	1.79	879	2.27
contact with venomous animals (T63)	22	0.06	13	0.03
other & unspecified (T65)	241	0.62	223	0.58
Acute flaccid paralysis: children 0-14 years ⁴	36	0.51	40	0.55

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in the I half of 2002 and 2001. ⁴ Incidence rate per 100.000 children under 15 years.

2. Number of cases in the I half of 2002 - by voivodeship

Voivodeship	Human immunodeficiency virus /HIV/ disease				Cholera (A00)	Typhoid fever (A01.0)	Paratyphoid fevers A.B.C. (A01.1.-3)	Other salmonella infections			Shigellosis (A03)	Other bacterial intestinal infections (A04)	
	Total	resulting in specified diseases (B20-B22)	resulting in other conditions (B23)	unspecified HIV disease (B24)				Total	salmonella enteritis (A02.0)	extraintestinal salmonellosis (A02.1.-9)		Total	of which: children under 2 years
POLAND	55	53	2	-	-	4	1	7790	7757	33	56	2246	1482
Dolnośląskie	14	14	-	-	-	-	-	566	565	1	1	171	112
Kujawsko-Pomorskie	1	1	-	-	-	-	-	465	459	6	2	72	36
Lubelskie	1	1	-	-	-	1	1	588	588	-	6	88	88
Lubuskie	2	2	-	-	-	-	-	175	175	-	1	55	26
Łódzkie	4	4	-	-	-	-	-	698	697	1	1	278	129
Małopolskie	1	1	-	-	-	-	-	476	475	1	5	147	101
Mazowieckie	1	1	-	-	-	1	-	847	838	9	20	159	96
Opolskie	1	1	-	-	-	-	-	130	130	-	1	5	3
Podkarpackie	-	-	-	-	-	-	-	546	546	-	11	312	264
Podlaskie	3	3	-	-	-	-	-	394	391	3	-	115	77
Pomorskie	4	4	-	-	-	-	-	646	646	-	1	169	119
Śląskie	15	15	-	-	-	1	-	499	496	3	4	293	267
Świętokrzyskie	-	-	-	-	-	-	-	394	393	1	1	49	33
Warmińsko-Mazurskie	2	1	1	-	-	-	-	492	491	1	-	46	3
Wielkopolskie	4	4	-	-	-	1	-	617	610	7	-	174	101
Zachodniopomorskie	2	1	1	-	-	-	-	257	257	-	2	113	27

Voivodeship	Acute amoebic dysentery (A06.0)	Viral & other specified intestinal inf. (A08)		Acute diarrhoea: children under 2 years		Plague (A20)	Tularaemia (A21)	Anthrax (A22)	Brucellosis (A23)		Glanders (A24.0)	Erysipeloid (A26)	Leptospirosis (A27)	Leprosy (A30)
		Total	of which: children under 2 years	Total (A04;A08;A09)	of which: NOS, presumed of inf.origin (A09)				Total	of which: new cases				
POLAND	1	4962	3036	10944	6426	-	2	-	21	1	-	46	3	-
Dolnośląskie	-	327	215	748	421	-	-	-	3	-	-	1	-	-
Kujawsko-Pomorskie	-	388	204	654	414	-	-	-	1	-	-	2	-	-
Lubelskie	-	217	151	581	342	-	-	-	-	-	-	2	-	-
Lubuskie	-	58	10	190	154	-	-	-	6	-	-	-	-	-
Łódzkie	1	383	219	445	97	-	-	-	-	-	-	7	-	-
Małopolskie	-	530	384	863	378	-	-	-	-	-	-	1	-	-
Mazowieckie	-	862	483	1160	581	-	-	-	-	-	-	11	-	-
Opolskie	-	4	2	133	128	-	-	-	-	-	-	1	-	-
Podkarpackie	-	244	144	675	267	-	-	-	-	-	-	1	-	-
Podlaskie	-	58	46	407	284	-	-	-	-	-	-	3	-	-
Pomorskie	-	650	383	1021	519	-	-	-	-	-	-	1	-	-
Śląskie	-	560	300	1273	706	-	2	-	-	-	-	4	-	-
Świętokrzyskie	-	74	69	421	319	-	-	-	1	1	-	5	-	-
Warmińsko-Mazurskie	-	87	72	771	696	-	-	-	-	-	-	2	1	-
Wielkopolskie	-	515	351	1323	871	-	-	-	-	-	-	4	-	-
Zachodniopomorskie	-	5	3	279	249	-	-	-	10	-	-	1	2	-

2. Number of cases in the I half of 2002 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	6	1	5	-	-	741	2794	703	37	32	290	279	65
Dolnośląskie	-	-	-	-	-	38	179	49	-	3	31	5	10
Kujawsko-Pomorskie	1	-	-	-	-	35	200	30	3	2	7	15	3
Lubelskie	-	-	2	-	-	3	120	29	1	1	13	11	3
Lubuskie	-	-	-	-	-	12	52	12	1	-	8	2	1
Łódzkie	-	-	-	-	-	160	100	42	2	3	19	10	8
Małopolskie	-	-	2	-	-	13	229	78	4	1	30	39	4
Mazowieckie	-	-	-	-	-	158	402	61	4	4	21	28	4
Opolskie	-	-	-	-	-	40	196	25	-	1	7	13	4
Podkarpackie	1	-	-	-	-	2	92	57	-	2	32	21	2
Podlaskie	1	-	-	-	-	138	70	29	-	2	10	14	3
Pomorskie	-	-	-	-	-	7	113	47	2	3	23	18	1
Śląskie	2	1	-	-	-	20	382	75	9	4	30	22	10
Świętokrzyskie	-	-	-	-	-	53	82	32	5	1	14	12	-
Warmińsko-Mazurskie	-	-	-	-	-	7	82	46	2	1	15	28	-
Wielkopolskie	1	-	1	-	-	54	319	60	3	2	15	29	11
Zachodniopomorskie	-	-	-	-	-	1	176	31	1	2	15	12	1

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	196	3	3	47	10	11	87	-	35	1682	-	-	-	835
Dolnośląskie	5	-	-	-	-	1	1	-	3	67	-	-	-	41
Kujawsko-Pomorskie	12	-	1	5	-	1	3	-	2	142	-	-	-	41
Lubelskie	1	-	-	-	-	-	-	-	1	58	-	-	-	28
Lubuskie	3	-	-	3	-	-	-	-	-	38	-	-	-	13
Łódzkie	1	-	-	-	-	1	-	-	-	245	-	-	-	13
Małopolskie	10	-	-	3	-	1	4	-	2	148	-	-	-	60
Mazowieckie	30	-	-	9	-	1	18	-	2	214	-	-	-	39
Opolskie	7	-	1	2	-	-	1	-	3	48	-	-	-	27
Podkarpackie	35	-	-	5	1	1	20	-	8	98	-	-	-	46
Podlaskie	12	-	-	-	5	1	5	-	1	28	-	-	-	189
Pomorskie	15	-	1	1	-	-	8	-	5	113	-	-	-	10
Śląskie	27	1	-	14	-	2	9	-	1	145	-	-	-	79
Świętokrzyskie	8	-	-	2	1	-	2	-	3	104	-	-	-	30
Warmińsko-Mazurskie	12	-	-	2	3	-	7	-	-	68	-	-	-	109
Wielkopolskie	15	2	-	1	-	1	8	-	3	115	-	-	-	83
Zachodniopomorskie	3	-	-	-	-	1	1	-	1	51	-	-	-	27

2. Number of cases in the I half of 2002 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever and other viral haemorrhagic fevers (A90-A99)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	4	-	1	1	-	-	1	1	1	1	4414	-	58139	24
Dolnośląskie	-	-	-	-	-	-	-	-	-	-	188	-	4887	1
Kujawsko-Pomorskie	-	-	-	-	-	-	-	-	-	-	254	-	3376	2
Lubelskie	-	-	-	-	-	-	-	-	-	-	284	-	2869	-
Lubuskie	-	-	-	-	-	-	-	-	-	-	63	-	1566	1
Łódzkie	-	-	-	-	-	-	-	-	-	-	182	-	2552	2
Małopolskie	-	-	-	-	-	-	-	-	1	-	436	-	4182	3
Mazowieckie	-	-	-	-	-	-	1	-	-	-	530	-	6005	4
Opolskie	-	-	-	-	-	-	-	-	-	-	33	-	2657	-
Podkarpackie	-	-	-	-	-	-	-	-	1	-	628	-	1415	2
Podlaskie	1	-	-	-	-	-	-	-	-	-	200	-	2020	1
Pomorskie	-	-	-	-	-	-	-	-	-	-	217	-	3160	3
Śląskie	-	-	-	-	-	-	-	-	-	-	358	-	8333	2
Świętokrzyskie	1	-	-	-	-	-	-	-	-	-	97	-	2885	-
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	399	-	1672	-
Wielkopolskie	-	-	1	1	-	-	-	-	-	-	353	-	7989	3
Zachodniopomorskie	2	-	-	-	-	-	-	1	-	-	192	-	2571	-

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16;B18.0-1 /B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8;B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	35100	1	-	2293	221	979	932	37	124	21221	1049	703	8	-
Dolnośląskie	1823	1	-	238	17	107	95	5	14	1019	83	110	1	-
Kujawsko-Pomorskie	2462	-	-	237	1	127	103	6	-	979	76	33	-	-
Lubelskie	2380	-	-	98	3	35	57	1	2	698	57	170	1	-
Lubuskie	1946	-	-	74	6	23	40	2	3	331	13	1	-	-
Łódzkie	2064	-	-	269	40	113	95	3	18	516	77	52	3	-
Małopolskie	1694	-	-	124	9	71	42	-	2	1807	37	3	-	-
Mazowieckie	1697	-	-	240	22	111	96	6	5	872	207	33	1	-
Opolskie	725	-	-	37	6	22	9	-	-	639	23	13	-	-
Podkarpackie	3643	-	-	35	5	19	8	-	3	448	75	-	-	-
Podlaskie	751	-	-	45	2	26	10	1	6	67	25	4	1	-
Pomorskie	2272	-	-	73	3	26	37	1	6	316	90	9	-	-
Śląskie	2803	-	-	265	1	131	82	7	44	9816	90	13	-	-
Świętokrzyskie	1941	-	-	158	6	57	86	1	8	832	33	260	-	-
Warmińsko-Mazurskie	232	-	-	59	7	22	27	-	3	654	20	-	-	-
Wielkopolskie	6608	-	-	275	89	62	116	3	5	1491	121	2	-	-
Zachodniopomorskie	2059	-	-	66	4	27	29	1	5	736	22	-	1	-

2. Number of cases in the I half of 2002 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	369	16	165	22	-	107	36	11	7547	128	155695	75722
Dolnośląskie	14	2	10	-	-	8	2	-	475	-	9149	4308
Kujawsko-Pomorskie	36	2	20	1	-	7	12	-	590	14	7941	3650
Lubelskie	3	-	-	-	-	-	-	-	503	4	1209	898
Lubuskie	3	-	6	-	-	4	2	-	213	2	205	73
Łódzkie	18	1	19	2	-	15	2	2	922	12	772	217
Małopolskie	15	-	7	1	-	4	2	-	569	-	6934	3233
Mazowieckie	16	-	16	1	-	11	4	-	484	14	76653	36901
Opolskie	1	-	6	-	-	6	-	-	162	-	5282	2632
Podkarpackie	13	3	-	-	-	-	-	-	462	-	8362	3801
Podlaskie	15	-	13	7	-	2	4	-	313	1	1972	985
Pomorskie	1	-	25	1	-	22	2	9	220	45	5594	2666
Śląskie	10	-	5	-	-	3	2	-	1297	-	8827	4543
Świętokrzyskie	6	-	5	1	-	4	-	-	381	-	1249	602
Warmińsko-Mazurskie	31	-	11	5	-	5	1	-	308	1	8599	5471
Wielkopolskie	178	7	11	-	-	10	1	-	389	-	10418	4643
Zachodniopomorskie	9	1	11	3	-	6	2	-	259	35	2529	1099

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3-.8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-.2)	eaten as seafood (T61)	other specified & unspecified (T62.8-.9)
POLAND	10139	7757	284	33	2	134	1929	10	7	3	-	-
Dolnośląskie	701	565	18	-	-	11	107	-	-	-	-	-
Kujawsko-Pomorskie	553	459	1	2	-	-	91	-	-	-	-	-
Lubelskie	749	588	122	1	-	-	38	-	-	-	-	-
Lubuskie	289	175	-	-	-	27	87	-	-	-	-	-
Łódzkie	771	697	13	1	-	2	58	2	1	1	-	-
Małopolskie	674	475	27	3	-	6	163	-	-	-	-	-
Mazowieckie	958	838	-	1	2	65	52	2	2	-	-	-
Opolskie	133	130	-	-	-	-	3	-	-	-	-	-
Podkarpackie	712	546	-	2	-	-	164	2	1	1	-	-
Podlaskie	399	391	1	5	-	-	2	-	-	-	-	-
Pomorskie	908	646	-	2	-	-	260	-	-	-	-	-
Śląskie	990	496	-	-	-	22	472	1	-	1	-	-
Świętokrzyskie	483	393	-	-	-	-	90	-	-	-	-	-
Warmińsko-Mazurskie	514	491	-	4	-	-	19	2	2	-	-	-
Wielkopolskie	794	610	-	10	-	-	174	1	1	-	-	-
Zachodniopomorskie	511	257	102	2	-	1	149	-	-	-	-	-

2. Number of cases in the I half of 2002 - by voivodeship (contd)

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	aflatox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	4673	-	57	2781	882	690	22	241	36
Dolnośląskie	223	-	-	142	25	27	9	20	1
Kujawsko-Pomorskie	234	-	2	118	13	21	2	78	3
Lubelskie	543	-	22	339	138	36	-	8	1
Lubuskie	275	-	3	204	24	34	1	9	1
Łódzkie	1117	-	-	598	363	72	2	82	1
Małopolskie	234	-	1	107	70	54	-	2	7
Mazowieckie	122	-	5	51	8	56	-	2	4
Opolskie	49	-	2	25	8	13	-	1	4
Podkarpackie	296	-	9	201	24	50	3	9	2
Podlaskie	133	-	1	63	33	32	1	3	-
Pomorskie	241	-	2	169	26	42	1	1	2
Śląskie	360	-	1	212	41	90	-	16	2
Świętokrzyskie	414	-	5	266	69	70	1	3	3
Warmińsko-Mazurskie	108	-	-	86	8	7	2	5	-
Wielkopolskie	119	-	2	82	26	8	-	1	4
Zachodniopomorskie	205	-	2	118	6	78	-	1	1

<http://www.pzh.gov.pl/epimeld>

Prepared by: Mirosław P. Czarkowski (supervisor), Ewa Cielebak, Barbara Kondej, Ewa Stępień
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

Scientific supervision: prof. dr hab. Wiesław Magdzik