

Annually report 2002

on cases of infectious diseases and toxic effects of chemical substances

notified in 2002

1. Number of cases and incidence rate per 100.000 population in 2002 and 2001 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2002 ¹		2001	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	111	0.29	129	0.33
of which: resulting in specified diseases (B20-B22)	108	0.28	126	0.33
resulting in other conditions (B23)	3	0.01	3	0.01
unspecified HIV disease (B24)	-	-	-	-
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	5	0.01	6	0.02
Paratyphoid fevers A.B.C. (A01.1-A01.3)	2	0.01	1	0.00
Other salmonella infections: total	20688	53.55	19881	51.45
of which: salmonella enteritis (A02.0)	20575	53.26	19788	51.21
extraintestinal salmonellosis (A02.1-A02.9)	113	0.29	93	0.24
Shigellosis (A03)	220	0.57	128	0.33
Other bacterial intestinal infections: total (A04)	4695	12.15	4427	11.46
of which: children under 2 years ²	2859	385.62	2694	358.55
Acute amoebic dysentery (A06.0)	2	0.01	-	-
Viral & other specified intestinal infections: total (A08)	6598	17.08	4539	11.75
of which: children under 2 years ²	3781	509.97	2681	356.82
Acute diarrhoea: children under 2 years - total (A04; A08; A09) ²	17769	2396.65	14861	1977.89
of which: NOS, presumed of infectious origin (A09) ²	11129	1501.06	9486	1262.51
Plague (A20)	-	-	-	-
Tularaemia (A21)	3	0.01	-	-
Anthrax (A22)	1	0.00	-	-
Brucellosis: total (A23)	32	0.08	29	0.08
of which: new cases	2	0.01	3	0.01
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	89	0.23	99	0.26

¹ Temporary data. ² Incidence rate per 100.000 children under 2 years.

1. Number of cases and incidence rate per 100.000 population in 2002 and 2001 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2002 ¹		2001	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	6	0.02	5	0.01
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	31	0.08	9	0.02
of which: neonatal listeriosis (P37.2) ³	2	0.57	-	-
Tetanus: total (A33-A35)	20	0.05	21	0.05
of which: tetanus neonatorum (A33) ³	-	-	-	-
Diphtheria (A36)	-	-	-	-
Whooping cough (A37)	1788	4.63	2411	6.24
Scarlet fever (A38)	4053	10.49	5885	15.23
Meningitis: total	1973	5.11	2367	6.13
of which: meningococcal (A39.0)	85	0.22	101	0.26
<i>Haemophilus influenzae</i> (G00.0)	68	0.18	71	0.18
other bacterial, specified & unspecified (G00.1-G00.9)	600	1.55	667	1.73
viral, specified & unspecified (A87; B00.3; B02.1)	1021	2.64	1324	3.43
other & unspecified (G03)	199	0.52	204	0.53
Encephalitis: total	500	1.29	571	1.48
of which: meningococcal (A39.8)	5	0.01	5	0.01
<i>Haemophilus influenzae</i> (G04.2)	4	0.01	4	0.01
other bacterial (G04.2)	96	0.25	108	0.28
viral, tick-borne (A84)	126	0.33	210	0.54
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	26	0.07	23	0.06
viral, unspecified (A86)	155	0.40	150	0.39
following immunization (G04.0)	1	0.00	-	-
other & unspecified (G04.8-G04.9)	87	0.23	71	0.18
Erysipelas: total (A46; O86.8)	3930	10.17	3637	9.41
of which: postpartum or puerperal (O86.8) ³	-	-	-	-
Scleroma (A48.8)	-	-	1	0.00
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	2033	5.26	2473	6.40
<i>Chlamydia psittaci</i> infection (A70)	6	0.02	5	0.01
Trachoma (A71)	-	-	-	-
Rickettsioses: total	1	0.00	1	0.00
of which: typhus fever (A75)	1	0.00	-	-
Q fever (A78)	-	-	1	0.00
spotted fever & other (A77; A79)	-	-	-	-
Acute poliomyelitis, including vaccine-associated paralysis (A80)	2	0.01	-	-
Creutzfeldt-Jakob disease (A81.0)	2	0.01	7	0.02
Subacute sclerosing panencephalitis (A81.1)	1	0.00	1	0.00
Rabies (A82)	1	0.00	-	-
Persons bitten by animals suspected of rabies, vaccinated post-exposure	8757	22.67	11382	29.46
Yellow fever and other viral haemorrhagic fevers (A90-A99)	-	-	-	-
Varicella /chicken pox/ (B01)	89812	232.48	106342	275.20
Measles (B05)	33	0.09	133	0.34
Rubella: total (B06; P35.0)	40518	104.88	84419	218.47
of which: congenital rubella syndrome (P35.0) ³	2	0.57	3	0.81

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in 2002 and 2001.

1. Number of cases and incidence rate per 100.000 population in 2002 and 2001 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2002 ¹		2002#	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	4448	11.51	5183	13.41
of which: type A (B15)	338	0.87	738	1.91
type B (B16; B18.0-B18.1)	1938	5.02	2280	5.90
type C (B17.1; B18.2)	1892	4.90	1839	4.76
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	83	0.21	114	0.30
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	197	0.51	212	0.55
Mumps (B26)	39978	103.48	16724	43.28
Infectious mononucleosis (B27)	2191	5.67	1911	4.95
Dermatophytosis (B35)	1889	4.89	1636	4.23
Malaria: total (B50-B54; P37.3-P37.4)	27	0.07	27	0.07
of which: congenital malaria (P37.3-P37.4) ³	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	652	1.69	446	1.15
of which: congenital toxoplasmosis (P37.1) ³	21	5.94	5	1.36
Cestode infections: total	304	0.79	323	0.84
of which: echinococcosis (B67)	40	0.10	37	0.10
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	193	0.50	195	0.50
other specified & unspecified (B68.0; B68.9; B70; B71)	71	0.18	91	0.24
Trichinellosis (B75)	42	0.11	52	0.13
Scabies (B86)	15830	40.98	16389	42.41
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	346	0.90	329	0.85
Influenza: total (J10; J11)	228055	590.32	576449	1491.80
of which: children 0-14 years ⁴	104552	1489.48	275358	3851.44
Bacterial foodborne intoxications: total	26734	69.20	24393	63.13
of which: salmonella enteritis (A02.0)	20575	53.26	19788	51.21
staphylococcal (A05.0)	1260	3.26	647	1.67
botulism (A05.1)	85	0.22	66	0.17
<i>Clostridium perfringens</i> (A05.2)	5	0.01	1	0.00
other specified (A05.3-A05.8)	317	0.82	313	0.81
unspecified (A05.9)	4492	11.63	3578	9.26
Toxic effects of noxious substances eaten as food: total	85	0.22	279	0.72
of which: ingested mushrooms (T62.0)	66	0.17	237	0.61
ingested berries or other parts of plants (T62.1-T62.2)	19	0.05	42	0.11
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	9130	23.63	9191	23.79
of which: aflatoxin & other mycotoxin food contaminants (T64)	-	-	2	0.01
pesticides (T60)	103	0.27	220	0.57
drugs, medicaments & biological substances (T36-T50)	5447	14.10	5071	13.12
alcohol (T51)	1788	4.63	1651	4.27
other substances non-medicinal as to source (T52-T59)	1292	3.34	1489	3.85
contact with venomous animals (T63)	54	0.14	53	0.14
other & unspecified (T65)	446	1.15	705	1.82
Acute flaccid paralysis: children 0-14 years ⁴	73	1.04	75	1.05

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in 2002 and 2001. ⁴ Incidence rate per 100.000 children under 15 years.

2. Number of cases in 2002 - by voivodeship

Voivodeship	Human immunodeficiency virus /HIV/ disease				Cholera (A00)	Typhoid fever (A01.0)	Paratyphoid fevers A.B.C. (A01.1.-3)	Other salmonella infections			Shigellosis (A03)	Other bacterial intestinal infections (A04)	
	Total	resulting in specified diseases (B20-B22)	resulting in other conditions (B23)	unspecified HIV disease (B24)				Total	salmonella enteritis (A02.0)	extraintestinal salmonellosis (A02.1.-9)		Total	of which: children under 2 years
POLAND	111	108	3	-	-	5	2	20688	20575	113	220	4695	2859
Dolnośląskie	32	31	1	-	-	-	1	1311	1309	2	1	294	177
Kujawsko-Pomorskie	9	9	-	-	-	-	-	1199	1184	15	3	127	60
Lubelskie	2	2	-	-	-	1	1	1950	1948	2	24	188	185
Lubuskie	5	5	-	-	-	-	-	590	586	4	3	100	57
Łódzkie	8	8	-	-	-	-	-	1554	1552	2	1	582	251
Małopolskie	3	3	-	-	-	-	-	1349	1345	4	9	299	218
Mazowieckie	1	1	-	-	-	2	-	2395	2367	28	42	425	216
Opolskie	3	3	-	-	-	-	-	508	507	1	1	8	5
Podkarpackie	-	-	-	-	-	-	-	1603	1599	4	13	645	539
Podlaskie	4	4	-	-	-	-	-	858	855	3	-	185	101
Pomorskie	11	11	-	-	-	-	-	1514	1505	9	2	323	213
Śląskie	20	20	-	-	-	1	-	1568	1556	12	6	648	498
Świętokrzyskie	1	-	1	-	-	-	-	839	831	8	3	117	73
Warmińsko-Mazurskie	2	2	-	-	-	-	-	1046	1045	1	-	145	8
Wielkopolskie	8	8	-	-	-	1	-	1621	1604	17	1	393	216
Zachodniopomorskie	2	1	1	-	-	-	-	783	782	1	111	216	42

Voivodeship	Acute amoebic dysentery (A06.0)	Viral & other specified intestinal inf. (A08)		Acute diarrhoea: children under 2 years		Plague (A20)	Tularaemia (A21)	Anthrax (A22)	Brucellosis (A23)		Glanders (A24.0)	Erysipeloid (A26)	Leptospirosis (A27)	Leprosy (A30)
		Total	of which: children under 2 years	Total (A04;A08;A09)	of which: NOS, presumed of inf.origin (A09)				Total	of which: new cases				
POLAND	2	6598	3781	17769	11129	-	3	1	32	2	-	89	6	-
Dolnośląskie	-	405	239	1146	730	-	-	-	7	-	-	3	-	-
Kujawsko-Pomorskie	-	515	274	1114	780	-	1	-	1	-	-	5	1	-
Lubelskie	-	286	183	976	608	-	-	1	-	-	-	3	-	-
Lubuskie	-	90	17	303	229	-	-	-	6	-	-	-	-	-
Łódzkie	1	537	298	702	153	-	-	-	-	-	-	12	-	-
Małopolskie	-	699	480	1312	614	-	-	-	-	-	-	5	-	-
Mazowieckie	-	1107	623	1971	1132	-	-	-	-	-	-	18	-	-
Opolskie	-	5	3	203	195	-	-	-	-	-	-	1	-	-
Podkarpackie	-	325	198	1219	482	-	-	-	-	-	-	7	-	-
Podlaskie	-	61	46	635	488	-	-	-	-	-	-	3	-	-
Pomorskie	-	816	479	1587	895	-	-	-	-	-	-	2	-	-
Śląskie	-	950	387	2015	1130	-	2	-	-	-	-	6	1	-
Świętokrzyskie	-	112	83	664	508	-	-	-	2	2	-	8	-	-
Warmińsko-Mazurskie	-	99	79	1255	1168	-	-	-	-	-	-	5	1	-
Wielkopolskie	1	583	389	2203	1598	-	-	-	1	-	-	8	-	-
Zachodniopomorskie	-	8	3	464	419	-	-	-	15	-	-	3	3	-

2. Number of cases in 2002 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	31	2	20	-	-	1788	4053	1973	85	68	600	1021	199
Dolnośląskie	-	-	1	-	-	115	270	153	1	6	65	43	38
Kujawsko-Pomorskie	23	1	-	-	-	183	301	91	4	4	15	62	6
Lubelskie	-	-	2	-	-	11	156	61	2	2	24	28	5
Lubuskie	-	-	1	-	-	47	71	72	-	2	25	41	4
Łódzkie	-	-	1	-	-	325	130	95	6	4	31	30	24
Małopolskie	1	-	5	-	-	32	332	218	8	4	65	124	17
Mazowieckie	1	-	2	-	-	347	542	160	9	5	53	87	6
Opolskie	-	-	2	-	-	73	267	56	-	1	18	28	9
Podkarpackie	1	-	2	-	-	7	141	139	1	5	55	71	7
Podlaskie	1	-	-	-	-	263	116	71	2	2	26	30	11
Pomorskie	-	-	-	-	-	24	208	108	4	4	35	62	3
Śląskie	2	1	2	-	-	85	531	208	15	15	60	93	25
Świętokrzyskie	-	-	-	-	-	128	114	80	8	3	31	37	1
Warmińsko-Mazurskie	-	-	-	-	-	37	162	109	6	1	22	76	4
Wielkopolskie	2	-	2	-	-	109	483	219	11	7	35	133	33
Zachodniopomorskie	-	-	-	-	-	2	229	133	8	3	40	76	6

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-.9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	500	5	4	96	126	26	155	1	87	3930	-	-	-	2033
Dolnośląskie	22	-	-	1	11	1	4	-	5	156	-	-	-	94
Kujawsko-Pomorskie	31	2	1	11	-	1	13	-	3	300	-	-	-	101
Lubelskie	10	-	-	1	2	-	2	-	5	115	-	-	-	67
Lubuskie	6	-	-	3	-	-	-	-	3	96	-	-	-	60
Łódzkie	13	-	-	2	-	2	2	-	7	572	-	-	-	38
Małopolskie	30	-	-	11	2	2	9	-	6	376	-	-	-	209
Mazowieckie	55	-	1	17	6	3	25	-	3	551	-	-	-	84
Opolskie	11	-	1	2	-	-	2	1	5	108	-	-	-	89
Podkarpackie	55	-	-	6	1	5	24	-	19	214	-	-	-	156
Podlaskie	85	-	-	3	70	1	10	-	1	111	-	-	-	359
Pomorskie	30	-	1	2	-	3	17	-	7	273	-	-	-	34
Śląskie	44	1	-	21	-	5	13	-	4	318	-	-	-	187
Świętokrzyskie	17	-	-	7	1	1	4	-	4	210	-	-	-	82
Warmińsko-Mazurskie	45	-	-	4	32	-	9	-	-	165	-	-	-	235
Wielkopolskie	37	2	-	4	-	1	17	-	13	260	-	-	-	161
Zachodniopomorskie	9	-	-	1	1	1	4	-	2	105	-	-	-	77

2. Number of cases in 2002 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever and other viral haemorrhagic fevers (A90-A99)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	6	-	1	1	-	-	2	2	1	1	8757	-	89812	33
Dolnośląskie	-	-	-	-	-	-	-	1	-	-	354	-	7157	1
Kujawsko-Pomorskie	-	-	-	-	-	-	-	-	-	-	471	-	5995	2
Lubelskie	-	-	-	-	-	-	-	-	-	-	534	-	4286	4
Lubuskie	-	-	-	-	-	-	-	-	-	-	140	-	2597	1
Łódzkie	-	-	-	-	-	-	-	-	-	-	397	-	3840	2
Małopolskie	-	-	-	-	-	-	-	-	1	-	884	-	6406	3
Mazowieckie	-	-	-	-	-	-	1	-	-	-	1000	-	9213	4
Opolskie	-	-	-	-	-	-	-	-	-	-	83	-	4318	-
Podkarpackie	-	-	-	-	-	-	1	-	-	1	1051	-	2807	3
Podlaskie	1	-	-	-	-	-	-	-	-	-	469	-	3283	2
Pomorskie	-	-	-	-	-	-	-	-	-	-	496	-	4733	3
Śląskie	1	-	-	-	-	-	-	-	-	-	713	-	12194	5
Świętokrzyskie	2	-	-	-	-	-	-	-	-	-	205	-	4122	-
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	776	-	3127	-
Wielkopolskie	-	-	1	1	-	-	-	-	-	-	762	-	12091	3
Zachodniopomorskie	2	-	-	-	-	-	-	1	-	-	422	-	3643	-

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16;B18.0-1 /B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8;B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	40518	2	-	4448	338	1938	1892	83	197	39978	2191	1889	27	-
Dolnośląskie	2112	1	-	513	21	221	233	17	21	4031	140	146	4	-
Kujawsko-Pomorskie	2700	-	-	506	9	265	223	9	-	2043	171	107	1	-
Lubelskie	2938	-	-	194	3	71	114	2	4	993	108	354	1	-
Lubuskie	2251	-	-	160	8	52	95	2	3	1032	31	4	1	-
Łódzkie	2296	-	-	483	43	210	200	7	23	1238	163	125	4	-
Małopolskie	1948	-	-	217	21	119	71	1	5	3070	95	5	2	-
Mazowieckie	1892	-	-	489	30	226	204	16	13	1728	438	117	5	-
Opolskie	903	-	-	80	6	45	28	-	1	940	42	17	-	-
Podkarpackie	4181	-	-	90	8	44	31	-	7	1614	166	1	1	-
Podlaskie	940	-	-	82	3	46	22	1	10	376	51	10	1	-
Pomorskie	2576	-	-	175	43	64	58	4	6	891	193	9	-	-
Śląskie	3291	-	-	458	6	243	127	12	70	14961	173	183	4	-
Świętokrzyskie	2154	-	-	319	6	118	175	6	14	1767	74	781	-	-
Warmińsko-Mazurskie	306	-	-	101	8	52	37	1	3	1519	37	-	1	-
Wielkopolskie	7635	1	-	471	118	107	230	4	12	2643	249	9	-	-
Zachodniopomorskie	2395	-	-	110	5	55	44	1	5	1132	60	21	2	-

2. Number of cases in 2002 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	652	21	304	40	-	193	71	42	15830	346	228055	104552
Dolnośląskie	24	2	21	1	-	13	7	-	871	1	10495	4842
Kujawsko-Pomorskie	69	3	40	2	-	17	21	1	1381	23	10145	4383
Lubelskie	10	-	6	4	-	-	2	-	876	10	1261	914
Lubuskie	10	-	7	-	-	4	3	-	471	14	1187	257
Łódzkie	31	1	32	2	-	27	3	2	1650	24	15204	6306
Małopolskie	27	-	14	2	-	7	5	-	1314	-	7128	3293
Mazowieckie	46	-	29	5	-	18	6	-	1005	78	117743	53847
Opolskie	7	1	7	-	-	7	-	-	389	-	8149	3945
Podkarpackie	24	3	-	-	-	-	-	-	1051	-	9067	4161
Podlaskie	39	-	30	11	-	11	8	15	789	1	4440	2037
Pomorskie	4	-	41	2	-	37	2	9	424	113	6787	3161
Śląskie	22	-	16	1	-	9	6	-	2633	1	10287	4649
Świętokrzyskie	19	-	11	1	-	10	-	-	894	1	1350	613
Warmińsko-Mazurskie	63	-	16	5	-	8	3	1	691	1	8607	5471
Wielkopolskie	238	10	16	-	-	14	2	14	691	1	13039	5432
Zachodniopomorskie	19	1	18	4	-	11	3	-	700	78	3166	1241

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3-.8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-.2)	eaten as seafood (T61)	other specified & unspecified (T62.8-.9)
POLAND	26734	20575	1260	85	5	317	4492	85	66	19	-	-
Dolnośląskie	1937	1309	302	2	-	74	250	8	8	-	-	-
Kujawsko-Pomorskie	1665	1184	152	8	-	51	270	5	4	1	-	-
Lubelskie	2134	1948	122	4	-	-	60	9	3	6	-	-
Lubuskie	814	586	-	1	-	60	167	1	1	-	-	-
Łódzkie	1843	1552	15	5	-	5	266	11	10	1	-	-
Małopolskie	1890	1345	119	4	-	7	415	2	2	-	-	-
Mazowieckie	2577	2367	2	4	5	70	129	5	4	1	-	-
Opolskie	524	507	4	3	-	-	10	2	-	2	-	-
Podkarpackie	1795	1599	-	2	-	2	192	15	14	1	-	-
Podlaskie	889	855	19	11	-	-	4	4	2	2	-	-
Pomorskie	2267	1505	128	2	-	-	632	3	3	-	-	-
Śląskie	2716	1556	137	2	-	37	984	6	5	1	-	-
Świętokrzyskie	1183	831	-	-	-	-	352	7	4	3	-	-
Warmińsko-Mazurskie	1310	1045	126	17	-	9	113	2	2	-	-	-
Wielkopolskie	1873	1604	-	17	-	-	252	4	4	-	-	-
Zachodniopomorskie	1317	782	134	3	-	2	396	1	-	1	-	-

2. Number of cases in 2002 - by voivodeship (contd)

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	aflatox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	9130	-	103	5447	1788	1292	54	446	73
Dolnośląskie	478	-	-	281	57	56	16	68	4
Kujawsko-Pomorskie	480	-	2	268	40	65	3	102	7
Lubelskie	1141	-	33	669	331	86	1	21	4
Lubuskie	585	-	5	410	83	70	2	15	1
Łódzkie	1939	-	2	1098	594	126	3	116	3
Małopolskie	439	-	5	189	140	101	-	4	9
Mazowieckie	227	-	11	114	19	76	2	5	6
Opolskie	92	-	3	52	13	18	-	6	4
Podkarpackie	616	-	14	399	63	121	5	14	5
Podlaskie	330	-	3	168	89	53	3	14	1
Pomorskie	393	-	2	288	44	57	1	1	7
Śląskie	684	-	3	401	82	159	4	35	3
Świętokrzyskie	850	-	10	503	153	171	1	12	7
Warmińsko-Mazurskie	252	-	4	184	30	18	4	12	1
Wielkopolskie	216	-	4	142	31	22	2	15	8
Zachodniopomorskie	408	-	2	281	19	93	7	6	3

<http://www.pzh.gov.pl/epimeld>

Prepared by: Mirosław P. Czarkowski (supervisor), Ewa Cielebak, Barbara Kondej, Ewa Stępień
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

Scientific supervision: prof. dr hab. Wiesław Magdzik