

## Annualy report 2003

### on cases of infectious diseases and toxic effects of chemical substances

#### notified in 2003

#### 1. Number of cases and incidence rate per 100.000 population in 2003 and 2002 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2003 <sup>1</sup>		2002	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	123	0.32	120	0.31
of which: resulting in specified diseases (B20-B22)	112	0.29	117	0.31
resulting in other conditions (B23)	10	0.03	3	0.01
unspecified HIV disease (B24)	1	0.00	-	-
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	-	-	5	0.01
Paratyphoid fevers A.B.C. (A01.1-A01.3)	3	0.01	2	0.01
Other salmonella infections: total	16612	43.49	20688	54.11
of which: salmonella enteritis (A02.0)	16496	43.19	20575	53.82
extraintestinal salmonellosis (A02.1-A02.9)	116	0.30	113	0.30
Shigellosis (A03)	75	0.20	220	0.58
Other bacterial intestinal infections: total (A04)	3915	10.25	4695	12.28
of which: children under 2 years <sup>2</sup>	2349	332.25	2859	396.46
Acute amoebic dysentery (A06.0)	2	0.01	2	0.01
Viral & other specified intestinal infections: total (A08)	8049	21.07	6598	17.26
of which: children under 2 years <sup>2</sup>	4610	652.06	3781	524.32
Acute diarrhoea: children under 2 years - total (A04; A08; A09) <sup>2</sup>	16470	2329.58	17769	2464.05
of which: NOS, presumed of infectious origin (A09) <sup>2</sup>	9511	1345.27	11129	1543.27
Plague (A20)	-	-	-	-
Tularaemia (A21)	-	-	3	0.01
Anthrax (A22)	-	-	1	0.00
Brucellosis: total (A23)	21	0.05	32	0.08
of which: new cases	5	0.01	2	0.01
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	88	0.23	89	0.23

<sup>1</sup> Temporary data. <sup>2</sup> Incidence rate per 100.000 children under 2 years.

**1. Number of cases and incidence rate per 100.000 population in 2003 and 2002 - total (contd)**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2003 <sup>1</sup>		2002	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	3	0.01	6	0.02
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	5	0.01	31	0.08
of which: neonatal listeriosis (P37.2) <sup>3</sup>	1	0.28	2	0.57
Tetanus: total (A33-A35)	30	0.08	20	0.05
of which: tetanus neonatorum (A33) <sup>3</sup>	-	-	-	-
Diphtheria (A36)	-	-	-	-
Whooping cough (A37)	2034	5.33	1788	4.68
Scarlet fever (A38)	3872	10.14	4053	10.60
Meningitis: total	1904	4.98	1974	5.16
of which: meningococcal (A39.0)	66	0.17	85	0.22
<i>Haemophilus influenzae</i> (G00.0)	56	0.15	68	0.18
other bacterial, specified & unspecified (G00.1-G00.9)	601	1.57	601	1.57
viral, specified & unspecified (A87; B00.3; B02.1)	974	2.55	1022	2.67
other & unspecified (G03)	207	0.54	198	0.52
Encephalitis: total	759	1.99	503	1.32
of which: meningococcal (A39.8)	10	0.03	5	0.01
<i>Haemophilus influenzae</i> (G04.2)	7	0.02	4	0.01
other bacterial (G04.2)	89	0.23	98	0.26
viral, tick-borne (A84)	339	0.89	126	0.33
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	38	0.10	26	0.07
viral, unspecified (A86)	185	0.48	155	0.41
following immunization (G04.0)	2	0.01	1	0.00
other & unspecified (G04.8-G04.9)	89	0.23	88	0.23
Erysipelas: total (A46; O86.8)	3740	9.79	3930	10.28
of which: postpartum or puerperal (O86.8) <sup>3</sup>	-	-	-	-
Scleroma (A48.8)	-	-	-	-
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	3574	9.36	2034	5.32
<i>Chlamydia psittaci</i> infection (A70)	2	0.01	6	0.02
Trachoma (A71)	-	-	-	-
Rickettsioses: total	1	0.00	1	0.00
of which: typhus fever (A75)	-	-	1	0.00
Q fever (A78)	-	-	-	-
spotted fever & other (A77; A79)	1	0.00	-	-
Acute poliomyelitis, including vaccine-associated paralysis (A80)	-	-	2	0.01
Creutzfeldt-Jakob disease (A81.0)	5	0.01	2	0.01
Subacute sclerosing panencephalitis (A81.1)	1	0.00	2	0.01
Rabies (A82)	-	-	1	0.00
Persons bitten by animals suspected of rabies, vaccinated post-exposure	7519	19.69	8757	22.90
Yellow fever and other viral haemorrhagic fevers (A90-A99)	-	-	-	-
Varicella /chicken pox/ (B01)	111527	291.99	89817	234.92
Measles (B05)	48	0.13	34	0.09
Rubella: total (B06; P35.0)	10588	27.72	40518	105.98
of which: congenital rubella syndrome (P35.0) <sup>3</sup>	-	-	2	0.57

<sup>1</sup> Temporary data. <sup>3</sup> Incidence rate per 100.000 live births notified in 2003 and 2002.

**1. Number of cases and incidence rate per 100.000 population in 2003 and 2002 - total (contd)**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2003 <sup>1</sup>		2002	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	4226	11.06	4449	11.64
of which: type A (B15)	150	0.39	338	0.88
type B (B16; B18.0-B18.1)	1693	4.43	1937	5.07
type C (B17.1; B18.2)	2136	5.59	1894	4.95
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	118	0.31	84	0.22
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	129	0.34	196	0.51
Mumps (B26)	87336	228.66	39978	104.57
Infectious mononucleosis (B27)	2501	6.55	2191	5.73
Dermatophytosis (B35)	3409	8.93	1889	4.94
Malaria: total (B50-B54; P37.3-P37.4)	17	0.04	26	0.07
of which: congenital malaria (P37.3-P37.4) <sup>3</sup>	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	615	1.61	652	1.71
of which: congenital toxoplasmosis (P37.1) <sup>3</sup>	16	4.56	21	5.94
Cestode infections: total	276	0.72	304	0.80
of which: echinococcosis (B67)	34	0.09	40	0.10
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	170	0.45	193	0.50
other specified & unspecified (B68.0; B68.9; B70; B71)	72	0.19	71	0.19
Trichinellosis (B75)	40	0.10	42	0.11
Scabies (B86)	13741	35.98	15831	41.41
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	1092	2.86	346	0.90
Influenza: total (J10; J11)	1216284	3184.39	228055	596.50
of which: children 0-14 years <sup>4</sup>	507102	7579.01	104552	1511.89
Bacterial foodborne intoxications: total	20220	52.94	26734	69.93
of which: salmonella enteritis (A02.0)	16496	43.19	20575	53.82
staphylococcal (A05.0)	409	1.07	1260	3.30
botulism (A05.1)	78	0.20	85	0.22
<i>Clostridium perfringens</i> (A05.2)	-	-	5	0.01
other specified (A05.3-A05.8)	110	0.29	317	0.83
unspecified (A05.9)	3127	8.19	4492	11.75
Toxic effects of noxious substances eaten as food: total	118	0.31	85	0.22
of which: ingested mushrooms (T62.0)	78	0.20	66	0.17
ingested berries or other parts of plants (T62.1-T62.2)	40	0.10	19	0.05
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	10684	27.97	9156	23.95
of which: aflatoxin & other mycotoxin food contaminants (T64)	-	-	-	-
pesticides (T60)	110	0.29	103	0.27
drugs, medicaments & biological substances (T36-T50)	5710	14.95	5449	14.25
alcohol (T51)	1846	4.83	1804	4.72
other substances non-medicinal as to source (T52-T59)	2336	6.12	1300	3.40
contact with venomous animals (T63)	55	0.14	54	0.14
other & unspecified (T65)	627	1.64	446	1.17
Acute flaccid paralysis: children 0-14 years <sup>4</sup>	46	0.69	73	1.06

<sup>1</sup> Temporary data. <sup>3</sup> Incidence rate per 100.000 live births notified in 2003 and 2002. <sup>4</sup> Incidence rate per 100.000 children under 15 years.

## 2. Number of cases in 2003 - by voivodeship

Voivodeship	Human immunodeficiency virus /HIV/ disease				Cholera (A00)	Typhoid fever (A01.0)	Paratyphoid fevers A.B.C. (A01.1.-3)	Other salmonella infections			Shigellosis (A03)	Other bacterial intestinal infections (A04)	
	Total	resulting in specified diseases (B20-B22)	resulting in other conditions (B23)	unspecified HIV disease (B24)				Total	salmonella enteritis (A02.0)	extraintestinal salmonellosis (A02.1.-9)		Total	of which: children under 2 years
POLAND	123	112	10	1	-	-	3	16612	16496	116	75	3915	2349
Dolnośląskie	46	44	2	-	-	-	-	1166	1161	5	2	279	168
Kujawsko-Pomorskie	7	7	-	-	-	-	-	1078	1067	11	10	97	38
Lubelskie	1	1	-	-	-	-	-	1412	1405	7	8	110	96
Lubuskie	3	3	-	-	-	-	-	587	587	-	26	68	44
Łódzkie	6	6	-	-	-	-	1	1105	1102	3	1	529	264
Małopolskie	11	6	5	-	-	-	-	1313	1303	10	11	257	180
Mazowieckie	6	4	1	1	-	-	2	1951	1926	25	4	351	183
Opolskie	4	4	-	-	-	-	-	408	402	6	-	14	12
Podkarpackie	1	-	1	-	-	-	-	1098	1091	7	2	452	381
Podlaskie	2	2	-	-	-	-	-	736	734	2	1	137	69
Pomorskie	14	14	-	-	-	-	-	1294	1284	10	3	255	141
Śląskie	13	13	-	-	-	-	-	1349	1341	8	2	585	446
Świętokrzyskie	3	2	1	-	-	-	-	536	533	3	-	148	86
Warmińsko-Mazurskie	2	2	-	-	-	-	-	782	781	1	1	89	19
Wielkopolskie	2	2	-	-	-	-	-	1139	1124	15	1	336	173
Zachodniopomorskie	2	2	-	-	-	-	-	658	655	3	3	208	49

Voivodeship	Acute amoebic dysentery (A06.0)	Viral & other specified intestinal inf. (A08)		Acute diarrhoea: children under 2 years		Plague (A20)	Tularaemia (A21)	Anthrax (A22)	Brucellosis (A23)		Glanders (A24.0)	Erysipeloid (A26)	Leptospirosis (A27)	Leprosy (A30)
		Total	of which: children under 2 years	Total (A04;A08;A09)	of which: NOS, presumed of inf.origin (A09)				Total	of which: new cases				
POLAND	2	8049	4610	16470	9511	-	-	-	21	5	-	88	3	-
Dolnośląskie	1	536	381	1339	790	-	-	-	6	1	-	4	1	-
Kujawsko-Pomorskie	-	965	564	1407	805	-	-	-	2	-	-	11	1	-
Lubelskie	-	386	232	1005	677	-	-	-	-	-	-	4	-	-
Lubuskie	-	121	37	181	100	-	-	-	1	-	-	1	-	-
Łódzkie	-	600	294	728	170	-	-	-	-	-	-	10	-	-
Małopolskie	-	610	400	1169	589	-	-	-	-	-	-	7	-	-
Mazowieckie	-	1044	583	1645	879	-	-	-	-	-	-	12	-	-
Opolskie	-	6	4	215	199	-	-	-	-	-	-	-	-	-
Podkarpackie	-	267	168	921	372	-	-	-	-	-	-	2	-	-
Podlaskie	-	326	171	675	435	-	-	-	-	-	-	3	-	-
Pomorskie	1	1012	567	1408	700	-	-	-	-	-	-	5	-	-
Śląskie	-	1312	685	2048	917	-	-	-	1	1	-	11	-	-
Świętokrzyskie	-	174	100	664	478	-	-	-	2	2	-	6	-	-
Warmińsko-Mazurskie	-	157	86	955	850	-	-	-	-	-	-	3	1	-
Wielkopolskie	-	486	322	1681	1186	-	-	-	-	-	-	3	-	-
Zachodniopomorskie	-	47	16	429	364	-	-	-	9	1	-	6	-	-

## 2. Number of cases in 2003 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	5	1	30	-	-	2034	3872	1904	66	56	601	974	207
Dolnośląskie	-	-	2	-	-	62	340	126	5	4	55	37	25
Kujawsko-Pomorskie	-	-	1	-	-	185	307	71	2	1	22	40	6
Lubelskie	-	-	2	-	-	16	101	73	3	3	24	31	12
Lubuskie	1	-	-	-	-	20	49	37	3	3	21	9	1
Łódzkie	-	-	2	-	-	435	88	96	4	1	38	32	21
Małopolskie	-	-	4	-	-	45	304	250	2	8	52	174	14
Mazowieckie	-	-	3	-	-	341	346	153	7	2	66	76	2
Opolskie	-	-	1	-	-	19	231	43	-	1	10	18	14
Podkarpackie	-	-	6	-	-	5	126	146	2	3	46	76	19
Podlaskie	-	-	-	-	-	174	78	160	1	1	41	76	41
Pomorskie	3	1	-	-	-	59	398	130	6	5	40	75	4
Śląskie	-	-	6	-	-	310	629	157	8	10	53	76	10
Świętokrzyskie	-	-	-	-	-	199	88	76	7	5	30	30	4
Warmińsko-Mazurskie	1	-	1	-	-	66	169	154	2	2	32	103	15
Wielkopolskie	-	-	1	-	-	94	421	137	11	6	39	64	17
Zachodniopomorskie	-	-	1	-	-	4	197	95	3	1	32	57	2

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-.9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	759	10	7	89	339	38	185	2	89	3740	-	-	-	3574
Dolnośląskie	25	-	-	4	2	-	10	-	9	160	-	-	-	132
Kujawsko-Pomorskie	48	3	1	13	-	3	14	-	14	345	-	-	-	195
Lubelskie	9	1	-	1	1	4	-	-	2	108	-	-	-	142
Lubuskie	7	-	1	1	-	-	1	-	4	80	-	-	-	124
Łódzkie	17	1	-	3	4	3	4	-	2	451	-	-	-	64
Małopolskie	30	-	-	5	1	-	18	-	6	340	-	-	-	444
Mazowieckie	83	-	3	8	31	2	32	-	7	404	-	-	-	175
Opolskie	17	-	-	1	4	-	4	-	8	87	-	-	-	194
Podkarpackie	71	1	-	11	2	6	37	-	14	256	-	-	-	318
Podlaskie	182	2	-	6	160	7	7	-	-	118	-	-	-	536
Pomorskie	21	1	-	4	-	1	11	1	3	313	-	-	-	53
Śląskie	51	-	-	22	3	3	18	-	5	373	-	-	-	423
Świętokrzyskie	11	-	-	-	4	1	3	-	3	193	-	-	-	88
Warmińsko-Mazurskie	140	-	-	1	125	-	12	-	2	141	-	-	-	352
Wielkopolskie	39	1	2	7	1	7	13	1	7	291	-	-	-	190
Zachodniopomorskie	8	-	-	2	1	1	1	-	3	80	-	-	-	144

## 2. Number of cases in 2003 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever and other viral haemorrhagic fevers (A90-A99)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	2	-	1	-	-	1	-	5	1	-	7519	-	111527	48
Dolnośląskie	-	-	-	-	-	-	-	1	-	-	364	-	8985	1
Kujawsko-Pomorskie	1	-	-	-	-	-	-	-	-	-	375	-	8331	-
Lubelskie	-	-	1	-	-	1	-	1	-	-	407	-	6280	14
Lubuskie	-	-	-	-	-	-	-	-	1	-	108	-	2869	-
Łódzkie	-	-	-	-	-	-	-	2	-	-	496	-	5156	-
Małopolskie	-	-	-	-	-	-	-	-	-	-	797	-	8831	3
Mazowieckie	-	-	-	-	-	-	-	-	-	-	814	-	11100	-
Opolskie	-	-	-	-	-	-	-	-	-	-	78	-	4185	-
Podkarpackie	-	-	-	-	-	-	-	-	-	-	668	-	4548	-
Podlaskie	-	-	-	-	-	-	-	-	-	-	273	-	3660	21
Pomorskie	-	-	-	-	-	-	-	-	-	-	433	-	5863	1
Śląskie	-	-	-	-	-	-	-	-	-	-	655	-	15141	4
Świętokrzyskie	1	-	-	-	-	-	-	-	-	-	235	-	5064	-
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	817	-	4261	1
Wielkopolskie	-	-	-	-	-	-	-	1	-	-	665	-	12808	2
Zachodniopomorskie	-	-	-	-	-	-	-	-	-	-	334	-	4445	1

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16;B18.0-1/B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8;B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	10588	-	-	4226	150	1693	2136	118	129	87336	2501	3409	17	-
Dolnośląskie	322	-	-	470	31	174	222	28	15	12852	179	65	2	-
Kujawsko-Pomorskie	697	-	-	420	7	211	194	8	-	6138	216	602	1	-
Lubelskie	1786	-	-	223	4	71	140	6	2	2117	122	206	1	-
Lubuskie	317	-	-	135	-	37	91	6	1	5753	29	12	-	-
Łódzkie	161	-	-	470	6	163	270	10	21	3312	153	181	1	-
Małopolskie	515	-	-	303	14	114	166	1	8	6219	125	32	1	-
Mazowieckie	895	-	-	490	32	218	214	12	14	3324	396	162	4	-
Opolskie	1089	-	-	69	1	32	33	3	-	1732	30	8	-	-
Podkarpackie	396	-	-	131	3	70	45	3	10	5540	309	15	1	-
Podlaskie	179	-	-	57	4	36	9	1	7	6784	56	13	1	-
Pomorskie	245	-	-	173	4	80	77	11	1	8875	200	10	2	-
Śląskie	708	-	-	312	10	158	111	7	26	10197	203	780	-	-
Świętokrzyskie	700	-	-	360	4	132	211	4	9	2030	106	1250	-	-
Warmińsko-Mazurskie	1616	-	-	75	11	35	24	5	-	4441	41	9	-	-
Wielkopolskie	569	-	-	348	19	98	216	11	4	5847	270	44	1	-
Zachodniopomorskie	393	-	-	190	-	64	113	2	11	2175	66	20	2	-

## 2. Number of cases in 2003 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	615	16	276	34	-	170	72	40	13741	1092	1216284	507102
Dolnośląskie	9	-	11	1	-	6	4	2	622	1	73998	33194
Kujawsko-Pomorskie	99	-	28	3	-	15	10	6	1789	315	39813	17106
Lubelskie	10	-	2	1	-	1	-	-	609	27	65723	28200
Lubuskie	36	1	10	-	-	4	6	-	309	30	33743	14499
Łódzkie	27	3	24	2	-	16	6	3	1122	80	104467	43235
Małopolskie	20	1	14	-	-	10	4	-	871	-	116799	47561
Mazowieckie	60	2	39	-	-	33	6	2	899	113	293444	120365
Opolskie	17	-	11	-	-	9	2	-	260	-	37724	13917
Podkarpackie	41	1	3	2	-	1	-	1	825	-	37874	20401
Podlaskie	21	2	16	9	-	3	4	5	778	16	15095	6076
Pomorskie	7	-	22	-	-	15	7	-	322	124	58799	24865
Śląskie	17	-	25	-	-	20	5	-	2467	199	188646	79193
Świętokrzyskie	23	-	4	-	-	3	1	-	1268	92	20675	8181
Warmińsko-Mazurskie	110	-	22	7	-	8	7	-	669	2	42222	17728
Wielkopolskie	103	4	27	-	-	22	5	20	495	1	66972	24539
Zachodniopomorskie	15	2	18	9	-	4	5	1	436	92	20290	8042

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3-.8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-.2)	eaten as seafood (T61)	other specified & unspecified (T62.8-.9)
POLAND	20220	16496	409	78	-	110	3127	118	78	40	-	-
Dolnośląskie	1663	1161	139	2	-	2	359	3	3	-	-	-
Kujawsko-Pomorskie	1401	1067	105	11	-	9	209	16	1	15	-	-
Lubelskie	1432	1405	3	3	-	1	20	7	7	-	-	-
Lubuskie	818	587	-	2	-	-	229	2	2	-	-	-
Łódzkie	1237	1102	11	6	-	4	114	17	16	1	-	-
Małopolskie	1522	1303	6	1	-	17	195	2	1	1	-	-
Mazowieckie	2015	1926	1	5	-	16	67	2	2	-	-	-
Opolskie	415	402	1	3	-	1	8	8	1	7	-	-
Podkarpackie	1136	1091	1	3	-	3	38	16	16	-	-	-
Podlaskie	808	734	-	4	-	2	68	10	9	1	-	-
Pomorskie	1620	1284	3	17	-	-	316	5	4	1	-	-
Śląskie	2278	1341	3	2	-	10	922	10	9	1	-	-
Świętokrzyskie	782	533	-	-	-	-	249	12	3	9	-	-
Warmińsko-Mazurskie	867	781	-	10	-	41	35	-	-	-	-	-
Wielkopolskie	1191	1124	32	5	-	1	29	3	1	2	-	-
Zachodniopomorskie	1035	655	104	4	-	3	269	5	3	2	-	-

**2. Number of cases in 2003 - by voivodeship (contd)**

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	afatox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	10684	-	110	5710	1846	2336	55	627	46
Dolnośląskie	519	-	1	255	38	190	1	34	2
Kujawsko-Pomorskie	848	-	12	478	99	185	-	74	7
Lubelskie	1094	-	36	643	253	116	-	46	5
Lubuskie	554	-	5	331	108	86	2	22	1
Łódzkie	1652	-	2	894	451	205	3	97	3
Małopolskie	568	-	6	231	184	137	-	10	8
Mazowieckie	244	-	5	135	18	83	1	2	3
Opolskie	195	-	5	73	54	60	-	3	1
Podkarpackie	911	-	13	470	73	201	19	135	3
Podlaskie	507	-	2	225	111	100	2	67	1
Pomorskie	459	-	1	276	42	138	-	2	1
Śląskie	1104	-	4	461	115	494	9	21	3
Świętokrzyskie	1020	-	13	641	212	139	4	11	-
Warmińsko-Mazurskie	220	-	-	154	23	20	4	19	1
Wielkopolskie	195	-	-	108	14	8	2	63	6
Zachodniopomorskie	594	-	5	335	51	174	8	21	1

<http://www.pzh.gov.pl/epimeld>

**Prepared by:** Mirosław P. Czarkowski (supervisor), Ewa Cielebąk, Barbara Kondej, Ewa Stępień  
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

**Scientific supervision:** prof. dr hab. Wiesław Magdzik