

Semi-annually report 2001

on cases of infectious diseases and toxic effects of chemical substances

notified in the I half of 2001

1. Number of cases and incidence rate per 100.000 population in the I half of 2001 and 2000 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2001 ¹		I half of 2000	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	47	0.12	37	0.10
of which: resulting in specified diseases (B20-B22)	46	0.12	37	0.10
resulting in other conditions (B23)	1	0.00	-	-
unspecified HIV disease (B24)	-	-	-	-
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	2	0.01	7	0.02
Paratyphoid fevers A.B.C. (A01.1-A01.3)	1	0.00	-	-
Other salmonella infections: total	7898	20.44	9265	23.97
of which: salmonella enteritis (A02.0)	7860	20.34	9235	23.89
extraintestinal salmonellosis (A02.1-A02.9)	38	0.10	30	0.08
Shigellosis (A03)	32	0.08	42	0.11
Other bacterial intestinal infections: total (A04)	2376	6.15	2822	7.30
of which: children under 2 years ²	1493	198.27	1914	248.80
Acute amoebic dysentery (A06.0)	-	-	1	0.00
Viral & other specified intestinal infections: total (A08)	3181	8.23	2678	6.93
of which: children under 2 years ²	1968	261.35	1607	208.89
Acute diarrhoea: children under 2 years - total (A04; A08; A09) ²	8866	1177.41	11498	1494.62
of which: NOS, presumed of infectious origin (A09) ²	5405	717.79	7977	1036.93
Plague (A20)	-	-	-	-
Tularaemia (A21)	-	-	1	0.00
Anthrax (A22)	-	-	-	-
Brucellosis: total (A23)	11	0.03	8	0.02
of which: new cases	1	0.00	-	-
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	42	0.11	27	0.07

¹ Temporary data. ² Incidence rate per 100.000 children under 2 years.

1. Number of cases and incidence rate per 100.000 population in the I half of 2001 and 2000 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2001 ^{1/}		I half of 2000	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	1	0.00	4	0.01
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	6	0.02	5	0.01
of which: neonatal listeriosis (P37.2) ^{3/}	-	-	-	-
Tetanus: total (A33-A35)	9	0.02	5	0.01
of which: tetanus neonatorum (A33) ^{3/}	-	-	-	-
Diphtheria (A36)	-	-	1	0.00
Whooping cough (A37)	1337	3.46	793	2.05
Scarlet fever (A38)	4277	11.07	5935	15.36
Meningitis: total	743	1.92	761	1.97
of which: meningococcal (A39.0)	60	0.16	57	0.15
<i>Haemophilus influenzae</i> (G00.0)	32	0.08	43	0.11
other bacterial, specified & unspecified (G00.1-G00.9)	309	0.80	347	0.90
viral, specified & unspecified (A87; B00.3; B02.1)	268	0.69	246	0.64
other & unspecified (G03)	74	0.19	68	0.18
Encephalitis: total	180	0.47	210	0.54
of which: meningococcal (A39.8)	3	0.01	6	0.02
<i>Haemophilus influenzae</i> (G04.2)	2	0.01	3	0.01
other bacterial (G04.2)	55	0.14	49	0.13
viral, tick-borne (A84)	10	0.03	13	0.03
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	9	0.02	14	0.04
viral, unspecified (A86)	62	0.16	85	0.22
following immunization (G04.0)	-	-	-	-
other & unspecified (G04.8-G04.9)	39	0.10	40	0.10
Erysipelas: total (A46; O86.8)	1632	4.22	1624	4.20
of which: postpartum or puerperal (O86.8) ^{3/}	-	-	-	-
Scleroma (A48.8)	1	0.00	-	-
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	698	1.81	275	0.71
<i>Chlamydia psittaci</i> infection (A70)	-	-	1	0.00
Trachoma (A71)	-	-	-	-
Rickettsioses: total	-	-	1	0.00
of which: typhus fever (A75)	-	-	-	-
Q fever (A78)	-	-	-	-
spotted fever & other (A77; A79)	-	-	1	0.00
Acute poliomyelitis, including vaccine-associated paralysis (A80)	-	-	-	-
Creutzfeldt-Jakob disease (A81.0)	3	0.01	1	0.00
Subacute sclerosing panencephalitis (A81.1)	1	0.00	1	0.00
Rabies (A82)	-	-	-	-
Persons bitten by animals suspected of rabies, vaccinated post-exposure	5720	14.80	3757	9.72
Yellow fever (A95)	-	-	-	-
Varicella /chicken pox/ (B01)	74465	192.70	87802	227.17
Measles (B05)	92	0.24	53	0.14
Rubella: total (B06; P35.0)	68279	176.69	35784	92.59
of which: congenital rubella syndrome (P35.0) ^{3/}	-	-	1	0.52

^{1/} Temporary data. ^{3/} Incidence rate per 100.000 live births notified in the I half of 2001 and 2000.

1. Number of cases and incidence rate per 100.000 population in the I half of 2001 and 2000 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2001 ¹		I half of 2001#	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	2533	6.55	2831	7.32
of which: type A (B15)	224	0.58	123	0.32
type B (B16; B18.0-B18.1)	1154	2.99	1439	3.72
type C (B17.1; B18.2)	971	2.51	1028	2.66
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	68	0.18	71	0.18
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	116	0.30	170	0.44
Mumps (B26)	7443	19.26	12191	31.54
Infectious mononucleosis (B27)	961	2.49	869	2.25
Dermatophytosis (B35)	687	1.78	757	1.96
Malaria: total (B50-B54; P37.3-P37.4)	14	0.04	9	0.02
of which: congenital malaria (P37.3-P37.4) ³	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	191	0.49	189	0.49
of which: congenital toxoplasmosis (P37.1) ³	2	1.07	3	1.55
Cestode infections: total	208	0.54	234	0.61
of which: echinococcosis (B67)	24	0.06	12	0.03
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	118	0.31	180	0.47
other specified & unspecified (B68.0; B68.9; B70; B71)	66	0.17	42	0.11
Trichinellosis (B75)	20	0.05	7	0.02
Scabies (B86)	7302	18.90	7818	20.23
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	153	0.40	236	0.61
Influenza: total (J10; J11)	519260	1343.75	1528699	3955.25
of which: children 0-14 years ⁴	251670	3489.97	384709	5137.19
Bacterial foodborne intoxications: total	9753	25.24	10821	28.00
of which: salmonella enteritis (A02.0)	7860	20.34	9235	23.89
staphylococcal (A05.0)	239	0.62	96	0.25
botulism (A05.1)	34	0.09	29	0.08
<i>Clostridium perfringens</i> (A05.2)	1	0.00	1	0.00
other specified (A05.3-A05.8)	63	0.16	76	0.20
unspecified (A05.9)	1556	4.03	1384	3.58
Toxic effects of noxious substances eaten as food: total	22	0.06	11	0.03
of which: ingested mushrooms (T62.0)	16	0.04	11	0.03
ingested berries or other parts of plants (T62.1-T62.2)	6	0.02	-	-
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	4564	11.81	4195	10.85
of which: aflatoxin & other mycotoxin food contaminants (T64)	2	0.01	-	-
pesticides (T60)	159	0.41	52	0.13
drugs, medicaments & biological substances (T36-T50)	2406	6.23	2370	6.13
alcohol (T51)	880	2.28	914	2.36
other substances non-medicinal as to source (T52-T59)	879	2.27	632	1.64
contact with venomous animals (T63)	13	0.03	20	0.05
other & unspecified (T65)	225	0.58	207	0.54
Acute flaccid paralysis: children 0-14 years ⁴	42	0.58	23	0.31

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in the I half of 2001 and 2000. ⁴ Incidence rate per 100.000 children under 15 years.

2. Number of cases in the I half of 2001 - by voivodeship

Voivodeship	Human immunodeficiency virus /HIV/ disease				Cholera (A00)	Typhoid fever (A01.0)	Paratyphoid fevers A.B.C. (A01.1.-3)	Other salmonella infections			Shigellosis (A03)	Other bacterial intestinal infections (A04)	
	Total	resulting in specified diseases (B20-B22)	resulting in other conditions (B23)	unspecified HIV disease (B24)				Total	salmonella enteritis (A02.0)	extraintestinal salmonellosis (A02.1.-9)		Total	of which: children under 2 years
POLAND	47	46	1	-	-	2	1	7898	7860	38	32	2376	1493
Dolnośląskie	17	17	-	-	-	1	-	436	436	-	1	197	118
Kujawsko-Pomorskie	3	3	-	-	-	-	-	466	462	4	1	56	15
Lubelskie	-	-	-	-	-	-	-	851	851	-	9	99	96
Lubuskie	3	3	-	-	-	-	-	247	246	1	-	115	30
Łódzkie	2	2	-	-	-	-	-	609	605	4	-	307	167
Małopolskie	1	-	1	-	-	-	-	483	482	1	1	110	82
Mazowieckie	1	1	-	-	-	-	-	1126	1114	12	3	202	137
Opolskie	5	5	-	-	-	-	-	243	243	-	-	9	7
Podkarpackie	-	-	-	-	-	-	-	535	534	1	4	351	290
Podlaskie	-	-	-	-	-	1	-	466	464	2	-	92	48
Pomorskie	10	10	-	-	-	-	-	394	393	1	2	138	69
Śląskie	5	5	-	-	-	-	1	561	560	1	4	284	252
Świętokrzyskie	-	-	-	-	-	-	-	273	271	2	6	43	36
Warmińsko-Mazurskie	-	-	-	-	-	-	-	364	362	2	1	26	3
Wielkopolskie	-	-	-	-	-	-	-	631	625	6	-	292	138
Zachodniopomorskie	-	-	-	-	-	-	-	213	212	1	-	55	5

Voivodeship	Acute amoebic dysentery (A06.0)	Viral & other specified intestinal inf. (A08)		Acute diarrhoea: children under 2 years		Plague (A20)	Tularaemia (A21)	Anthrax (A22)	Brucellosis (A23)		Glanders (A24.0)	Erysipeloid (A26)	Leptospirosis (A27)	Leprosy (A30)
		Total	of which: children under 2 years	Total (A04;A08;A09)	of which: NOS, presumed of inf.origin (A09)				Total	of which: new cases				
POLAND	-	3181	1968	8866	5405	-	-	-	11	1	-	42	1	-
Dolnośląskie	-	199	123	645	404	-	-	-	2	-	-	1	-	-
Kujawsko-Pomorskie	-	455	302	675	358	-	-	-	1	-	-	5	-	-
Lubelskie	-	143	118	562	348	-	-	-	1	-	-	5	-	-
Lubuskie	-	21	15	169	124	-	-	-	5	-	-	-	-	-
Łódzkie	-	265	148	434	119	-	-	-	-	-	-	8	-	-
Małopolskie	-	317	201	570	287	-	-	-	-	-	-	1	-	-
Mazowieckie	-	488	285	908	486	-	-	-	-	-	-	9	-	-
Opolskie	-	1	1	97	89	-	-	-	-	-	-	-	-	-
Podkarpackie	-	156	112	631	229	-	-	-	-	-	-	1	-	-
Podlaskie	-	13	7	218	163	-	-	-	-	-	-	2	-	-
Pomorskie	-	447	208	800	523	-	-	-	-	-	-	2	-	-
Śląskie	-	308	188	896	456	-	-	-	-	-	-	2	-	-
Świętokrzyskie	-	68	53	415	326	-	-	-	1	1	-	2	-	-
Warmińsko-Mazurskie	-	17	9	425	413	-	-	-	-	-	-	-	-	-
Wielkopolskie	-	276	196	1173	839	-	-	-	-	-	-	2	-	-
Zachodniopomorskie	-	7	2	248	241	-	-	-	1	-	-	2	1	-

2. Number of cases in the I half of 2001 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	6	-	9	-	-	1337	4277	743	60	32	309	268	74
Dolnośląskie	-	-	-	-	-	66	356	49	2	2	28	8	9
Kujawsko-Pomorskie	2	-	-	-	-	33	272	30	-	1	8	21	-
Lubelskie	-	-	1	-	-	6	136	31	-	3	8	12	8
Lubuskie	-	-	-	-	-	5	73	18	-	1	13	3	1
Łódzkie	1	-	-	-	-	484	125	51	11	3	15	12	10
Małopolskie	1	-	3	-	-	40	304	84	5	2	35	33	9
Mazowieckie	1	-	-	-	-	194	635	68	11	2	30	23	2
Opolskie	-	-	-	-	-	33	200	20	2	-	6	10	2
Podkarpackie	-	-	1	-	-	4	78	34	3	1	14	12	4
Podlaskie	-	-	1	-	-	145	116	25	-	1	18	5	1
Pomorskie	-	-	-	-	-	1	200	76	9	1	21	42	3
Śląskie	-	-	-	-	-	63	774	89	10	6	36	29	8
Świętokrzyskie	-	-	-	-	-	117	85	36	1	-	22	13	-
Warmińsko-Mazurskie	-	-	-	-	-	100	120	36	3	3	17	9	4
Wielkopolskie	-	-	2	-	-	46	663	61	2	2	26	21	10
Zachodniopomorskie	1	-	1	-	-	-	140	35	1	4	12	15	3

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	180	3	2	55	10	9	62	-	39	1632	-	1	-	698
Dolnośląskie	9	-	-	2	-	-	1	-	6	65	-	-	-	39
Kujawsko-Pomorskie	26	1	-	11	-	-	11	-	3	124	-	-	-	12
Lubelskie	5	-	-	4	-	-	1	-	-	49	-	-	-	21
Lubuskie	-	-	-	-	-	-	-	-	-	35	-	-	-	8
Łódzkie	5	-	-	1	-	1	1	-	2	249	-	-	-	33
Małopolskie	11	-	-	2	-	-	5	-	4	130	-	-	-	66
Mazowieckie	25	1	1	13	-	3	6	-	1	262	-	-	-	27
Opolskie	5	-	-	1	2	1	1	-	-	30	-	-	-	28
Podkarpackie	31	-	-	3	-	3	8	-	17	85	-	-	-	75
Podlaskie	9	-	-	3	3	-	3	-	-	38	-	1	-	159
Pomorskie	9	-	-	1	-	-	8	-	-	119	-	-	-	9
Śląskie	19	1	-	8	-	-	9	-	1	100	-	-	-	74
Świętokrzyskie	2	-	-	1	-	-	1	-	-	68	-	-	-	14
Warmińsko-Mazurskie	10	-	-	2	5	-	3	-	-	60	-	-	-	77
Wielkopolskie	8	-	1	-	-	1	3	-	3	120	-	-	-	19
Zachodniopomorskie	6	-	-	3	-	-	1	-	2	98	-	-	-	37

2. Number of cases in the I half of 2001 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever (A95)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	-	-	-	-	-	-	-	3	1	-	5720	-	74465	92
Dolnośląskie	-	-	-	-	-	-	-	-	-	-	142	-	4842	9
Kujawsko-Pomorskie	-	-	-	-	-	-	-	-	-	-	384	-	4826	-
Lubelskie	-	-	-	-	-	-	-	-	-	-	452	-	2581	1
Lubuskie	-	-	-	-	-	-	-	-	-	-	63	-	2711	1
Łódzkie	-	-	-	-	-	-	-	1	-	-	184	-	4204	3
Małopolskie	-	-	-	-	-	-	-	1	-	-	687	-	6609	22
Mazowieckie	-	-	-	-	-	-	-	-	-	-	647	-	6865	14
Opolskie	-	-	-	-	-	-	-	1	-	-	34	-	2989	-
Podkarpackie	-	-	-	-	-	-	-	-	-	-	552	-	3612	1
Podlaskie	-	-	-	-	-	-	-	-	-	-	251	-	3005	4
Pomorskie	-	-	-	-	-	-	-	-	-	-	245	-	4385	7
Śląskie	-	-	-	-	-	-	-	-	-	-	402	-	12024	24
Świętokrzyskie	-	-	-	-	-	-	-	-	1	-	201	-	3680	-
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	870	-	2775	1
Wielkopolskie	-	-	-	-	-	-	-	-	-	-	400	-	6771	5
Zachodniopomorskie	-	-	-	-	-	-	-	-	-	-	206	-	2586	-

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16;B18.0-1/B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8;B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	68279	-	-	2533	224	1154	971	68	116	7443	961	687	14	-
Dolnośląskie	10339	-	-	310	6	137	144	17	6	530	62	156	-	-
Kujawsko-Pomorskie	12110	-	-	217	2	115	95	4	1	937	70	11	-	-
Lubelskie	2670	-	-	123	23	39	47	4	10	560	43	96	-	-
Lubuskie	2207	-	-	98	1	37	57	1	2	41	15	3	-	-
Łódzkie	2653	-	-	244	24	112	96	5	7	229	65	76	7	-
Małopolskie	4143	-	-	150	15	87	44	2	2	786	56	18	1	-
Mazowieckie	2777	-	-	342	95	113	115	9	10	374	195	11	2	-
Opolskie	2227	-	-	58	-	31	22	3	2	289	11	4	-	-
Podkarpackie	1322	-	-	71	10	35	16	1	9	113	63	-	-	-
Podlaskie	420	-	-	67	3	35	21	-	8	364	22	4	1	-
Pomorskie	2028	-	-	150	28	55	55	8	4	726	93	-	2	-
Śląskie	11308	-	-	279	2	183	56	5	33	1148	81	11	-	-
Świętokrzyskie	1503	-	-	171	2	62	92	5	10	371	27	293	-	-
Warmińsko-Mazurskie	1251	-	-	41	2	24	15	-	-	61	17	-	-	-
Wielkopolskie	8839	-	-	153	10	61	78	3	1	847	108	-	-	-
Zachodniopomorskie	2482	-	-	59	1	28	18	1	11	67	33	4	1	-

2. Number of cases in the I half of 2001 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	191	2	208	24	-	118	66	20	7302	153	519260	251670
Dolnośląskie	14	-	9	1	-	5	3	-	331	-	86858	44945
Kujawsko-Pomorskie	30	-	44	-	-	12	32	-	489	17	34272	17361
Lubelskie	4	-	1	1	-	-	-	-	504	8	23482	13688
Lubuskie	8	-	5	-	-	4	1	13	173	44	13276	5750
Łódzkie	5	-	14	5	-	5	4	-	970	6	51527	21555
Małopolskie	9	-	6	-	-	5	1	-	400	-	40961	17224
Mazowieckie	8	-	24	4	-	15	5	1	478	5	103789	51768
Opolskie	3	-	15	-	-	14	1	-	254	-	7708	3284
Podkarpackie	12	-	5	1	-	1	3	-	522	2	3239	1382
Podlaskie	18	1	14	7	-	5	2	2	246	-	9755	4522
Pomorskie	11	-	16	-	-	14	2	-	297	20	20484	11392
Śląskie	8	-	17	-	-	12	5	-	1062	-	36352	18547
Świętokrzyskie	1	-	10	4	-	5	1	-	380	-	4860	2728
Warmińsko-Mazurskie	28	-	13	-	-	10	3	-	310	7	18210	9245
Wielkopolskie	23	1	9	-	-	6	3	-	490	3	27692	10907
Zachodniopomorskie	9	-	6	1	-	5	-	4	396	41	36795	17372

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3--8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-.2)	eaten as seafood (T61)	other specified & unspecified (T62.8-.9)
POLAND	9753	7860	239	34	1	63	1556	22	16	6	-	-
Dolnośląskie	574	436	-	3	-	-	135	-	-	-	-	-
Kujawsko-Pomorskie	598	462	1	4	-	6	125	7	3	4	-	-
Lubelskie	872	851	-	1	-	-	20	1	1	-	-	-
Lubuskie	350	246	-	1	-	-	103	1	1	-	-	-
Łódzkie	664	605	-	-	-	2	57	3	1	2	-	-
Małopolskie	592	482	19	2	-	1	88	1	1	-	-	-
Mazowieckie	1208	1114	2	1	-	22	69	1	1	-	-	-
Opolskie	264	243	-	5	-	-	16	-	-	-	-	-
Podkarpackie	557	534	-	4	-	3	16	3	3	-	-	-
Podlaskie	510	464	41	4	-	1	-	1	1	-	-	-
Pomorskie	619	393	37	-	1	2	186	-	-	-	-	-
Śląskie	938	560	-	1	-	6	371	1	1	-	-	-
Świętokrzyskie	375	271	-	1	-	-	103	1	1	-	-	-
Warmińsko-Mazurskie	381	362	-	4	-	-	15	-	-	-	-	-
Wielkopolskie	667	625	1	3	-	-	38	2	2	-	-	-
Zachodniopomorskie	584	212	138	-	-	20	214	-	-	-	-	-

2. Number of cases in the I half of 2001 - by voivodeship (contd)

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	aflatox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	4564	2	159	2406	880	879	13	225	42
Dolnośląskie	254	-	-	139	33	50	6	26	2
Kujawsko-Pomorskie	440	-	109	165	19	86	-	61	5
Lubelskie	490	-	10	305	113	40	-	22	3
Lubuskie	275	-	2	192	38	40	1	2	3
Łódzkie	914	-	4	438	311	98	-	63	2
Małopolskie	226	-	1	60	79	80	-	6	7
Mazowieckie	153	-	9	74	25	43	1	1	3
Opolskie	54	-	2	20	1	30	-	1	3
Podkarpackie	330	1	11	201	50	61	1	5	3
Podlaskie	118	-	-	76	22	18	1	1	2
Pomorskie	211	-	4	104	23	76	-	4	-
Śląskie	342	1	2	166	53	114	2	4	5
Świętokrzyskie	462	-	2	278	70	102	1	9	-
Warmińsko-Mazurskie	99	-	1	77	9	6	-	6	2
Wielkopolskie	116	-	1	65	26	17	-	7	2
Zachodniopomorskie	80	-	1	46	8	18	-	7	-

<http://www.pzh.gov.pl>

<http://www.medstat.waw.pl>

Prepared by: Mirosław P. Czarkowski (supervisor), Ewa Cielebąk, Barbara Kondej, Ewa Stępień
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

Scientific supervision: prof. dr hab. Wiesław Magdzik