

Annually report 2001

on cases of infectious diseases and toxic effects of chemical substances

notified in 2001

1. Number of cases and incidence rate per 100.000 population in 2001 and 2000 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2001 ¹		2000	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	115	0.30	123	0.32
of which: resulting in specified diseases (B20-B22)	111	0.29	123	0.32
resulting in other conditions (B23)	4	0.01	-	-
unspecified HIV disease (B24)	-	-	-	-
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	6	0.02	13	0.03
Paratyphoid fevers A.B.C. (A01.1-A01.3)	1	0.00	1	0.00
Other salmonella infections: total	19879	51.45	22799	58.99
of which: salmonella enteritis (A02.0)	19788	51.21	22712	58.77
extraintestinal salmonellosis (A02.1-A02.9)	91	0.24	87	0.23
Shigellosis (A03)	128	0.33	121	0.31
Other bacterial intestinal infections: total (A04)	4426	11.45	4891	12.66
of which: children under 2 years ²	2694	358.55	3213	418.64
Acute amoebic dysentery (A06.0)	-	-	2	0.01
Viral & other specified intestinal infections: total (A08)	4539	11.75	3882	10.04
of which: children under 2 years ²	2681	356.82	2240	291.86
Acute diarrhoea: children under 2 years - total (A04; A08; A09) ²	14860	1977.75	17538	2285.11
of which: NOS, presumed of infectious origin (A09) ²	9485	1262.38	12085	1574.61
Plague (A20)	-	-	-	-
Tularaemia (A21)	-	-	2	0.01
Anthrax (A22)	-	-	-	-
Brucellosis: total (A23)	29	0.08	23	0.06
of which: new cases	3	0.01	6	0.02
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	99	0.26	90	0.23

¹ Temporary data. ² Incidence rate per 100.000 children under 2 years.

1. Number of cases and incidence rate per 100.000 population in 2001 and 2000 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2001 ^{/1}		2000	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	5	0.01	13	0.03
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	9	0.02	10	0.03
of which: neonatal listeriosis (P37.2) ^{/3}	-	-	1	0.26
Tetanus: total (A33-A35)	20	0.05	14	0.04
of which: tetanus neonatorum (A33) ^{/3}	-	-	-	-
Diphtheria (A36)	-	-	1	0.00
Whooping cough (A37)	2411	6.24	2269	5.87
Scarlet fever (A38)	5885	15.23	8345	21.59
Meningitis: total	2366	6.12	2110	5.46
of which: meningococcal (A39.0)	101	0.26	101	0.26
<i>Haemophilus influenzae</i> (G00.0)	70	0.18	82	0.21
other bacterial, specified & unspecified (G00.1-G00.9)	667	1.73	682	1.76
viral, specified & unspecified (A87; B00.3; B02.1)	1324	3.43	1051	2.72
other & unspecified (G03)	204	0.53	194	0.50
Encephalitis: total	568	1.47	570	1.47
of which: meningococcal (A39.8)	5	0.01	9	0.02
<i>Haemophilus influenzae</i> (G04.2)	4	0.01	3	0.01
other bacterial (G04.2)	108	0.28	105	0.27
viral, tick-borne (A84)	205	0.53	170	0.44
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	24	0.06	24	0.06
viral, unspecified (A86)	150	0.39	169	0.44
following immunization (G04.0)	-	-	1	0.00
other & unspecified (G04.8-G04.9)	72	0.19	89	0.23
Erysipelas: total (A46; O86.8)	3637	9.41	3682	9.53
of which: postpartum or puerperal (O86.8) ^{/3}	-	-	-	-
Scleroma (A48.8)	1	0.00	-	-
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	2471	6.39	1850	4.79
<i>Chlamydia psittaci</i> infection (A70)	5	0.01	1	0.00
Trachoma (A71)	-	-	-	-
Rickettsioses: total	1	0.00	1	0.00
of which: typhus fever (A75)	-	-	-	-
Q fever (A78)	1	0.00	-	-
spotted fever & other (A77; A79)	-	-	1	0.00
Acute poliomyelitis, including vaccine-associated paralysis (A80)	-	-	-	-
Creutzfeldt-Jakob disease (A81.0)	8	0.02	3	0.01
Subacute sclerosing panencephalitis (A81.1)	1	0.00	1	0.00
Rabies (A82)	-	-	1	0.00
Persons bitten by animals suspected of rabies, vaccinated post-exposure	11385	29.46	9914	25.65
Yellow fever (A95)	-	-	-	-
Varicella /chicken pox/ (B01)	106326	275.16	128016	331.25
Measles (B05)	132	0.34	77	0.20
Rubella: total (B06; P35.0)	84418	218.47	46181	119.50
of which: congenital rubella syndrome (P35.0) ^{/3}	2	0.54	1	0.26

^{/1} Temporary data. ^{/3} Incidence rate per 100.000 live births notified in 2001 and 2000.

1. Number of cases and incidence rate per 100.000 population in 2001 and 2000 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2001 ¹		2001#	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	5178	13.40	5360	13.87
of which: type A (B15)	738	1.91	262	0.68
type B (B16; B18.0-B18.1)	2277	5.89	2695	6.97
type C (B17.1; B18.2)	1837	4.75	1956	5.06
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	114	0.30	130	0.34
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	212	0.55	317	0.82
Mumps (B26)	16723	43.28	17548	45.41
Infectious mononucleosis (B27)	1911	4.95	1757	4.55
Dermatophytosis (B35)	1636	4.23	1560	4.04
Malaria: total (B50-B54; P37.3-P37.4)	24	0.06	24	0.06
of which: congenital malaria (P37.3-P37.4) ³	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	447	1.16	368	0.95
of which: congenital toxoplasmosis (P37.1) ³	5	1.36	7	1.85
Cestode infections: total	321	0.83	468	1.21
of which: echinococcosis (B67)	37	0.10	29	0.08
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	194	0.50	359	0.93
other specified & unspecified (B68.0; B68.9; B70; B71)	90	0.23	80	0.21
Trichinellosis (B75)	64	0.17	36	0.09
Scabies (B86)	16385	42.40	16914	43.77
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	329	0.85	455	1.18
Influenza: total (J10; J11)	576449	1491.80	1596920	4132.15
of which: children 0-14 years ⁴	275358	3851.44	409485	5518.81
Bacterial foodborne intoxications: total	24393	63.13	26701	69.09
of which: salmonella enteritis (A02.0)	19788	51.21	22712	58.77
staphylococcal (A05.0)	647	1.67	382	0.99
botulism (A05.1)	66	0.17	72	0.19
<i>Clostridium perfringens</i> (A05.2)	1	0.00	1	0.00
other specified (A05.3-A05.8)	307	0.79	109	0.28
unspecified (A05.9)	3584	9.28	3425	8.86
Toxic effects of noxious substances eaten as food: total	261	0.68	311	0.80
of which: ingested mushrooms (T62.0)	238	0.62	300	0.78
ingested berries or other parts of plants (T62.1-T62.2)	23	0.06	11	0.03
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	9159	23.70	8303	21.48
of which: aflatoxin & other mycotoxin food contaminants (T64)	2	0.01	4	0.01
pesticides (T60)	223	0.58	107	0.28
drugs, medicaments & biological substances (T36-T50)	5064	13.11	4721	12.22
alcohol (T51)	1637	4.24	1753	4.54
other substances non-medicinal as to source (T52-T59)	1476	3.82	1157	2.99
contact with venomous animals (T63)	53	0.14	103	0.27
other & unspecified (T65)	704	1.82	458	1.19
Acute flaccid paralysis: children 0-14 years ⁴	75	1.05	42	0.57

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in 2001 and 2000. ⁴ Incidence rate per 100.000 children under 15 years.

2. Number of cases in 2001 - by voivodeship

Voivodeship	Human immunodeficiency virus /HIV/ disease				Cholera (A00)	Typhoid fever (A01.0)	Paratyphoid fevers A.B.C. (A01.1.-3)	Other salmonella infections			Shigellosis (A03)	Other bacterial intestinal infections (A04)	
	Total	resulting in specified diseases (B20-B22)	resulting in other conditions (B23)	unspecified HIV disease (B24)				Total	salmonella enteritis (A02.0)	extraintestinal salmonellosis (A02.1.-9)		Total	of which: children under 2 years
POLAND	115	111	4	-	-	6	1	19879	19788	91	128	4426	2694
Dolnośląskie	26	24	2	-	-	1	-	1167	1164	3	2	313	185
Kujawsko-Pomorskie	8	8	-	-	-	-	-	1395	1386	9	2	106	36
Lubelskie	2	2	-	-	-	-	-	1942	1942	-	17	193	177
Lubuskie	6	6	-	-	-	-	-	494	492	2	1	178	42
Łódzkie	5	5	-	-	-	-	-	1357	1350	7	-	559	285
Małopolskie	1	-	1	-	-	1	-	1170	1162	8	8	269	169
Mazowieckie	15	15	-	-	-	1	-	2628	2603	25	12	353	253
Opolskie	6	6	-	-	-	-	-	501	499	2	-	11	8
Podkarpackie	-	-	-	-	-	-	-	1434	1432	2	28	649	529
Podlaskie	3	3	-	-	-	1	-	1140	1138	2	-	157	76
Pomorskie	16	16	-	-	-	-	-	1222	1217	5	6	309	132
Śląskie	14	14	-	-	-	-	1	1479	1474	5	8	540	462
Świętokrzyskie	-	-	-	-	-	-	-	703	700	3	10	100	75
Warmińsko-Mazurskie	3	2	1	-	-	-	-	1037	1033	4	30	57	4
Wielkopolskie	4	4	-	-	-	-	-	1616	1604	12	-	492	246
Zachodniopomorskie	6	6	-	-	-	2	-	594	592	2	4	140	15

Voivodeship	Acute amoebic dysentery (A06.0)	Viral & other specified intestinal inf. (A08)		Acute diarrhoea: children under 2 years		Plague (A20)	Tularaemia (A21)	Anthrax (A22)	Brucellosis (A23)		Glanders (A24.0)	Erysipeloid (A26)	Leptospirosis (A27)	Leprosy (A30)
		Total	of which: children under 2 years	Total (A04;A08;A09)	of which: NOS, presumed of inf.origin (A09)				Total	of which: new cases				
POLAND	-	4539	2681	14860	9485	-	-	-	29	3	-	99	5	-
Dolnośląskie	-	216	138	991	668	-	-	-	4	-	-	2	1	-
Kujawsko-Pomorskie	-	583	379	1130	715	-	-	-	2	-	-	13	-	-
Lubelskie	-	200	138	844	529	-	-	-	1	-	-	6	-	-
Lubuskie	-	44	21	247	184	-	-	-	7	-	-	2	1	-
Łódzkie	-	372	204	666	177	-	-	-	-	-	-	17	-	-
Małopolskie	-	537	314	1021	538	-	-	-	-	-	-	3	2	-
Mazowieckie	-	716	419	1570	898	-	-	-	-	-	-	18	-	-
Opolskie	-	2	1	129	120	-	-	-	-	-	-	-	-	-
Podkarpackie	-	188	129	1156	498	-	-	-	-	-	-	2	-	-
Podlaskie	-	29	18	404	310	-	-	-	-	-	-	8	-	-
Pomorskie	-	658	273	1324	919	-	-	-	-	-	-	4	-	-
Śląskie	-	464	278	1539	799	-	-	-	-	-	-	6	-	-
Świętokrzyskie	-	83	62	685	548	-	-	-	2	2	-	5	-	-
Warmińsko-Mazurskie	-	45	30	798	764	-	-	-	-	-	-	3	-	-
Wielkopolskie	-	393	275	1939	1418	-	-	-	3	1	-	5	-	-
Zachodniopomorskie	-	9	2	417	400	-	-	-	10	-	-	5	1	-

2. Number of cases in 2001 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	9	-	20	-	-	2411	5885	2366	101	70	667	1324	204
Dolnośląskie	-	-	-	-	-	108	469	131	3	3	56	39	30
Kujawsko-Pomorskie	2	-	-	-	-	63	358	102	1	4	25	70	2
Lubelskie	-	-	2	-	-	8	179	79	2	7	23	27	20
Lubuskie	-	-	-	-	-	26	106	55	-	1	26	21	7
Łódzkie	1	-	2	-	-	699	174	129	12	5	44	44	24
Małopolskie	2	-	9	-	-	96	431	222	7	7	68	120	20
Mazowieckie	3	-	-	-	-	396	857	186	18	4	59	101	4
Opolskie	-	-	-	-	-	80	312	76	2	-	13	57	4
Podkarpackie	-	-	1	-	-	14	121	103	8	6	44	36	9
Podlaskie	-	-	1	-	-	273	147	95	2	3	44	38	8
Pomorskie	-	-	-	-	-	12	274	420	12	4	33	364	7
Śląskie	-	-	-	-	-	106	1038	231	18	12	75	105	21
Świętokrzyskie	-	-	-	-	-	228	116	124	4	2	55	62	1
Warmińsko-Mazurskie	-	-	-	-	-	195	171	95	6	2	34	39	14
Wielkopolskie	-	-	4	-	-	107	924	163	5	6	41	87	24
Zachodniopomorskie	1	-	1	-	-	-	208	155	1	4	27	114	9

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-.9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	568	5	4	108	205	24	150	-	72	3637	-	1	-	2471
Dolnośląskie	19	-	-	3	3	1	5	-	7	156	-	-	-	164
Kujawsko-Pomorskie	42	2	-	16	-	-	20	-	4	311	-	-	-	58
Lubelskie	14	-	-	3	3	-	5	-	3	125	-	-	-	113
Lubuskie	6	-	-	3	1	1	1	-	-	81	-	-	-	69
Łódzkie	7	-	-	1	1	1	2	-	2	519	-	-	-	78
Małopolskie	39	-	-	11	3	1	13	-	11	316	-	-	-	229
Mazowieckie	58	2	2	20	9	5	19	-	1	499	-	-	-	126
Opolskie	9	-	-	1	5	2	1	-	-	82	-	-	-	78
Podkarpackie	53	-	-	7	-	6	18	-	22	211	-	-	-	226
Podlaskie	122	-	-	7	99	5	10	-	1	69	-	1	-	459
Pomorskie	20	-	-	4	-	-	15	-	1	266	-	-	-	28
Śląskie	47	1	1	21	2	-	19	-	3	276	-	-	-	219
Świętokrzyskie	12	-	-	3	6	-	3	-	-	162	-	-	-	84
Warmińsko-Mazurskie	82	-	-	2	73	-	6	-	1	148	-	-	-	272
Wielkopolskie	27	-	1	3	-	1	11	-	11	250	-	-	-	162
Zachodniopomorskie	11	-	-	3	-	1	2	-	5	166	-	-	-	106

2. Number of cases in 2001 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever (A95)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	5	-	1	-	1	-	-	8	1	-	11385	-	106326	132
Dolnośląskie	-	-	-	-	-	-	-	-	-	-	301	-	7045	11
Kujawsko-Pomorskie	-	-	1	-	1	-	-	-	-	-	750	-	6763	-
Lubelskie	-	-	-	-	-	-	-	1	-	-	853	-	4457	2
Lubuskie	-	-	-	-	-	-	-	-	-	-	135	-	3657	1
Łódzkie	-	-	-	-	-	-	-	1	-	-	395	-	5829	3
Małopolskie	-	-	-	-	-	-	-	3	-	-	1184	-	8814	24
Mazowieckie	-	-	-	-	-	-	-	1	-	-	1173	-	10554	18
Opolskie	-	-	-	-	-	-	-	1	-	-	65	-	4346	-
Podkarpackie	-	-	-	-	-	-	-	1	-	-	1223	-	4631	2
Podlaskie	-	-	-	-	-	-	-	-	-	-	602	-	4527	4
Pomorskie	-	-	-	-	-	-	-	-	-	-	508	-	5972	10
Śląskie	-	-	-	-	-	-	-	-	-	-	833	-	15722	26
Świętokrzyskie	5	-	-	-	-	-	-	-	-	1	349	-	5125	13
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	1485	-	3957	2
Wielkopolskie	-	-	-	-	-	-	-	-	-	-	1039	-	10875	16
Zachodniopomorskie	-	-	-	-	-	-	-	-	-	-	490	-	4052	-

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16; B18.0-1 / B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8; B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	84418	2	-	5178	738	2277	1837	114	212	16723	1911	1636	24	-
Dolnośląskie	12191	-	-	569	12	270	248	27	12	1177	143	249	-	-
Kujawsko-Pomorskie	13760	-	-	444	9	237	187	7	4	1389	146	69	-	-
Lubelskie	3361	-	-	219	35	74	89	7	14	885	107	228	-	-
Lubuskie	2742	-	-	201	13	78	106	2	2	86	34	3	1	-
Łódzkie	3690	-	-	505	82	217	177	7	22	396	141	224	10	-
Małopolskie	5302	2	-	270	22	150	86	6	6	1715	105	32	1	-
Mazowieckie	3539	-	-	654	163	240	225	12	14	797	362	14	3	-
Opolskie	2774	-	-	144	38	59	41	3	3	702	26	18	-	-
Podkarpackie	1875	-	-	144	29	69	31	2	13	374	102	-	-	-
Podlaskie	611	-	-	118	7	71	28	-	12	541	33	5	1	-
Pomorskie	2884	-	-	291	63	111	100	13	4	1031	194	9	4	-
Śląskie	13575	-	-	525	24	327	103	10	61	4607	167	32	2	-
Świętokrzyskie	1985	-	-	318	5	123	163	9	18	654	56	745	-	-
Warmińsko-Mazurskie	1481	-	-	100	8	51	37	2	2	275	25	-	-	-
Wielkopolskie	11406	-	-	538	222	137	166	5	8	1617	217	1	-	-
Zachodniopomorskie	3242	-	-	138	6	63	50	2	17	477	53	7	2	-

2. Number of cases in 2001 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	447	5	321	37	-	194	90	64	16385	329	576449	275358
Dolnośląskie	32	-	19	2	-	10	7	-	813	-	89533	46182
Kujawsko-Pomorskie	61	-	59	-	-	25	34	-	1178	47	39697	19622
Lubelskie	10	-	4	2	-	1	1	-	1027	21	25164	14401
Lubuskie	12	-	5	-	-	4	1	13	444	50	13629	5883
Łódzkie	16	-	21	6	-	11	4	-	1904	16	53370	22262
Małopolskie	13	-	12	1	-	8	3	-	1022	-	41283	17389
Mazowieckie	21	-	38	7	-	22	9	2	892	18	136453	66247
Opolskie	7	1	24	-	-	23	1	-	556	2	9891	4269
Podkarpackie	23	1	8	1	-	2	5	-	1211	2	3434	1448
Podlaskie	49	1	16	8	-	6	2	2	529	1	11234	4875
Pomorskie	11	-	29	-	-	23	6	2	639	65	22844	12186
Śląskie	19	-	22	-	-	16	6	-	2726	4	38127	18925
Świętokrzyskie	12	-	18	5	-	11	2	-	856	-	5116	2768
Warmińsko-Mazurskie	60	-	17	1	-	13	3	-	782	10	18906	9604
Wielkopolskie	79	1	15	1	-	11	3	41	990	3	30783	11902
Zachodniopomorskie	22	1	14	3	-	8	3	4	816	90	36985	17395

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3--8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-.2)	eaten as seafood (T61)	other specified & unspecified (T62.8-.9)
POLAND	24393	19788	647	66	1	307	3584	261	238	23	-	-
Dolnośląskie	1470	1164	13	6	-	22	265	11	11	-	-	-
Kujawsko-Pomorskie	1738	1386	33	6	-	20	293	33	22	11	-	-
Lubelskie	2019	1942	34	7	-	1	35	34	30	4	-	-
Lubuskie	685	492	-	1	-	-	192	8	8	-	-	-
Łódzkie	1528	1350	4	3	-	4	167	13	11	2	-	-
Małopolskie	1565	1162	66	3	-	50	284	17	16	1	-	-
Mazowieckie	2778	2603	6	3	-	23	143	15	15	-	-	-
Opolskie	559	499	22	7	-	-	31	2	2	-	-	-
Podkarpackie	1558	1432	5	4	-	83	34	44	44	-	-	-
Podlaskie	1208	1138	41	7	-	1	21	12	12	-	-	-
Pomorskie	1796	1217	115	1	1	3	459	2	2	-	-	-
Śląskie	2318	1474	3	2	-	30	809	12	12	-	-	-
Świętokrzyskie	992	700	24	2	-	-	266	7	6	1	-	-
Warmińsko-Mazurskie	1108	1033	39	5	-	-	31	10	10	-	-	-
Wielkopolskie	1729	1604	1	7	-	-	117	18	14	4	-	-
Zachodniopomorskie	1342	592	241	2	-	70	437	23	23	-	-	-

2. Number of cases in 2001 - by voivodeship (contd)

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	afatox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	9159	2	223	5064	1637	1476	53	704	75
Dolnośląskie	780	-	5	389	73	83	13	217	2
Kujawsko-Pomorskie	699	-	111	378	32	107	6	65	13
Lubelskie	1048	-	24	633	226	119	1	45	3
Lubuskie	564	-	6	385	73	85	1	14	4
Łódzkie	1766	-	6	880	580	184	3	113	3
Małopolskie	445	-	1	160	150	123	-	11	10
Mazowieckie	290	-	19	153	39	63	2	14	4
Opolskie	93	-	5	39	4	42	1	2	4
Podkarpackie	647	1	20	391	95	125	4	11	5
Podlaskie	239	-	1	143	31	53	6	5	2
Pomorskie	434	-	8	250	61	110	-	5	4
Śląskie	663	1	3	331	96	174	8	50	8
Świętokrzyskie	767	-	6	494	105	142	2	18	4
Warmińsko-Mazurskie	320	-	1	176	21	10	-	112	3
Wielkopolskie	190	-	5	116	30	30	-	9	6
Zachodniopomorskie	214	-	2	146	21	26	6	13	-

<http://www.pzh.gov.pl>

<http://www.medstat.waw.pl>

Prepared by: Mirosław P. Czarkowski (supervisor), Ewa Cielebak, Barbara Kondej, Ewa Stępień
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

Scientific supervision: prof. dr hab. Wiesław Magdzik