

Semi-annually report 2004

on cases of infectious diseases and toxic effects of chemical substances

notified in the I half of 2004

1. Number of cases and incidence rate per 100.000 population in the I half of 2004 and 2003 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2004 ¹		I half of 2003	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	58	0.15	52	0.14
of which: resulting in specified diseases (B20-B22)	52	0.14	50	0.13
resulting in other conditions (B23)	3	0.01	2	0.01
unspecified HIV disease (B24)	3	0.01	-	-
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	2	0.01	-	-
Paratyphoid fevers A.B.C. (A01.1-A01.3)	2	0.01	1	0.00
Other salmonella infections: total	6116	16.01	5650	14.79
of which: salmonella enteritis (A02.0)	6058	15.86	5613	14.69
extraintestinal salmonellosis (A02.1-A02.9)	58	0.15	37	0.10
Shigellosis (A03)	25	0.07	40	0.10
Other bacterial intestinal infections: total (A04)	1736	4.55	2159	5.65
of which: children under 2 years ²	1045	147.81	1301	182.97
Acute amoebic dysentery (A06.0)	5	0.01	1	0.00
Viral & other specified intestinal infections: total (A08)	6738	17.64	5535	14.49
of which: children under 2 years ²	3795	536.78	3255	457.78
Acute diarrhoea: children under 2 years - total (A04; A08; A09) ²	9709	1373.28	10018	1408.93
of which: NOS, presumed of infectious origin (A09) ²	4869	688.69	5462	768.17
Plague (A20)	-	-	-	-
Tularaemia (A21)	-	-	-	-
Anthrax (A22)	-	-	-	-
Brucellosis: total (A23)	2	0.01	13	0.03
of which: new cases	1	0.00	1	0.00
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	41	0.11	24	0.06

¹ Temporary data. ² Incidence rate per 100.000 children under 2 years.

1. Number of cases and incidence rate per 100.000 population in the I half of 2004 and 2003 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2004 ¹		I half of 2003	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	1	0.00	-	-
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	6	0.02	1	0.00
of which: neonatal listeriosis (P37.2) ³	2	1.15	1	0.58
Tetanus: total (A33-A35)	7	0.02	14	0.04
of which: tetanus neonatorum (A33) ³	-	-	-	-
Diphtheria (A36)	-	-	-	-
Whooping cough (A37)	1298	3.40	971	2.54
Scarlet fever (A38)	3305	8.65	2167	5.67
Meningitis: total	824	2.16	681	1.78
of which: meningococcal (A39.0)	66	0.17	34	0.09
<i>Haemophilus influenzae</i> (G00.0)	35	0.09	30	0.08
other bacterial, specified & unspecified (G00.1-G00.9)	277	0.73	279	0.73
viral, specified & unspecified (A87; B00.3; B02.1)	362	0.95	272	0.71
other & unspecified (G03)	84	0.22	66	0.17
Encephalitis: total	277	0.73	197	0.52
of which: meningococcal (A39.8)	1	0.00	5	0.01
<i>Haemophilus influenzae</i> (G04.2)	3	0.01	3	0.01
other bacterial (G04.2)	73	0.19	45	0.12
viral, tick-borne (A84)	20	0.05	14	0.04
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	18	0.05	12	0.03
viral, unspecified (A86)	107	0.28	76	0.20
following immunization (G04.0)	-	-	-	-
other & unspecified (G04.8-G04.9)	55	0.14	42	0.11
Erysipelas: total (A46; O86.8)	1901	4.98	1503	3.93
of which: postpartum or puerperal (O86.8) ³	-	-	-	-
Scleroma (A48.8)	-	-	-	-
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	1164	3.05	574	1.50
<i>Chlamydia psittaci</i> infection (A70)	-	-	-	-
Trachoma (A71)	-	-	-	-
Rickettsioses: total	-	-	-	-
of which: typhus fever (A75)	-	-	-	-
Q fever (A78)	-	-	-	-
spotted fever & other (A77; A79)	-	-	-	-
Acute poliomyelitis, including vaccine-associated paralysis (A80)	-	-	-	-
Creutzfeldt-Jakob disease (A81.0)	2	0.01	3	0.01
Subacute sclerosing panencephalitis (A81.1)	-	-	1	0.00
Rabies (A82)	-	-	-	-
Persons bitten by animals suspected of rabies, vaccinated post-exposure	3464	9.07	3560	9.32
Yellow fever and other viral haemorrhagic fevers (A90-A99)	-	-	-	-
Varicella /chicken pox/ (B01)	93900	245.84	66441	173.90
Measles (B05)	6	0.02	24	0.06
Rubella: total (B06; P35.0)	2800	7.33	8571	22.43
of which: congenital rubella syndrome (P35.0) ³	-	-	-	-

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in the I half of 2004 and 2003.

1. Number of cases and incidence rate per 100.000 population in the I half of 2004 and 2003 - total (contd)

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	I half of 2004 ¹		I half of 2003	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	1920	5.03	2057	5.38
of which: type A (B15)	47	0.12	80	0.21
type B (B16; B18.0-B18.1)	757	1.98	847	2.22
type C (B17.1; B18.2)	991	2.59	1013	2.65
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	61	0.16	55	0.14
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	64	0.17	62	0.16
Mumps (B26)	84742	221.87	46055	120.54
Infectious mononucleosis (B27)	1551	4.06	1093	2.86
Dermatophytosis (B35)	1990	5.21	1329	3.48
Malaria: total (B50-B54; P37.3-P37.4)	15	0.04	6	0.02
of which: congenital malaria (P37.3-P37.4) ³	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	326	0.85	313	0.82
of which: congenital toxoplasmosis (P37.1) ³	5	2.88	7	4.03
Cestode infections: total	113	0.30	145	0.38
of which: echinococcosis (B67)	11	0.03	18	0.05
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	65	0.17	98	0.26
other specified & unspecified (B68.0; B68.9; B70; B71)	37	0.10	29	0.08
Trichinellosis (B75)	113	0.30	32	0.08
Scabies (B86)	5931	15.53	6755	17.68
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	805	2.11	286	0.75
Influenza: total (J10; J11)	286682	750.57	1158461	3032.08
of which: children 0-14 years ⁴	87278	1304.43	485005	7187.85
Bacterial foodborne intoxications: total	7776	20.36	7426	19.44
of which: salmonella enteritis (A02.0)	6058	15.86	5613	14.69
staphylococcal (A05.0)	280	0.73	239	0.63
botulism (A05.1)	23	0.06	32	0.08
<i>Clostridium perfringens</i> (A05.2)	-	-	-	-
other specified (A05.3-A05.8)	32	0.08	89	0.23
unspecified (A05.9)	1383	3.62	1453	3.80
Toxic effects of noxious substances eaten as food: total	34	0.09	5	0.01
of which: ingested mushrooms (T62.0)	29	0.08	4	0.01
ingested berries or other parts of plants (T62.1-T62.2)	5	0.01	1	0.00
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	5373	14.07	5437	14.23
of which: aflatoxin & other mycotoxin food contaminants (T64)	-	-	-	-
pesticides (T60)	50	0.13	35	0.09
drugs, medicaments & biological substances (T36-T50)	3238	8.48	2662	6.97
alcohol (T51)	864	2.26	943	2.47
other substances non-medicinal as to source (T52-T59)	1090	2.85	1297	3.39
contact with venomous animals (T63)	9	0.02	11	0.03
other & unspecified (T65)	122	0.32	489	1.28
Acute flaccid paralysis: children 0-14 years ⁴	24	0.36	18	0.27

¹ Temporary data. ³ Incidence rate per 100.000 live births notified in the I half of 2004 and 2003. ⁴ Incidence rate per 100.000 children under 15 years.

2. Number of cases in the I half of 2004 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	6	2	7	-	-	1298	3305	824	66	35	277	362	84
Dolnośląskie	-	-	1	-	-	47	220	40	3	2	19	8	8
Kujawsko-Pomorskie	-	-	-	-	-	159	393	45	4	-	14	24	3
Lubelskie	1	-	-	-	-	12	65	23	2	1	13	6	1
Lubuskie	1	1	-	-	-	11	41	18	2	-	8	5	3
Łódzkie	-	-	-	-	-	148	90	42	5	2	16	13	6
Małopolskie	-	-	-	-	-	36	268	78	5	5	36	26	6
Mazowieckie	2	1	1	-	-	400	356	76	8	3	29	35	1
Opolskie	-	-	-	-	-	22	176	17	1	-	6	10	-
Podkarpackie	1	-	1	-	-	2	92	99	2	1	21	65	10
Podlaskie	-	-	-	-	-	48	58	41	-	-	11	18	12
Pomorskie	1	-	-	-	-	50	310	60	7	4	13	32	4
Śląskie	-	-	1	-	-	110	577	73	14	5	22	27	5
Świętokrzyskie	-	-	2	-	-	115	60	34	3	2	17	11	1
Warmińsko-Mazurskie	-	-	-	-	-	31	84	51	4	4	14	22	7
Wielkopolskie	-	-	1	-	-	102	309	80	2	5	21	38	14
Zachodniopomorskie	-	-	-	-	-	5	206	47	4	1	17	22	3

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-.9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	277	1	3	73	20	18	107	-	55	1901	-	-	-	1164
Dolnośląskie	13	1	-	2	1	1	4	-	4	91	-	-	-	73
Kujawsko-Pomorskie	25	-	1	10	-	-	12	-	2	224	-	-	-	58
Lubelskie	5	-	-	4	-	-	-	-	1	67	-	-	-	25
Lubuskie	9	-	-	3	-	-	2	-	4	38	-	-	-	44
Łódzkie	9	-	-	4	1	2	-	-	2	233	-	-	-	37
Małopolskie	12	-	-	3	-	-	4	-	5	164	-	-	-	99
Mazowieckie	40	-	2	15	1	2	16	-	4	234	-	-	-	66
Opolskie	5	-	-	1	-	-	3	-	1	43	-	-	-	81
Podkarpackie	39	-	-	3	-	3	21	-	12	114	-	-	-	85
Podlaskie	18	-	-	1	10	3	4	-	-	49	-	-	-	202
Pomorskie	19	-	-	6	-	2	10	-	1	131	-	-	-	14
Śląskie	30	-	-	13	-	1	13	-	3	200	-	-	-	133
Świętokrzyskie	14	-	-	2	-	-	3	-	9	95	-	-	-	24
Warmińsko-Mazurskie	16	-	-	2	7	-	7	-	-	66	-	-	-	132
Wielkopolskie	14	-	-	1	-	3	6	-	4	121	-	-	-	56
Zachodniopomorskie	9	-	-	3	-	1	2	-	3	31	-	-	-	35

2. Number of cases in the I half of 2004 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever and other viral haemorrhagic fevers (A90-A99)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	-	-	-	-	-	-	-	2	-	-	3464	-	93900	6
Dolnośląskie	-	-	-	-	-	-	-	1	-	-	149	-	6295	1
Kujawsko-Pomorskie	-	-	-	-	-	-	-	-	-	-	182	-	6975	-
Lubelskie	-	-	-	-	-	-	-	1	-	-	144	-	4472	1
Lubuskie	-	-	-	-	-	-	-	-	-	-	47	-	2347	-
Łódzkie	-	-	-	-	-	-	-	-	-	-	213	-	5723	-
Małopolskie	-	-	-	-	-	-	-	-	-	-	404	-	8755	1
Mazowieckie	-	-	-	-	-	-	-	-	-	-	389	-	9813	1
Opolskie	-	-	-	-	-	-	-	-	-	-	44	-	2838	-
Podkarpackie	-	-	-	-	-	-	-	-	-	-	332	-	3195	-
Podlaskie	-	-	-	-	-	-	-	-	-	-	97	-	1842	-
Pomorskie	-	-	-	-	-	-	-	-	-	-	201	-	4378	1
Śląskie	-	-	-	-	-	-	-	-	-	-	320	-	17395	1
Świętokrzyskie	-	-	-	-	-	-	-	-	-	-	111	-	4608	-
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	359	-	3516	-
Wielkopolskie	-	-	-	-	-	-	-	-	-	-	273	-	8926	-
Zachodniopomorskie	-	-	-	-	-	-	-	-	-	-	199	-	2822	-

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16;B18.0-1/B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8;B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	2800	-	-	1920	47	757	991	61	64	84742	1551	1990	15	-
Dolnośląskie	141	-	-	290	2	106	152	23	7	5372	108	24	-	-
Kujawsko-Pomorskie	423	-	-	165	4	56	99	5	1	9399	132	388	1	-
Lubelskie	111	-	-	106	1	41	60	3	1	5623	91	75	-	-
Lubuskie	85	-	-	66	1	11	49	4	1	3170	15	21	-	-
Łódzkie	94	-	-	240	-	107	126	3	4	6828	96	14	1	-
Małopolskie	264	-	-	138	1	69	65	1	2	5314	115	189	-	-
Mazowieckie	118	-	-	206	9	95	94	5	3	5439	278	182	-	-
Opolskie	105	-	-	24	-	13	11	-	-	5362	32	2	-	-
Podkarpackie	133	-	-	59	1	21	27	2	8	3553	97	30	2	-
Podlaskie	222	-	-	47	1	24	16	-	6	4204	44	4	-	-
Pomorskie	145	-	-	76	5	23	40	5	3	6063	121	7	1	-
Śląskie	379	-	-	116	8	62	25	2	19	6208	124	195	5	-
Świętokrzyskie	96	-	-	150	1	58	86	3	2	1600	73	782	-	-
Warmińsko-Mazurskie	67	-	-	36	5	14	13	2	2	2162	36	10	1	-
Wielkopolskie	259	-	-	111	5	33	71	2	-	11387	159	24	1	-
Zachodniopomorskie	158	-	-	90	3	24	57	1	5	3058	30	43	3	-

2. Number of cases in the I half of 2004 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	326	5	113	11	-	65	37	113	5931	805	286682	87278
Dolnośląskie	11	1	7	-	-	4	3	-	180	2	32684	10704
Kujawsko-Pomorskie	42	-	17	-	-	8	9	5	866	432	15482	4823
Lubelskie	9	-	-	-	-	-	-	-	304	42	18823	6186
Lubuskie	15	-	7	1	-	4	2	-	119	16	2655	783
Łódzkie	32	1	10	-	-	6	4	-	419	47	12306	3299
Małopolskie	10	-	9	-	-	8	1	-	477	1	28691	8855
Mazowieckie	41	1	10	1	-	6	3	8	409	30	82595	23148
Opolskie	13	-	6	-	-	5	1	-	117	-	6743	1936
Podkarpackie	15	-	2	-	-	2	-	-	312	-	19553	7322
Podlaskie	24	-	7	5	-	2	-	-	257	8	2224	650
Pomorskie	7	-	6	-	-	4	2	74	134	27	9576	2772
Śląskie	9	-	16	1	-	9	6	-	1061	64	11615	2759
Świętokrzyskie	7	-	-	-	-	-	-	-	664	99	4171	1042
Warmińsko-Mazurskie	42	-	4	1	-	2	1	1	218	-	22016	7769
Wielkopolskie	38	1	8	-	-	4	4	25	212	4	11417	3113
Zachodniopomorskie	11	1	4	2	-	1	1	-	182	33	6131	2117

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3-8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-2)	eaten as seafood (T61)	other specified & unspecified (T62.8-9)
POLAND	7776	6058	280	23	-	32	1383	34	29	5	-	-
Dolnośląskie	414	272	30	-	-	-	112	1	1	-	-	-
Kujawsko-Pomorskie	607	466	46	3	-	3	89	-	-	-	-	-
Lubelskie	416	406	-	3	-	-	7	5	4	1	-	-
Lubuskie	283	161	-	-	-	1	121	-	-	-	-	-
Łódzkie	356	311	-	-	-	1	44	4	4	-	-	-
Małopolskie	495	410	22	-	-	22	41	-	-	-	-	-
Mazowieckie	819	790	-	-	-	2	27	-	-	-	-	-
Opolskie	163	145	-	2	-	-	16	2	2	-	-	-
Podkarpackie	818	816	-	-	-	-	2	6	6	-	-	-
Podlaskie	310	196	-	1	-	-	113	1	1	-	-	-
Pomorskie	717	510	21	-	-	-	186	-	-	-	-	-
Śląskie	865	397	68	-	-	3	397	10	10	-	-	-
Świętokrzyskie	348	224	10	-	-	-	114	1	1	-	-	-
Warmińsko-Mazurskie	219	204	-	-	-	-	15	-	-	-	-	-
Wielkopolskie	445	420	4	13	-	-	8	-	-	-	-	-
Zachodniopomorskie	501	330	79	1	-	-	91	4	-	4	-	-

2. Number of cases in the I half of 2004 - by voivodeship (contd)

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	aflatox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	5373	-	50	3238	864	1090	9	122	24
Dolnośląskie	202	-	-	124	18	44	4	12	3
Kujawsko-Pomorskie	513	-	4	352	64	81	1	11	2
Lubelskie	638	-	12	416	120	80	-	10	-
Lubuskie	246	-	1	163	35	45	-	2	-
Łódzkie	563	-	1	325	103	121	-	13	1
Małopolskie	247	-	4	133	58	51	-	1	2
Mazowieckie	148	-	3	77	22	42	-	4	-
Opolskie	83	-	1	32	27	20	-	3	-
Podkarpackie	388	-	6	263	52	59	1	7	2
Podlaskie	212	-	-	104	49	54	-	5	-
Pomorskie	230	-	2	110	26	89	-	3	-
Śląskie	580	-	6	255	63	248	2	6	5
Świętokrzyskie	555	-	6	359	110	74	-	6	2
Warmińsko-Mazurskie	112	-	4	72	15	7	-	14	2
Wielkopolskie	50	-	-	34	10	6	-	-	3
Zachodniopomorskie	606	-	-	419	92	69	1	25	2

<http://www.pzh.gov.pl/epimeld>

Prepared by: Mirosław P. Czarkowski (supervisor), Ewa Cielebak, Barbara Kondej, Ewa Stępień
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

Scientific supervision: prof. dr hab. Wiesław Magdzik