

## Annually report 2004

### on cases of infectious diseases and toxic effects of chemical substances notified in 2004

#### 1. Number of cases and incidence rate per 100.000 population in 2004 and 2003 - total

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2004 <sup>1</sup>		2003	
	number of cases	incidence rate	number of cases	incidence rate
Human immunodeficiency virus /HIV/ disease: total	163	0.43	124	0.32
of which: resulting in specified diseases (B20-B22)	153	0.40	119	0.31
resulting in other conditions (B23)	8	0.02	4	0.01
unspecified HIV disease (B24)	2	0.01	1	0.00
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	3	0.01	-	-
Paratyphoid fevers A.B.C. (A01.1-A01.3)	3	0.01	3	0.01
Other salmonella infections: total	15955	41.79	16617	43.51
of which: salmonella enteritis (A02.0)	15820	41.44	16496	43.19
extraintestinal salmonellosis (A02.1-A02.9)	135	0.35	121	0.32
Shigellosis (A03)	74	0.19	75	0.20
Other bacterial intestinal infections: total (A04)	3897	10.21	3915	10.25
of which: children under 2 years <sup>2</sup>	2145	305.03	2349	332.25
Acute amoebic dysentery (A06.0)	8	0.02	2	0.01
Viral & other specified intestinal infections: total (A08)	10398	27.23	8049	21.07
of which: children under 2 years <sup>2</sup>	5672	806.58	4610	652.06
Acute diarrhoea: children under 2 years - total (A04; A08; A09) <sup>2</sup>	16361	2326.59	16470	2329.58
of which: NOS, presumed of infectious origin (A09) <sup>2</sup>	8544	1214.98	9511	1345.27
Plague (A20)	-	-	-	-
Tularaemia (A21)	1	0.00	-	-
Anthrax (A22)	1	0.00	-	-
Brucellosis: total (A23)	7	0.02	21	0.05
of which: new cases	1	0.00	4	0.01
Glanders (A24.0)	-	-	-	-
Erysipeloid (A26)	92	0.24	88	0.23

<sup>1</sup> Temporary data. <sup>2</sup> Incidence rate per 100.000 children under 2 years.

**1. Number of cases and incidence rate per 100.000 population in 2004 and 2003 - total (contd)**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2004 <sup>1</sup>		2003	
	number of cases	incidence rate	number of cases	incidence rate
Leptospirosis (A27)	9	0.02	3	0.01
Leprosy (A30)	-	-	-	-
Listeriosis: total (A32; P37.2)	10	0.03	5	0.01
of which: neonatal listeriosis (P37.2) <sup>3</sup>	3	0.84	1	0.28
Tetanus: total (A33-A35)	25	0.07	30	0.08
of which: tetanus neonatorum (A33) <sup>3</sup>	-	-	-	-
Diphtheria (A36)	-	-	-	-
Whooping cough (A37)	2955	7.74	2034	5.33
Scarlet fever (A38)	5964	15.62	3872	10.14
Meningitis: total	1950	5.11	1904	4.98
of which: meningococcal (A39.0)	112	0.29	66	0.17
<i>Haemophilus influenzae</i> (G00.0)	72	0.19	59	0.15
other bacterial, specified & unspecified (G00.1-G00.9)	620	1.62	599	1.57
viral, specified & unspecified (A87; B00.3; B02.1)	908	2.38	973	2.55
other & unspecified (G03)	238	0.62	207	0.54
Encephalitis: total	774	2.03	762	2.00
of which: meningococcal (A39.8)	7	0.02	10	0.03
<i>Haemophilus influenzae</i> (G04.2)	5	0.01	7	0.02
other bacterial (G04.2)	126	0.33	88	0.23
viral, tick-borne (A84)	262	0.69	339	0.89
other viral, specified (A83;A85;B00.4;B02.0;B25.8)	45	0.12	39	0.10
viral, unspecified (A86)	214	0.56	186	0.49
following immunization (G04.0)	1	0.00	2	0.01
other & unspecified (G04.8-G04.9)	114	0.30	91	0.24
Erysipelas: total (A46; O86.8)	4316	11.30	3740	9.79
of which: postpartum or puerperal (O86.8) <sup>3</sup>	-	-	-	-
Scleroma (A48.8)	-	-	-	-
Relapsing fever (A68)	-	-	-	-
Lyme disease (A69.2)	3817	10.00	3575	9.36
<i>Chlamydia psittaci</i> infection (A70)	2	0.01	2	0.01
Trachoma (A71)	-	-	-	-
Rickettsioses: total	-	-	1	0.00
of which: typhus fever (A75)	-	-	-	-
Q fever (A78)	-	-	-	-
spotted fever & other (A77; A79)	-	-	1	0.00
Acute poliomyelitis, including vaccine-associated paralysis (A80)	-	-	1	0.00
Creutzfeldt-Jakob disease (A81.0)	12	0.03	6	0.02
Subacute sclerosing panencephalitis (A81.1)	1	0.00	1	0.00
Rabies (A82)	-	-	-	-
Persons bitten by animals suspected of rabies, vaccinated post-exposure	7553	19.78	7519	19.69
Yellow fever and other viral haemorrhagic fevers (A90-A99)	2	0.01	-	-
Varicella /chicken pox/ (B01)	147960	387.53	111527	291.99
Measles (B05)	11	0.03	48	0.13
Rubella: total (B06; P35.0)	4857	12.72	10588	27.72
of which: congenital rubella syndrome (P35.0) <sup>3</sup>	-	-	-	-

<sup>1</sup> Temporary data. <sup>3</sup> Incidence rate per 100.000 live births notified in 2004 and 2003.

**1. Number of cases and incidence rate per 100.000 population in 2004 and 2003 - total (contd)**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	2004 <sup>1</sup>		2003	
	number of cases	incidence rate	number of cases	incidence rate
Foot-and-mouth disease (B08.8)	-	-	-	-
Viral hepatitis: total	3837	10.05	4228	11.07
of which: type A (B15)	95	0.25	150	0.39
type B (B16; B18.0-B18.1)	1473	3.86	1694	4.44
type C (B17.1; B18.2)	2059	5.39	2137	5.59
type B+C (B16; B18.0-B18.1/B17.1; B18.2)	95	0.25	118	0.31
other & unspecified (B17.0; B17.2-B17.8; B18.8-B18.9; B19)	115	0.30	129	0.34
Mumps (B26)	135178	354.05	87336	228.66
Infectious mononucleosis (B27)	2973	7.79	2501	6.55
Dermatophytosis (B35)	4595	12.04	3409	8.93
Malaria: total (B50-B54; P37.3-P37.4)	29	0.08	17	0.04
of which: congenital malaria (P37.3-P37.4) <sup>3</sup>	-	-	-	-
Toxoplasmosis: total (B58; P37.1)	602	1.58	617	1.62
of which: congenital toxoplasmosis (P37.1) <sup>3</sup>	8	2.25	16	4.56
Cestode infections: total	236	0.62	278	0.73
of which: echinococcosis (B67)	22	0.06	34	0.09
cysticercosis (B69)	-	-	-	-
<i>Taenia saginata</i> (B68.1)	132	0.35	173	0.45
other specified & unspecified (B68.0; B68.9; B70; B71)	82	0.21	71	0.19
Trichinellosis (B75)	172	0.45	40	0.10
Scabies (B86)	12102	31.70	13741	35.98
Acute streptococcal pharyngitis or tonsillitis ((J02.0; J03.0)	1460	3.82	1092	2.86
Influenza: total (J10; J11)	336919	882.44	1216285	3184.39
of which: children 0-14 years <sup>4</sup>	102908	1588.19	507102	7579.01
Bacterial foodborne intoxications: total	19872	52.05	20221	52.94
of which: salmonella enteritis (A02.0)	15820	41.44	16496	43.19
staphylococcal (A05.0)	565	1.48	409	1.07
botulism (A05.1)	53	0.14	78	0.20
<i>Clostridium perfringens</i> (A05.2)	1	0.00	-	-
other specified (A05.3-A05.8)	51	0.13	110	0.29
unspecified (A05.9)	3382	8.86	3128	8.19
Toxic effects of noxious substances eaten as food: total	174	0.46	118	0.31
of which: ingested mushrooms (T62.0)	156	0.41	78	0.20
ingested berries or other parts of plants (T62.1-T62.2)	18	0.05	40	0.10
eaten as seafood (T61)	-	-	-	-
other specified & unspecified (T62.8-T62.9)	-	-	-	-
Other poisoning & toxic effects: total	10409	27.26	10717	28.06
of which: aflatoxin & other mycotoxin food contaminants (T64)	-	-	-	-
pesticides (T60)	100	0.26	111	0.29
drugs, medicaments & biological substances (T36-T50)	6410	16.79	5716	14.97
alcohol (T51)	1757	4.60	1861	4.87
other substances non-medicinal as to source (T52-T59)	1823	4.77	2347	6.14
contact with venomous animals (T63)	61	0.16	55	0.14
other & unspecified (T65)	258	0.68	627	1.64
Acute flaccid paralysis: children 0-14 years <sup>4</sup>	48	0.74	47	0.70

<sup>1</sup> Temporary data. <sup>3</sup> Incidence rate per 100.000 live births notified in 2004 and 2003. <sup>4</sup> Incidence rate per 100.000 children under 15 years.

## 2. Number of cases in 2004 - by voivodeship

Voivodeship	Human immunodeficiency virus /HIV/ disease				Cholera (A00)	Typhoid fever (A01.0)	Paratyphoid fevers A.B.C. (A01.1.-3)	Other salmonella infections			Shigellosis (A03)	Other bacterial intestinal infections (A04)	
	Total	resulting in specified diseases (B20-B22)	resulting in other conditions (B23)	unspecified HIV disease (B24)				Total	salmonella enteritis (A02.0)	extraintestinal salmonellosis (A02.1.-9)		Total	of which: children under 2 years
POLAND	163	153	8	2	-	3	3	15955	15820	135	74	3897	2145
Dolnośląskie	30	30	-	-	-	-	-	694	692	2	2	173	112
Kujawsko-Pomorskie	4	4	-	-	-	-	-	1241	1231	10	1	104	29
Lubelskie	2	2	-	-	-	-	-	1124	1121	3	9	58	53
Lubuskie	4	3	-	1	-	-	-	443	438	5	2	53	33
Łódzkie	12	12	-	-	-	-	1	921	914	7	-	556	242
Małopolskie	10	8	1	1	-	-	1	1232	1219	13	6	411	286
Mazowieckie	11	5	6	-	-	1	1	2259	2225	34	-	410	165
Opolskie	7	7	-	-	-	1	-	378	377	1	-	9	6
Podkarpackie	2	2	-	-	-	-	-	1574	1567	7	6	290	258
Podlaskie	5	5	-	-	-	-	-	496	494	2	-	184	72
Pomorskie	16	16	-	-	-	-	-	1184	1175	9	15	229	153
Śląskie	36	36	-	-	-	1	-	1239	1222	17	6	573	436
Świętokrzyskie	1	1	-	-	-	-	-	557	554	3	-	188	107
Warmińsko-Mazurskie	3	2	1	-	-	-	-	646	646	-	24	55	35
Wielkopolskie	11	11	-	-	-	-	-	1205	1188	17	-	317	121
Zachodniopomorskie	9	9	-	-	-	-	-	762	757	5	3	287	37

Voivodeship	Acute amoebic dysentery (A06.0)	Viral & other specified intestinal inf. (A08)		Acute diarrhoea: children under 2 years		Plague (A20)	Tularaemia (A21)	Anthrax (A22)	Brucellosis (A23)		Glanders (A24.0)	Erysipeloid (A26)	Leptospirosis (A27)	Leprosy (A30)
		Total	of which: children under 2 years	Total (A04;A08;A09)	of which: NOS, presumed of inf.origin (A09)				Total	of which: new cases				
POLAND	8	10398	5672	16361	8544	-	1	1	7	1	-	92	9	-
Dolnośląskie	-	611	392	1178	674	-	-	-	1	-	-	4	3	-
Kujawsko-Pomorskie	-	984	570	1117	518	-	-	-	-	-	-	8	1	-
Lubelskie	-	312	206	865	606	-	-	-	-	-	-	7	-	-
Lubuskie	-	122	55	175	87	-	-	-	1	-	-	-	-	-
Łódzkie	-	894	298	743	203	-	-	-	-	-	-	11	-	-
Małopolskie	4	937	464	1329	579	-	1	1	-	-	-	8	-	-
Mazowieckie	-	1307	777	1706	764	-	-	-	-	-	-	18	-	-
Opolskie	-	45	16	238	216	-	-	-	-	-	-	1	-	-
Podkarpackie	-	305	181	781	342	-	-	-	-	-	-	1	2	-
Podlaskie	-	440	230	614	312	-	-	-	-	-	-	3	-	-
Pomorskie	-	1162	676	1493	664	-	-	-	-	-	-	4	1	-
Śląskie	2	1550	842	1993	715	-	-	-	-	-	-	6	-	-
Świętokrzyskie	2	538	251	881	523	-	-	-	1	1	-	15	-	-
Warmińsko-Mazurskie	-	320	194	1199	970	-	-	-	-	-	-	2	-	-
Wielkopolskie	-	782	470	1698	1107	-	-	-	1	-	-	4	1	-
Zachodniopomorskie	-	89	50	351	264	-	-	-	3	-	-	-	1	-

## 2. Number of cases in 2004 - by voivodeship (contd)

Voivodeship	Listeriosis		Tetanus		Diphtheria (A36)	Whooping cough (A37)	Scarlet fever (A38)	Meningitis					
	Total (A32; P37.2)	of which: neonatal listeriosis (P37.2)	Total (A33-A35)	of which: tetanus neonatorum (A33)				Total	meningococcal (A39.0)	<i>Haemophilus influenzae</i> (G00.0)	other bacterial, specified & unspecified (G00.1-9)	viral, specified & unspecified (A87; B00.3; B02.1)	other & unspecified (G03)
POLAND	10	3	25	-	-	2955	5964	1950	112	72	620	908	238
Dolnośląskie	-	-	4	-	-	96	407	115	5	2	49	30	29
Kujawsko-Pomorskie	-	-	1	-	-	346	674	107	7	2	28	65	5
Lubelskie	1	-	1	-	-	17	106	59	3	2	30	18	6
Lubuskie	1	1	-	-	-	39	83	45	4	1	20	17	3
Łódzkie	1	-	-	-	-	366	181	83	5	4	33	25	16
Małopolskie	-	-	2	-	-	91	512	205	11	14	66	91	23
Mazowieckie	4	1	2	-	-	811	653	171	13	4	66	84	4
Opolskie	-	-	-	-	-	82	266	51	1	-	27	19	4
Podkarpackie	1	-	4	-	-	11	199	196	4	3	43	130	16
Podlaskie	-	-	-	-	-	136	92	118	-	4	31	46	37
Pomorskie	1	-	-	-	-	160	549	124	10	6	33	64	11
Śląskie	-	-	4	-	-	264	1063	162	20	10	53	60	19
Świętokrzyskie	-	-	2	-	-	141	124	83	6	3	30	37	7
Warmińsko-Mazurskie	1	1	-	-	-	71	202	149	7	6	31	83	22
Wielkopolskie	-	-	4	-	-	313	528	178	8	9	50	79	32
Zachodniopomorskie	-	-	1	-	-	11	325	104	8	2	30	60	4

Voivodeship	Encephalitis									Erysipelas		Scleroma (A48.8)	Relapsing fever (A68)	Lyme disease (A69.2)
	Total	meningococcal (A39.8)	<i>Haemophilus influenzae</i> (G04.2)	other bacterial (G04.2)	viral, tick-borne (A84)	other viral, specif. (A83; A85; B00.4; B02.0; B25.8)	viral, unspecified (A86)	following immunization (G04.0)	other & unspecified (G04.8-9)	Total (A46; O86.8)	of which: postpartum or puerperal (O86.8)			
POLAND	774	7	5	126	262	45	214	1	114	4316	-	-	-	3817
Dolnośląskie	22	1	-	4	3	2	7	-	5	189	-	-	-	212
Kujawsko-Pomorskie	40	1	2	15	-	-	18	-	4	475	-	-	-	359
Lubelskie	11	-	-	4	3	-	-	-	4	122	-	-	-	143
Lubuskie	14	-	-	4	-	-	3	-	7	105	-	-	-	127
Łódzkie	23	-	-	10	4	2	4	-	3	528	-	-	-	112
Małopolskie	25	-	-	9	-	-	9	-	7	398	-	-	-	409
Mazowieckie	94	1	2	24	26	5	28	-	8	527	-	-	-	219
Opolskie	15	-	-	4	3	2	3	-	3	87	-	-	-	132
Podkarpackie	93	1	1	6	1	15	43	-	26	245	-	-	-	305
Podlaskie	132	1	-	3	113	7	7	-	1	122	-	-	-	582
Pomorskie	37	1	-	7	-	2	23	-	4	286	-	-	-	85
Śląskie	67	1	-	21	3	3	28	-	11	471	-	-	-	394
Świętokrzyskie	21	-	-	2	1	-	4	-	14	223	-	-	-	105
Warmińsko-Mazurskie	121	-	-	3	105	-	9	-	4	167	-	-	-	321
Wielkopolskie	40	-	-	5	-	6	19	1	9	290	-	-	-	178
Zachodniopomorskie	19	-	-	5	-	1	9	-	4	81	-	-	-	134

## 2. Number of cases in 2004 - by voivodeship (contd)

Voivodeship	<i>Chlamydia psittaci</i> infection (A70)	Trachoma (A71)	Rickettsioses				Acute poliomyelitis including vaccine-associated paralysis (A80)	Creutzfeldt-Jakob disease (A81.0)	Subacute sclerosing panencephalitis (A81.1)	Rabies (A82)	Persons bitten by animals suspected of rabies, vaccinated post-exposure	Yellow fever and other viral haemorrhagic fevers (A90-A99)	Varicella /chicken pox/ (B01)	Measles (B05)
			Total	typhus fever (A75)	Q fever (A78)	spotted fever & other (A77; A79)								
POLAND	2	-	-	-	-	-	-	12	1	-	7553	2	147960	11
Dolnośląskie	-	-	-	-	-	-	-	1	-	-	325	-	10604	1
Kujawsko-Pomorskie	-	-	-	-	-	-	-	1	-	-	379	-	11376	-
Lubelskie	1	-	-	-	-	-	-	2	-	-	309	-	6640	1
Lubuskie	-	-	-	-	-	-	-	-	-	-	94	-	4151	-
Łódzkie	-	-	-	-	-	-	-	2	-	-	542	-	8925	-
Małopolskie	-	-	-	-	-	-	-	-	1	-	877	-	12770	1
Mazowieckie	-	-	-	-	-	-	-	1	-	-	828	-	14805	4
Opolskie	-	-	-	-	-	-	-	1	-	-	137	-	4623	-
Podkarpackie	-	-	-	-	-	-	-	-	-	-	670	-	5459	-
Podlaskie	-	-	-	-	-	-	-	-	-	-	234	-	3992	-
Pomorskie	-	-	-	-	-	-	-	-	-	-	442	-	6704	1
Śląskie	-	-	-	-	-	-	-	2	-	-	754	-	24325	3
Świętokrzyskie	-	-	-	-	-	-	-	-	-	-	236	-	7789	-
Warmińsko-Mazurskie	-	-	-	-	-	-	-	-	-	-	777	-	5881	-
Wielkopolskie	1	-	-	-	-	-	-	-	-	-	512	2	14850	-
Zachodniopomorskie	-	-	-	-	-	-	-	2	-	-	437	-	5066	-

Voivodeship	Rubella			Viral hepatitis						Mumps (B26)	Infectious mononucleosis (B27)	Dermatophytosis (B35)	Malaria	
	Total (B06; P35.0)	of which: congenital rubella syndrome (P35.0)	Foot-and-mouth disease (B08.8)	Total	type A (B15)	type B (B16; B18.0-1)	type C (B17.1; B18.2)	type B+C (B16;B18.0-1 /B17.1; B18.2)	other & unspecif. (B17.0; B17.2-8;B18.8-9; B19)				Total (B50-B54; P37.3-4)	of which: congenital malaria (P37.3-4)
POLAND	4857	-	-	3837	95	1473	2059	95	115	135178	2973	4595	29	-
Dolnośląskie	387	-	-	548	6	193	296	40	13	6803	196	32	1	-
Kujawsko-Pomorskie	635	-	-	302	4	119	172	6	1	15514	270	869	1	-
Lubelskie	172	-	-	174	3	67	100	3	1	9581	186	205	-	-
Lubuskie	168	-	-	139	4	30	97	6	2	3932	31	25	-	-
Łódzkie	149	-	-	519	-	225	274	6	14	10790	205	32	1	-
Małopolskie	481	-	-	256	3	112	136	2	3	8771	191	407	-	-
Mazowieckie	215	-	-	475	24	175	262	8	6	9871	476	336	5	-
Opolskie	186	-	-	58	-	33	23	1	1	7508	55	3	-	-
Podkarpackie	202	-	-	99	6	45	36	2	10	5318	187	81	2	-
Podlaskie	292	-	-	74	2	38	27	-	7	5136	71	7	1	-
Pomorskie	226	-	-	178	7	51	108	6	6	8831	251	28	1	-
Śląskie	614	-	-	247	16	143	55	2	31	11674	252	555	9	-
Świętokrzyskie	163	-	-	304	1	102	195	3	3	3391	132	1888	-	-
Warmińsko-Mazurskie	173	-	-	67	5	27	27	3	5	3464	77	19	1	-
Wielkopolskie	518	-	-	250	10	71	161	5	3	19627	320	49	3	-
Zachodniopomorskie	276	-	-	147	4	42	90	2	9	4967	73	59	4	-

## 2. Number of cases in 2004 - by voivodeship (contd)

Voivodeship	Toxoplasmosis		Cestode infections					Trichinellosis (B75)	Scabies (B86)	Acute streptococcal pharyngitis or tonsillitis (J02.0; J03.0)	Influenza (J10; J11)	
	Total (B58; P37.1)	of which: congenital toxoplasmosis (P37.1)	Total	echinococcosis (B67)	cysticercosis (B69)	<i>Taenia saginata</i> (B68.1)	other specified & unspec. (B68.0; B68.9; B70; B71)				Total	of which: children 0-14 years
POLAND	602	8	236	22	-	132	82	172	12102	1460	336919	102908
Dolnośląskie	17	-	19	-	-	11	8	1	348	8	36965	11632
Kujawsko-Pomorskie	97	1	36	1	-	11	24	7	1891	764	16624	5221
Lubelskie	17	1	1	-	-	-	1	-	613	58	18892	6196
Lubuskie	25	-	9	1	-	4	4	-	242	38	4283	1076
Łódzkie	60	1	22	2	-	11	9	-	839	98	14019	4105
Małopolskie	19	-	16	-	-	12	4	1	957	1	31089	9682
Mazowieckie	68	1	19	1	-	15	3	8	888	62	109077	31019
Opolskie	17	-	9	-	-	8	1	-	257	-	12484	3606
Podkarpackie	32	-	3	-	-	2	1	-	695	-	19755	7379
Podlaskie	58	1	13	8	-	3	2	-	543	17	2724	976
Pomorskie	10	1	18	-	-	14	4	75	300	56	10358	3041
Śląskie	30	-	23	-	-	15	8	-	2016	186	12137	2821
Świętokrzyskie	21	-	3	-	-	2	1	-	1264	99	4392	1119
Warmińsko-Mazurskie	49	-	13	6	-	2	5	1	506	1	24753	9248
Wielkopolskie	61	1	25	-	-	19	6	79	385	9	12709	3421
Zachodniopomorskie	21	1	7	3	-	3	1	-	358	63	6658	2366

Voivodeship	Bacterial foodborne intoxications							Toxic effects of noxious substances eaten as food				
	Total	salmonella enteritis (A02.0)	staphylococcal (A05.0)	botulism (A05.1)	<i>Clostridium perfringens</i> (A05.2)	other specified (A05.3-.8)	unspecified (A05.9)	Total	ingested mushrooms (T62.0)	ingested berries or other parts of plants (T62.1-.2)	eaten as seafood (T61)	other specified & unspecified (T62.8-.9)
POLAND	19872	15820	565	53	1	51	3382	174	156	18	-	-
Dolnośląskie	981	692	43	-	-	-	246	4	4	-	-	-
Kujawsko-Pomorskie	1499	1231	64	9	-	7	188	11	9	2	-	-
Lubelskie	1178	1121	1	5	-	-	51	23	20	3	-	-
Lubuskie	652	438	-	-	-	1	213	-	-	-	-	-
Łódzkie	1043	914	-	2	-	3	124	22	19	3	-	-
Małopolskie	1498	1219	33	-	-	26	220	4	4	-	-	-
Mazowieckie	2305	2225	-	2	1	6	71	6	3	3	-	-
Opolskie	397	377	-	4	-	-	16	3	3	-	-	-
Podkarpackie	1588	1567	-	-	-	2	19	24	24	-	-	-
Podlaskie	856	494	13	2	-	-	347	2	2	-	-	-
Pomorskie	1592	1175	45	5	-	-	367	5	5	-	-	-
Śląskie	2256	1222	68	2	-	6	958	28	27	1	-	-
Świętokrzyskie	821	554	11	1	-	-	255	9	7	2	-	-
Warmińsko-Mazurskie	818	646	119	2	-	-	51	21	21	-	-	-
Wielkopolskie	1270	1188	40	18	-	-	24	6	6	-	-	-
Zachodniopomorskie	1118	757	128	1	-	-	232	6	2	4	-	-

**2. Number of cases in 2004 - by voivodeship (contd)**

Voivodeship	Other poisonings & toxic effects								Acute flaccid paralysis: children 0-14 years
	Total	afلاتox. & other mycotox. food contaminants (T64)	pesticides (T60)	drugs, medicaments & biological substances (T36-T50)	alcohol (T51)	other substances non- medicinal as to source (T52-T59)	contact with venomous animals (T63)	other & unspecified (T65)	
POLAND	10409	-	100	6410	1757	1823	61	258	48
Dolnośląskie	338	-	2	199	31	83	10	13	3
Kujawsko-Pomorskie	914	-	6	649	121	113	2	23	4
Lubelskie	1225	-	20	809	228	142	2	24	3
Lubuskie	472	-	2	323	74	66	-	7	-
Łódzkie	1567	-	7	927	385	209	3	36	4
Małopolskie	457	-	4	234	109	104	-	6	8
Mazowieckie	321	-	4	141	57	104	3	12	1
Opolskie	119	-	1	51	39	25	-	3	1
Podkarpackie	735	-	15	462	83	146	10	19	2
Podlaskie	352	-	1	189	78	67	7	10	-
Pomorskie	399	-	5	222	48	120	-	4	1
Śląskie	1077	-	10	538	111	388	12	18	6
Świętokrzyskie	1056	-	16	693	203	126	5	13	5
Warmińsko-Mazurskie	219	-	5	142	32	12	2	26	4
Wielkopolskie	145	-	1	92	20	24	2	6	3
Zachodniopomorskie	1013	-	1	739	138	94	3	38	3

<http://www.pzh.gov.pl/epimeld>

**Prepared by:** Mirosław P. Czarkowski (supervisor), Ewa Cielebak, Barbara Kondej, Ewa Stępień  
e-mail: epimeld@pzh.gov.pl, epimeld@medstat.waw.pl

**Scientific supervision:** prof. dr hab. Wiesław Magdzik