

**Biweekly report 6/B/05**  
**on cases of infectious diseases and poisonings**  
**notified from 16.06 to 30.06.2005**

**1. Number of cases of selected diseases notified from 16.06 to 30.06.2005 and cumulative number of cases notified since 1.01.2005, compared to corresponding period in 2004**

Diseases  (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	Biweekly report 6/B		Cumulated data <sup>/1</sup>	
	16.06.05. to 30.06.05.	16.06.04. to 30.06.04.	1.01.05. to 30.06.05.	1.01.04. to 30.06.04.
Cholera (A00)	-	-	-	-
Typhoid fever (A01.0)	-	1	-	2
Paratyphoid fevers A,B,C (A01.1-3)	-	1	-	2
Other salmonella infections: total (A02)	935	1312	5564	6112
of which: salmonella enteritis (A02.0)	930	1308	5509	6059
Shigellosis (A03)	-	13	40	37
Other bacterial intestinal infections: total (A04)	210	176	2235	1736
of which: enterohaemorrhagic <i>Escherichia coli</i> infection (A04.3)	1	1	7	3
campylobacteriosis (A04.5)	1	2	8	8
Other bacterial foodborne intoxications: total (A05)	148	214	1885	1718
of which: staphylococcal (A05.0)	8	26	352	280
botulism (A05.1)	5	1	17	23
<i>Clostridium perfringens</i> (A05.2)	-	-	3	-
other specified (A05.3-8)	16	20	94	32
unspecified (A05.9)	119	167	1419	1383
Giardiasis (A07.1)	187	117	1570	1497
Cryptosporidiosis (A07.2)	-	-	-	-
Viral and other specified intestinal infections: total (A08)	557	594	8578	6738
of which: rotaviral enteritis (A08.0)	458	.	7291	.
Acute diarrhoea: children under 2 years - total (A04; A08; A09)	732	820	10401	9706
of which: NOS, presumably of infectious origin (A09)	333	404	4421	4868
Plague (A20)	-	-	-	-
Tularaemia (A21)	-	-	-	-
Anthrax (A22)	-	-	-	-
Brucellosis - new cases (A23)	1	-	1	1
Leptospirosis (A27)	-	-	-	1
Yersiniosis: total (A04.6; A28.2)	7	6	47	46
Listeriosis: total (A32; P37.2)	-	2	6	6
Tetanus: total (A33-A35)	3	1	8	7
Diphtheria (A36)	-	-	-	-
Pertussis /whooping cough/ (A37)	71	170	1272	1299
Scarlet fever (A38)	606	320	5888	3304
Meningococcal disease, invasive: total (A39) <sup>/2</sup>	11	7	117	120
of which: meningitis (A39.0)	6	4	68	65
encephalitis (A39.8/G05.0)	-	-	6	1
meningococcaemia (A39.1-4)	9	4	74	56
Legionellosis (A48.1-2)	2	1	7	2
Lyme disease (A69.2)	136	107	1206	1160
Q fever (A78)	2	-	59	-

**1. Number of cases of selected diseases notified from 16.06 to 30.06.2005 and cumulative number of cases notified since 1.01.2005, compared to corresponding period in 2004 (contd)**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	Biweekly report 6/B		Cumulated data <sup>/1</sup>	
	16.06.05. to 30.06.05.	16.06.04. to 30.06.04.	1.01.05. to 30.06.05.	1.01.04. to 30.06.04.
Acute flaccid paralysis: children 0-14 years Acute poliomyelitis: total (A80) of which: caused by wild virus (A80.1-2,4)	1 - -	1 - -	16 - -	23 - -
Spongiform encephalopathy: total (A81.0, 2-9) of which: variant Creutzfeldt-Jakob disease /vCJD/ (A81.0)	- -	- -	5 -	2 -
Contact with and exp. to rabies / need for immunisation (Z20.3/Z24.2) Rabies (A82)	416 -	402 -	3582 -	3459 -
Viral encephalitis: tick-borne (A84) other, specified (A83; A85; B00.4; B02.0) <sup>/3</sup> unspecified (A86)	3 3 5	8 6 4	14 26 88	20 19 106
Viral meningitis specified & unspecified (A87; B00.3; B02.1)	51	50	296	358
Bacterial meningitis and/or encephalitis: specified NEC (G00.2-8;G04.2) <sup>/4</sup> unspecified (G00.9; G04.2)	8 24	. .	82 244	. .
Encephalitis other & unspecified (G04.0,8-9) Meningitis other & unspecified (G03)	4 17	3 5	40 106	54 84
Dengue fever - classical or haemorrhagic (A90-A91) Yellow fever (A95) VHF: Lassa, Crimean-Congo, Marburg, Ebola (A96.2; A98.0,3,4) <sup>/5</sup> Other viral haemorrhagic fever (A92-A94; A96-A99) <sup>/5</sup>	- - - -	- - - -	- - - -	- - - -
Varicella /chickenpox/ (B01) Smallpox (B03) Measles (B05) Rubella: total (B06; P35.0)	7076 - 2 426	9028 - 1 266	95477 - 8 5127	93896 - 8 2800
Viral hepatitis: type A (B15) type B - total (B16; B18.0-1) <sup>/6</sup> type C - total (B17.1; B18.2) <sup>/6</sup> type B+C (B16; B18.0-1 + B17.1; B18.2) other & unspecified (B17.0; B17.2-8; B18.8-9; B19)	- 84 154 - 3	- 58 100 4 3	27 896 1530 52 34	47 819 1051 61 64
Asymptomatic HIV infection status (Z21) AIDS - acquired immunodeficiency syndrome: total (B20-B24)	2 5	. 7	123 60	. 58
Mumps (B26) Malaria (B50-B54) Echinococcosis (B67) Trichinellosis (B75) Scabies (B86)	4184 - - - 292	9658 1 1 7 302	55588 8 19 23 5744	84772 15 9 113 5930
Pneumococcal disease, invasive (B95.3) <sup>/7</sup> of which: meningitis & encephalitis (B95.3/G04.2; G00.1)	6 4	. .	90 63	. .
<i>Haemophilus influenzae</i> type b disease, invasive (B96.3) of which: meningitis & encephalitis (B96.3/G04.2; G00.0)	4 4	8 7	41 33	66 38
Influenza and influenza-like illness: total (J10; J11) of which: laboratory confirmed cases (J10; J11)	- -	252 .	649689 42	286682 .
Toxic effect of noxious substances eaten as food: total (T61-T62) <sup>/7</sup> of which: ingested mushrooms (T62.0) <sup>/7</sup>	12 5	2 2	23 16	33 28
Other poisonings & toxic effects: total (T36-T60; T63-T65) <sup>/7</sup> of which: pesticides (T60) <sup>/7</sup> drugs, medicaments & biological substances (T36-T50) <sup>/7</sup> alcohol (T51) <sup>/7</sup>	449 11 247 136	468 14 296 86	5774 43 3251 1289	5373 51 3238 864

## 2. Number of cases of selected diseases notified from 16.06 to 30.06.2005, by voivodeship

Voivodeship	Typhoid/ Paratyphoid fevers (A01)	Salmonella enteritis (A02.0)	Shigellosis (A03)	Other bacterial intestinal infections		Other bacterial foodborne intoxications		Viral and other specified intestinal infections		Acute diarrhoea: children under 2 years - total (A04; A08; A09)	Leptospirosis (A27)	Yersiniosis: total (A04.6; A28.2)	Tetanus: total (A33-A35)
				Total (A04)	of which: EHEC infection (A04.3)	Total (A05)	of which: botulism (A05.1)	Total (A08)	of which: rotaviral enteritis (A08.0)				
POLAND	-	930	-	210	1	148	5	557	458	732	-	7	3
Dolnośląskie	-	38	-	7	-	9	-	32	30	42	-	-	1
Kujawsko-Pomorskie	-	85	-	7	-	9	-	49	46	52	-	4	-
Lubelskie	-	94	-	12	-	2	2	14	11	31	-	-	-
Lubuskie	-	20	-	3	-	2	-	5	4	4	-	-	-
Łódzkie	-	55	-	24	1	9	1	42	29	51	-	-	-
Małopolskie	-	63	-	16	-	9	-	31	30	37	-	-	1
Mazowieckie	-	123	-	19	-	8	2	51	49	74	-	-	-
Opolskie	-	3	-	1	-	-	-	4	-	4	-	1	-
Podkarpackie	-	92	-	17	-	-	-	20	19	41	-	-	-
Podlaskie	-	64	-	10	-	22	-	39	7	28	-	-	-
Pomorskie	-	59	-	16	-	13	-	41	36	48	-	-	-
Śląskie	-	52	-	26	-	43	-	94	76	102	-	-	1
Świętokrzyskie	-	34	-	27	-	2	-	27	27	59	-	1	-
Warmińsko-Mazurskie	-	60	-	7	-	7	-	31	30	59	-	1	-
Wielkopolskie	-	49	-	7	-	-	-	54	44	75	-	-	-
Zachodniopomorskie	-	39	-	11	-	13	-	23	20	25	-	-	-

Voivodeship	Diphtheria (A36)	Pertussis /whooping cough/ (A37)	Meningococcal disease, invasive			Acute poliomyelitis: total (A80)	Tick-borne encephalitis (A84)	Viral meningitis specified & unspecified (A87; B00.3; B02.1)	Bacterial meningitis and/or encephalitis		Varicella /chickenpox/ (B01)	Measles (B05)	Rubella: total (B06; P35.0)
			Total (A39) <sup>1/2</sup>	of which: meningitis (A39.0)	of which: meningococcaemia (A39.1-4)				specified NEC (G00.2-8; G04.2) <sup>4</sup>	unspecified (G00.9; G04.2)			
POLAND	-	71	11	6	9	-	3	51	8	24	7076	2	426
Dolnośląskie	-	-	-	-	-	-	-	2	-	2	397	-	46
Kujawsko-Pomorskie	-	17	-	-	-	-	-	2	-	-	581	-	54
Lubelskie	-	1	-	-	-	-	-	2	1	-	298	-	5
Lubuskie	-	-	-	-	-	-	-	2	-	3	250	-	9
Łódzkie	-	22	-	-	-	-	-	2	1	2	383	-	25
Małopolskie	-	1	-	-	-	-	-	3	-	1	790	-	18
Mazowieckie	-	9	1	-	1	-	1	5	1	6	705	-	114
Opolskie	-	1	-	-	-	-	-	-	-	1	184	-	2
Podkarpackie	-	1	-	-	-	-	-	7	-	2	211	1	17
Podlaskie	-	4	1	1	-	-	-	9	-	1	274	-	5
Pomorskie	-	4	2	2	2	-	-	5	1	1	270	-	10
Śląskie	-	7	2	1	2	-	-	4	3	3	995	1	48
Świętokrzyskie	-	2	-	-	-	-	-	1	-	1	388	-	9
Warmińsko-Mazurskie	-	-	2	1	2	-	2	2	-	-	272	-	8
Wielkopolskie	-	2	1	1	-	-	-	2	-	-	916	-	45
Zachodniopomorskie	-	-	2	-	2	-	-	3	1	1	162	-	11

## 2. Number of cases of selected diseases notified from 16.06 to 30.06.2005, by voivodeship (contd)

Voivodeship	Viral hepatitis			AIDS: total (B20-B24)	Mumps (B26)	Malaria (B50-B54)	Trichinellosis (B75)	Pneumococcal disease, invasive		<i>H. influenzae</i> type b disease, invasive		Influenza & influenza-like illness	
	type A (B15)	type B: total (B16; B18.0-1) <sup>6</sup>	type C: total (B17.1; B18.2) <sup>6</sup>					Total (B95.3) <sup>7</sup>	of which: meningitis & encephalitis (B95.3/G04.2; G00.1)	Total (B96.3)	of which: meningitis & encephalitis (B96.3/G04.2; G00.0)	Total (J10; J11)	of which: laboratory confirmed cases (J10; J11)
POLAND	-	84	154	5	4184	-	-	6	4	4	4	-	-
Dolnośląskie	-	7	19	-	43	-	-	-	-	-	-	-	-
Kujawsko-Pomorskie	-	7	9	-	369	-	-	-	-	-	-	-	-
Lubelskie	-	3	13	1	359	-	-	-	-	-	-	-	-
Lubuskie	-	1	9	-	16	-	-	-	-	-	-	-	-
Łódzkie	-	12	17	2	183	-	-	-	-	1	1	-	-
Małopolskie	-	8	1	-	248	-	-	-	-	1	1	-	-
Mazowieckie	-	9	21	-	512	-	-	1	-	-	-	-	-
Opolskie	-	3	1	-	107	-	-	-	-	-	-	-	-
Podkarpackie	-	7	1	-	116	-	-	-	-	-	-	-	-
Podlaskie	-	-	2	-	94	-	-	-	-	-	-	-	-
Pomorskie	-	8	10	-	45	-	-	-	-	-	-	-	-
Śląskie	-	13	31	-	611	-	-	2	1	-	-	-	-
Świętokrzyskie	-	4	8	-	408	-	-	-	-	1	1	-	-
Warmińsko-Mazurskie	-	-	1	1	131	-	-	3	3	-	-	-	-
Wielkopolskie	-	2	11	1	780	-	-	-	-	1	1	-	-
Zachodniopomorskie	-	-	-	-	162	-	-	-	-	-	-	-	-

## 3. Number of cases of selected diseases notified from 16.06 to 30.06.2005 and cumulative number of cases notified since 1.01.2005, by case definition

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	Biweekly report 6/B				Cumulated data <sup>1</sup>			
	Case definitions <sup>8</sup>			Total	Case definitions <sup>8</sup>			Total
	possible	probable	con- firmed		possible	probable	con- firmed	
Salmonellosis: total (A02) <sup>UE</sup>	x	57	878	935	x	229	5335	5564
Shigellosis (A03) <sup>UE</sup>	x	-	-	-	x	1	39	40
Yersiniosis: total (A04.6; A28.2) <sup>UE</sup>	x	1	6	7	x	1	46	47
Botulism (A05.1) <sup>UE</sup>	x	2	3	5	x	3	14	17
Leptospirosis (A27) <sup>UE/PL</sup>	-	-	-	-	-	-	-	-
Measles (B05) <sup>UE</sup>	1	1	-	2	2	5	1	8
Viral hepatitis - type A (B15) <sup>UE</sup>	x	-	-	-	x	2	25	27
Malaria (B50-B54) <sup>UE</sup>	x	x	-	-	x	x	8	8
Trichinellosis (B75) <sup>UE</sup>	x	-	-	-	x	4	19	23

**Notes:** (1) includes potential revisions; (2) one case can be reported in multiple positions; (3) reporting changes in 2005 did not affect comparability of the position with previous years data; (4) not elsewhere classified (NEC), excluding meningitis caused by *H. influenzae* or *S. pneumoniae*; (5) detailed information on cases notified during the reporting period is presented on pages 5 and subsequent; (6) includes cases of HBV/HCV co-infection; (7) notification not complete; (8) UE - standard European Union case definitions, UE/PL - European Union case definition adapted to Polish surveillance; (-) zero cases; (.) data not available; (x) not applicable