

Biweekly report 10/A/05
on cases of infectious diseases and poisonings
notified from 1.10 to 15.10.2005

1. Number of cases of selected diseases notified from 1.10 to 15.10.2005 and cumulative number of cases notified since 1.01.2005, compared to corresponding period in 2004

| Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10) | Biweekly report 10/A | | Cumulated data ^{/1} | |
|---|-----------------------------|-----------------------------|------------------------------|-----------------------------|
| | 1.10.05. to 15.10.05. | 1.10.04. to 15.10.04. | 1.01.05. to 15.10.05. | 1.01.04. to 15.10.04. |
| Cholera (A00) | - | - | 1 | - |
| Typhoid fever (A01.0) | - | - | - | 1 |
| Paratyphoid fevers A,B,C (A01.1-3) | - | - | 4 | 3 |
| Other salmonella infections: total (A02) | 824 | 739 | 13351 | 13500 |
| of which: salmonella enteritis (A02.0) | 809 | 730 | 13229 | 13395 |
| Shigellosis (A03) | - | 6 | 65 | 65 |
| Other bacterial intestinal infections: total (A04) | 315 | 180 | 3998 | 3135 |
| of which: enterohaemorrhagic <i>Escherichia coli</i> infection (A04.3) | - | - | 7 | 4 |
| campylobacteriosis (A04.5) | 3 | 1 | 26 | 19 |
| Other bacterial foodborne intoxications: total (A05) | 129 | 200 | 3461 | 3449 |
| of which: staphylococcal (A05.0) | 19 | 71 | 585 | 549 |
| botulism (A05.1) | 2 | 6 | 28 | 41 |
| <i>Clostridium perfringens</i> (A05.2) | - | - | 4 | - |
| other specified (A05.3-8) | 2 | 1 | 163 | 47 |
| unspecified (A05.9) | 106 | 122 | 2681 | 2812 |
| Giardiasis (A07.1) | 138 | 109 | 2502 | 2309 |
| Cryptosporidiosis (A07.2) | - | - | - | - |
| Viral and other specified intestinal infections: total (A08) | 251 | 250 | 10662 | 8969 |
| of which: rotaviral enteritis (A08.0) | 157 | . | 8694 | . |
| Acute diarrhoea: children under 2 years - total (A04; A08; A09) | 532 | 476 | 14416 | 13825 |
| of which: NOS, presumably of infectious origin (A09) | 306 | 281 | 6638 | 7229 |
| Plague (A20) | - | - | - | - |
| Tularaemia (A21) | - | 1 | 5 | 1 |
| Anthrax (A22) | - | - | - | 1 |
| Brucellosis - new cases (A23) | - | - | 3 | 1 |
| Leptospirosis (A27) | - | - | 2 | 6 |
| Yersiniosis: total (A04.6; A28.2) | 7 | 1 | 100 | 69 |
| Listeriosis: total (A32; P37.2) | 2 | - | 16 | 8 |
| Tetanus: total (A33-A35) | - | - | 11 | 19 |
| Diphtheria (A36) | - | - | - | - |
| Pertussis /whooping cough/ (A37) | 55 | 168 | 1674 | 2276 |
| Scarlet fever (A38) | 265 | 162 | 7275 | 4241 |
| Meningococcal disease, invasive: total (A39) ^{/2} | 7 | 5 | 163 | 165 |
| of which: meningitis (A39.0) | 5 | 2 | 98 | 92 |
| encephalitis (A39.8/G05.0) | - | 1 | 7 | 5 |
| meningococcaemia (A39.1-4) | 4 | 2 | 100 | 72 |
| Legionellosis (A48.1-2) | - | - | 13 | 5 |
| Lyme disease (A69.2) | 287 | 283 | 2942 | 2745 |
| Q fever (A78) | - | - | 59 | - |

1. Number of cases of selected diseases notified from 1.10 to 15.10.2005 and cumulative number of cases notified since 1.01.2005, compared to corresponding period in 2004 (contd)

| Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10) | Biweekly report 10/A | | Cumulated data ^{/1} | |
|--|-----------------------------|-----------------------------|------------------------------|-----------------------------|
| | 1.10.05. to 15.10.05. | 1.10.04. to 15.10.04. | 1.01.05. to 15.10.05. | 1.01.04. to 15.10.04. |
| Acute flaccid paralysis: children 0-14 years | - | 3 | 25 | 37 |
| Acute poliomyelitis: total (A80) | - | - | - | - |
| of which: caused by wild virus (A80.1-2,4) | - | - | - | - |
| Spongiform encephalopathy: total (A81.0, 2-9) | - | - | 9 | 7 |
| of which: variant Creutzfeldt-Jakob disease /vCJD/ (A81.0) | - | - | - | - |
| Contact with and exp. to rabies / need for immunisation (Z20.3/Z24.2) | 301 | 292 | 6507 | 6188 |
| Rabies (A82) | - | - | - | - |
| Viral encephalitis: tick-borne (A84) | 23 | 31 | 119 | 186 |
| other, specified (A83; A85; B00.4; B02.0) ^{/3} | 3 | 1 | 31 | 29 |
| unspecified (A86) | 10 | 13 | 141 | 166 |
| Viral meningitis specified & unspecified (A87; B00.3; B02.1) | 70 | 38 | 760 | 666 |
| Bacterial meningitis and/or encephalitis: specified NEC (G00.2-8;G04.2) ^{/4} | 5 | . | 139 | . |
| unspecified (G00.9; G04.2) | 20 | . | 397 | . |
| Encephalitis other & unspecified (G04.0,8-9) | 3 | 6 | 60 | 80 |
| Meningitis other & unspecified (G03) | 20 | 11 | 203 | 177 |
| Dengue fever - classical or haemorrhagic (A90-A91) | - | - | - | - |
| Yellow fever (A95) | - | - | - | - |
| VHF: Lassa, Crimean-Congo, Marburg, Ebola (A96.2; A98.0,3,4) ^{/5} | - | - | - | - |
| Other viral haemorrhagic fever (A92-A94; A96-A99) ^{/5} | - | - | - | - |
| Varicella /chickenpox/ (B01) | 2246 | 2268 | 111801 | 112548 |
| Smallpox (B03) | - | - | - | - |
| Measles (B05) | 1 | - | 10 | 8 |
| Rubella: total (B06; P35.0) | 165 | 142 | 6449 | 3862 |
| Viral hepatitis: type A (B15) | 2 | 5 | 42 | 72 |
| type B - total (B16; B18.0-1) ^{/6} | 57 | 52 | 1363 | 1234 |
| type C - total (B17.1; B18.2) ^{/6} | 111 | 69 | 2336 | 1600 |
| type B+C (B16; B18.0-1 + B17.1; B18.2) | 3 | 4 | 81 | 81 |
| other & unspecified (B17.0; B17.2-8; B18.8-9; B19) | - | 2 | 54 | 93 |
| Asymptomatic HIV infection status (Z21) | 3 | . | 214 | . |
| AIDS - acquired immunodeficiency syndrome: total (B20-B24) | 2 | 18 | 118 | 122 |
| Mumps (B26) | 587 | 1836 | 65610 | 108451 |
| Malaria (B50-B54) | - | - | 14 | 22 |
| Echinococcosis (B67) | 2 | 2 | 29 | 17 |
| Trichinellosis (B75) | - | - | 33 | 172 |
| Scabies (B86) | 571 | 635 | 8412 | 8622 |
| Pneumococcal disease, invasive (B95.3) ^{/7} | 6 | . | 130 | . |
| of which: meningitis & encephalitis (B95.3/G04.2; G00.1) | 3 | . | 85 | . |
| <i>Haemophilus influenzae</i> type b disease, invasive (B96.3) | 1 | 2 | 60 | 93 |
| of which: meningitis & encephalitis (B96.3/G04.2; G00.0) | - | 2 | 47 | 58 |
| Influenza and influenza-like illness: total (J10; J11) | 8804 | 5479 | 661396 | 293904 |
| of which: laboratory confirmed cases (J10; J11) | - | . | 42 | . |
| Toxic effect of noxious substances eaten as food: total (T61-T62) ^{/7} | 5 | 17 | 118 | 130 |
| of which: ingested mushrooms (T62.0) ^{/7} | 5 | 16 | 102 | 119 |
| Other poisonings & toxic effects: total (T36-T60; T63-T65) ^{/7} | 318 | 439 | 8686 | 7984 |
| of which: pesticides (T60) ^{/7} | 5 | - | 83 | 87 |
| drugs, medicaments & biological substances (T36-T50) ^{/7} | 187 | 295 | 4964 | 4969 |
| alcohol (T51) ^{/7} | 83 | 86 | 2111 | 1340 |

2. Number of cases of selected diseases notified from 1.10 to 15.10.2005, by voivodeship

| Voivodeship | Typhoid/ Paratyphoid fevers (A01) | Salmonella enteritis (A02.0) | Shigellosis (A03) | Other bacterial intestinal infections | | Other bacterial foodborne intoxications | | Viral and other specified intestinal infections | | Acute diarrhoea: children under 2 years - total (A04; A08; A09) | Leptospirosis (A27) | Yersiniosis: total (A04.6; A28.2) | Tetanus: total (A33-A35) |
|---------------------|-----------------------------------|------------------------------|-------------------|---------------------------------------|----------------------------------|---|----------------------------|---|---------------------------------------|---|---------------------|-----------------------------------|--------------------------|
| | | | | Total (A04) | of which: EHEC infection (A04.3) | Total (A05) | of which: botulism (A05.1) | Total (A08) | of which: rotaviral enteritis (A08.0) | | | | |
| POLAND | - | 809 | - | 315 | - | 129 | 2 | 251 | 157 | 532 | - | 7 | - |
| Dolnośląskie | - | 33 | - | 6 | - | 3 | - | 12 | 9 | 26 | - | - | - |
| Kujawsko-Pomorskie | - | 93 | - | 7 | - | 8 | - | 24 | 17 | 39 | - | - | - |
| Lubelskie | - | 75 | - | 34 | - | - | - | 3 | 1 | 33 | - | - | - |
| Lubuskie | - | 33 | - | - | - | - | - | 1 | - | - | - | - | - |
| Łódzkie | - | 42 | - | 110 | - | 18 | - | 44 | 26 | 47 | - | 1 | - |
| Małopolskie | - | 62 | - | 18 | - | 3 | - | 7 | 4 | 30 | - | 1 | - |
| Mazowieckie | - | 135 | - | 20 | - | - | - | 31 | 29 | 63 | - | - | - |
| Opolskie | - | 7 | - | 4 | - | 2 | 2 | 2 | 1 | 4 | - | 3 | - |
| Podkarpackie | - | 43 | - | 11 | - | - | - | 3 | 3 | 22 | - | - | - |
| Podlaskie | - | 21 | - | 35 | - | 11 | - | 37 | 8 | 27 | - | - | - |
| Pomorskie | - | 93 | - | 13 | - | 25 | - | 20 | 15 | 60 | - | - | - |
| Śląskie | - | 56 | - | 32 | - | 38 | - | 31 | 19 | 52 | - | - | - |
| Świętokrzyskie | - | 25 | - | 5 | - | 1 | - | 13 | 12 | 31 | - | 1 | - |
| Warmińsko-Mazurskie | - | 12 | - | 2 | - | 16 | - | 1 | 1 | 27 | - | - | - |
| Wielkopolskie | - | 60 | - | 7 | - | - | - | 21 | 11 | 57 | - | 1 | - |
| Zachodniopomorskie | - | 19 | - | 11 | - | 4 | - | 1 | 1 | 14 | - | - | - |

| Voivodeship | Diphtheria (A36) | Pertussis /whooping cough/ (A37) | Meningococcal disease, invasive | | | Acute poliomyelitis: total (A80) | Tick-borne encephalitis (A84) | Viral meningitis specified & unspecified (A87; B00.3; B02.1) | Bacterial meningitis and/or encephalitis | | Varicella /chickenpox/ (B01) | Measles (B05) | Rubella: total (B06; P35.0) |
|---------------------|------------------|----------------------------------|---------------------------------|------------------------------|--------------------------------------|----------------------------------|-------------------------------|--|---|----------------------------|------------------------------|---------------|-----------------------------|
| | | | Total (A39) ^{1/2} | of which: meningitis (A39.0) | of which: meningococcaemia (A39.1-4) | | | | specified NEC (G00.2-8; G04.2) ^{4/4} | unspecified (G00.9; G04.2) | | | |
| POLAND | - | 55 | 7 | 5 | 4 | - | 23 | 70 | 5 | 20 | 2246 | 1 | 165 |
| Dolnośląskie | - | 1 | - | - | - | - | 1 | 2 | - | 1 | 142 | - | 14 |
| Kujawsko-Pomorskie | - | 6 | - | - | - | - | - | 3 | 1 | - | 235 | - | 22 |
| Lubelskie | - | - | 2 | 2 | - | - | - | 2 | - | 1 | 115 | - | 7 |
| Lubuskie | - | - | - | - | - | - | - | - | - | - | 88 | - | 4 |
| Łódzkie | - | 21 | - | - | - | - | - | 1 | - | 1 | 89 | 1 | 6 |
| Małopolskie | - | 1 | 1 | - | 1 | - | - | 5 | - | 1 | 190 | - | 8 |
| Mazowieckie | - | 14 | - | - | - | - | - | 6 | - | 2 | 217 | - | 19 |
| Opolskie | - | 3 | - | - | - | - | 3 | 2 | - | - | 68 | - | - |
| Podkarpackie | - | - | - | - | - | - | - | 10 | 1 | 1 | 79 | - | 11 |
| Podlaskie | - | 4 | - | - | - | - | 12 | 4 | - | 5 | 94 | - | 10 |
| Pomorskie | - | - | - | - | - | - | - | 5 | - | 1 | 85 | - | 5 |
| Śląskie | - | 1 | - | - | - | - | - | 2 | - | 1 | 319 | - | 21 |
| Świętokrzyskie | - | - | - | - | - | - | - | 5 | 1 | 2 | 119 | - | 9 |
| Warmińsko-Mazurskie | - | - | 3 | 2 | 3 | - | 7 | 7 | - | 2 | 80 | - | 7 |
| Wielkopolskie | - | 4 | - | - | - | - | - | 1 | 2 | - | 260 | - | 18 |
| Zachodniopomorskie | - | - | 1 | 1 | - | - | - | 15 | - | 2 | 66 | - | 4 |

2. Number of cases of selected diseases notified from 1.10 to 15.10.2005, by voivodeship (contd)

| Voivodeship | Viral hepatitis | | | AIDS: total (B20-B24) | Mumps (B26) | Malaria (B50-B54) | Trichinellosis (B75) | Pneumococcal disease, invasive | | <i>H. influenzae</i> type b disease, invasive | | Influenza & influenza-like illness | |
|---------------------|-----------------|--|--|-----------------------|-------------|-------------------|----------------------|--------------------------------|--|---|--|------------------------------------|---|
| | type A (B15) | type B: total (B16; B18.0-1) ^{/6} | type C: total (B17.1; B18.2) ^{/6} | | | | | Total (B95.3) ^{/7} | of which: meningitis & encephalitis (B95.3/G04.2; G00.1) | Total (B96.3) | of which: meningitis & encephalitis (B96.3/G04.2; G00.0) | Total (J10; J11) | of which: laboratory confirmed cases (J10; J11) |
| POLAND | 2 | 57 | 111 | 2 | 587 | - | - | 6 | 3 | 1 | - | 8804 | - |
| Dolnośląskie | - | 7 | 11 | 1 | 17 | - | - | - | - | 1 | - | 381 | - |
| Kujawsko-Pomorskie | - | 5 | 9 | 1 | 52 | - | - | 1 | - | - | - | 162 | - |
| Lubelskie | - | 5 | 10 | - | 39 | - | - | - | - | - | - | 213 | - |
| Lubuskie | - | - | 5 | - | 4 | - | - | 1 | - | - | - | 39 | - |
| Łódzkie | - | 5 | 7 | - | 19 | - | - | - | - | - | - | 2440 | - |
| Małopolskie | - | 4 | 1 | - | 44 | - | - | - | - | - | - | 157 | - |
| Mazowieckie | - | 6 | 18 | - | 42 | - | - | 2 | 2 | - | - | 4570 | - |
| Opolskie | - | 2 | 5 | - | 36 | - | - | - | - | - | - | 221 | - |
| Podkarpackie | - | - | 3 | - | 24 | - | - | - | - | - | - | 7 | - |
| Podlaskie | - | 4 | 2 | - | 12 | - | - | - | - | - | - | 143 | - |
| Pomorskie | - | 2 | 9 | - | 14 | - | - | - | - | - | - | 98 | - |
| Śląskie | 1 | 5 | 11 | - | 71 | - | - | - | - | - | - | 35 | - |
| Świętokrzyskie | 1 | 5 | 3 | - | 94 | - | - | - | - | - | - | 8 | - |
| Warmińsko-Mazurskie | - | 1 | 2 | - | 26 | - | - | 1 | 1 | - | - | 109 | - |
| Wielkopolskie | - | 5 | 12 | - | 79 | - | - | 1 | - | - | - | 136 | - |
| Zachodniopomorskie | - | 1 | 3 | - | 14 | - | - | - | - | - | - | 85 | - |

3. Number of cases of selected diseases notified from 1.10 to 15.10.2005 and cumulative number of cases notified since 1.01.2005, by case definition

| Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10) | Biweekly report 10/A | | | | Cumulated data ^{/1} | | | |
|---|--------------------------------|----------|----------------|-------|--------------------------------|----------|----------------|-------|
| | Case definitions ^{/8} | | | Total | Case definitions ^{/8} | | | Total |
| | possible | probable | con- firmed | | possible | probable | con- firmed | |
| Salmonellosis: total (A02) ^{UE} | x | 69 | 755 | 824 | x | 856 | 12495 | 13351 |
| Shigellosis (A03) ^{UE} | x | - | - | - | x | 1 | 64 | 65 |
| Yersiniosis: total (A04.6; A28.2) ^{UE} | x | - | 7 | 7 | x | 1 | 99 | 100 |
| Botulism (A05.1) ^{UE} | x | - | 2 | 2 | x | 6 | 22 | 28 |
| Leptospirosis (A27) ^{UE/PL} | - | - | - | - | - | 1 | 1 | 2 |
| Measles (B05) ^{UE} | 1 | - | - | 1 | 4 | 5 | 1 | 10 |
| Viral hepatitis - type A (B15) ^{UE} | x | - | 2 | 2 | x | 2 | 40 | 42 |
| Malaria (B50-B54) ^{UE} | x | x | - | - | x | x | 14 | 14 |
| Trichinellosis (B75) ^{UE} | x | - | - | - | x | 11 | 22 | 33 |

Notes: (1) includes potential revisions; (2) one case can be reported in multiple positions; (3) reporting changes in 2005 did not affect comparability of the position with previous years data; (4) not elsewhere classified (NEC), excluding meningitis caused by *H. influenzae* or *S. pneumoniae*; (5) detailed information on cases notified during the reporting period is presented on pages 5 and subsequent; (6) includes cases of HBV/HCV co-infection; (7) notification not complete; (8) UE - standard European Union case definitions, UE/PL - European Union case definition adapted to Polish surveillance; (-) zero cases; (.) data not available; (x) not applicable