

**Biweekly report 11/B/05**  
**on cases of infectious diseases and poisonings**  
**notified from 16.11 to 30.11.2005**

**1. Number of cases of selected diseases notified from 16.11 to 30.11.2005 and cumulative number of cases notified since 1.01.2005, compared to corresponding period in 2004**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	Biweekly report 11/B		Cumulated data <sup>/1</sup>	
	16.11.05. to 30.11.05.	16.11.04. to 30.11.04.	1.01.05. to 30.11.05.	1.01.04. to 30.11.04.
Cholera (A00)	-	-	1	-
Typhoid fever (A01.0)	-	-	2	1
Paratyphoid fevers A,B,C (A01.1-3)	-	-	4	3
Other salmonella infections: total (A02)	551	555	15238	15187
of which: salmonella enteritis (A02.0)	537	548	15082	15061
Shigellosis (A03)	6	2	75	70
Other bacterial intestinal infections: total (A04)	227	167	4643	3622
of which: enterohaemorrhagic <i>Escherichia coli</i> infection (A04.3)	2	-	9	4
campylobacteriosis (A04.5)	6	1	41	23
Other bacterial foodborne intoxications: total (A05)	113	118	3949	3856
of which: staphylococcal (A05.0)	5	4	640	559
botulism (A05.1)	-	3	29	47
<i>Clostridium perfringens</i> (A05.2)	-	-	4	-
other specified (A05.3-8)	-	-	164	51
unspecified (A05.9)	108	111	3112	3199
Giardiasis (A07.1)	179	202	3017	2800
Cryptosporidiosis (A07.2)	-	-	-	-
Viral and other specified intestinal infections: total (A08)	348	300	11577	9591
of which: rotaviral enteritis (A08.0)	226	.	9308	.
Acute diarrhoea: children under 2 years - total (A04; A08; A09)	587	543	16015	15155
of which: NOS, presumably of infectious origin (A09)	317	284	7499	7971
Plague (A20)	-	-	-	-
Tularaemia (A21)	-	-	5	1
Anthrax (A22)	-	-	-	1
Brucellosis - new cases (A23)	-	-	3	1
Leptospirosis (A27)	1	2	6	9
Yersiniosis: total (A04.6; A28.2)	11	6	125	76
Listeriosis: total (A32; P37.2)	-	-	19	9
Tetanus: total (A33-A35)	1	2	14	23
Diphtheria (A36)	-	-	-	-
Pertussis /whooping cough/ (A37)	40	131	1830	2677
Scarlet fever (A38)	556	369	8592	5045
Meningococcal disease, invasive: total (A39) <sup>/2</sup>	6	12	183	186
of which: meningitis (A39.0)	5	6	110	103
encephalitis (A39.8/G05.0)	-	-	8	6
meningococcaemia (A39.1-4)	2	6	112	81
Legionellosis (A48.1-2)	3	1	17	8
Lyme disease (A69.2)	283	245	3838	3447
Q fever (A78)	-	-	59	-

**1. Number of cases of selected diseases notified from 16.11 to 30.11.2005 and cumulative number of cases notified since 1.01.2005, compared to corresponding period in 2004 (contd)**

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	Biweekly report 11/B		Cumulated data <sup>/1</sup>	
	16.11.05. to 30.11.05.	16.11.04. to 30.11.04.	1.01.05. to 30.11.05.	1.01.04. to 30.11.04.
Acute flaccid paralysis: children 0-14 years	1	2	31	44
Acute poliomyelitis: total (A80)	-	-	-	-
of which: caused by wild virus (A80.1-2,4)	-	-	-	-
Spongiform encephalopathy: total (A81.0, 2-9)	-	3	12	10
of which: variant Creutzfeldt-Jakob disease /vCJD/ (A81.0)	-	-	-	-
Contact with and exp. to rabies / need for immunisation (Z20.3/Z24.2)	222	305	7252	7071
Rabies (A82)	-	-	-	-
Viral encephalitis: tick-borne (A84)	10	21	152	250
other, specified (A83; A85; B00.4; B02.0) <sup>/3</sup>	1	3	37	36
unspecified (A86)	4	11	155	189
Viral meningitis specified & unspecified (A87; B00.3; B02.1)	64	57	990	808
Bacterial meningitis and/or encephalitis: specified NEC (G00.2-8;G04.2) <sup>/4</sup>	6	.	166	.
unspecified (G00.9; G04.2)	20	.	465	.
Encephalitis other & unspecified (G04.0,8-9)	3	2	70	97
Meningitis other & unspecified (G03)	11	14	243	210
Dengue fever - classical or haemorrhagic (A90-A91)	-	-	-	2
Yellow fever (A95)	-	-	-	-
VHF: Lassa, Crimean-Congo, Marburg, Ebola (A96.2; A98.0,3,4) <sup>/5</sup>	-	-	-	-
Other viral haemorrhagic fever (A92-A94; A96-A99) <sup>/5</sup>	-	-	-	-
Varicella /chickenpox/ (B01)	7638	7501	128526	128427
Smallpox (B03)	-	-	-	-
Measles (B05)	-	-	10	8
Rubella: total (B06; P35.0)	274	201	7069	4350
Viral hepatitis: type A (B15)	3	6	50	84
type B - total (B16; B18.0-1) <sup>/6</sup>	71	72	1574	1429
type C - total (B17.1; B18.2) <sup>/6</sup>	133	114	2693	1893
type B+C (B16; B18.0-1 + B17.1; B18.2)	-	3	83	87
other & unspecified (B17.0; B17.2-8; B18.8-9; B19)	4	5	69	106
Asymptomatic HIV infection status (Z21)	19	.	287	.
AIDS - acquired immunodeficiency syndrome: total (B20-B24)	6	5	145	148
Mumps (B26)	1419	6141	69081	121846
Malaria (B50-B54)	-	2	16	24
Echinococcosis (B67)	-	3	32	20
Trichinellosis (B75)	1	-	34	172
Scabies (B86)	732	797	10540	10790
Pneumococcal disease, invasive (B95.3) <sup>/7</sup>	11	.	147	.
of which: meningitis & encephalitis (B95.3/G04.2; G00.1)	8	.	99	.
<i>Haemophilus influenzae</i> type b disease, invasive (B96.3)	-	5	66	107
of which: meningitis & encephalitis (B96.3/G04.2; G00.0)	-	3	51	67
Influenza and influenza-like illness: total (J10; J11)	13732	9616	703175	319665
of which: laboratory confirmed cases (J10; J11)	1	.	45	.
Toxic effect of noxious substances eaten as food: total (T61-T62) <sup>/7</sup>	4	9	139	161
of which: ingested mushrooms (T62.0) <sup>/7</sup>	4	7	119	145
Other poisonings & toxic effects: total (T36-T60; T63-T65) <sup>/7</sup>	390	497	9879	9318
of which: pesticides (T60) <sup>/7</sup>	3	2	91	92
drugs, medicaments & biological substances (T36-T50) <sup>/7</sup>	246	298	5652	5807
alcohol (T51) <sup>/7</sup>	78	68	2378	1563

## 2. Number of cases of selected diseases notified from 16.11 to 30.11.2005, by voivodeship

Voivodeship	Typhoid/ Paratyphoid fevers (A01)	Salmonella enteritis (A02.0)	Shigellosis (A03)	Other bacterial intestinal infections		Other bacterial foodborne intoxications		Viral and other specified intestinal infections		Acute diarrhoea: children under 2 years - total (A04; A08; A09)	Leptospirosis (A27)	Yersiniosis: total (A04.6; A28.2)	Tetanus: total (A33-A35)
				Total (A04)	of which: EHEC infection (A04.3)	Total (A05)	of which: botulism (A05.1)	Total (A08)	of which: rotaviral enteritis (A08.0)				
POLAND	-	537	6	227	2	113	-	348	226	587	1	11	1
Dolnośląskie	-	25	-	7	1	6	-	19	17	26	-	1	-
Kujawsko-Pomorskie	-	43	-	9	-	3	-	56	47	70	-	-	-
Lubelskie	-	38	1	19	-	-	-	7	4	26	-	-	1
Lubuskie	-	8	-	-	-	2	-	7	-	1	-	-	-
Łódzkie	-	28	-	20	1	9	-	16	7	16	-	-	-
Małopolskie	-	32	1	25	-	14	-	8	5	26	-	-	-
Mazowieckie	-	110	-	25	-	11	-	34	30	56	-	1	-
Opolskie	-	16	-	2	-	-	-	1	1	7	-	1	-
Podkarpackie	-	34	-	15	-	-	-	18	16	45	-	-	-
Podlaskie	-	25	-	15	-	13	-	46	12	36	-	1	-
Pomorskie	-	40	-	15	-	19	-	24	20	48	-	-	-
Śląskie	-	45	-	36	-	30	-	42	24	69	-	4	-
Świętokrzyskie	-	18	-	15	-	2	-	17	13	35	-	3	-
Warmińsko-Mazurskie	-	16	4	7	-	3	-	8	7	36	-	-	-
Wielkopolskie	-	29	-	9	-	1	-	41	20	74	-	-	-
Zachodniopomorskie	-	30	-	8	-	-	-	4	3	16	1	-	-

Voivodeship	Diphtheria (A36)	Pertussis /whooping cough/ (A37)	Meningococcal disease, invasive			Acute poliomyelitis: total (A80)	Tick-borne encephalitis (A84)	Viral meningitis specified & unspecified (A87; B00.3; B02.1)	Bacterial meningitis and/or encephalitis		Varicella /chickenpox/ (B01)	Measles (B05)	Rubella: total (B06; P35.0)
			Total (A39) <sup>1/2</sup>	of which: meningitis (A39.0)	of which: meningococcaemia (A39.1-4)				specified NEC (G00.2-8; G04.2) <sup>4/4</sup>	unspecified (G00.9; G04.2)			
POLAND	-	40	6	5	2	-	10	64	6	20	7638	-	274
Dolnośląskie	-	-	-	-	-	-	-	-	-	1	613	-	27
Kujawsko-Pomorskie	-	1	-	-	-	-	-	6	-	2	468	-	18
Lubelskie	-	1	-	-	-	-	-	-	1	-	393	-	7
Lubuskie	-	-	-	-	-	-	-	1	1	2	170	-	-
Łódzkie	-	11	-	-	-	-	-	1	-	1	280	-	9
Małopolskie	-	2	1	1	-	-	-	13	-	1	617	-	17
Mazowieckie	-	4	1	1	-	-	-	4	1	4	1063	-	38
Opolskie	-	2	-	-	-	-	3	-	-	-	215	-	-
Podkarpackie	-	1	-	-	-	-	-	7	-	1	272	-	13
Podlaskie	-	11	-	-	-	-	5	9	1	-	259	-	4
Pomorskie	-	2	1	1	1	-	-	1	-	-	575	-	10
Śląskie	-	2	-	-	-	-	-	-	1	-	1052	-	29
Świętokrzyskie	-	-	-	-	-	-	-	3	-	2	262	-	48
Warmińsko-Mazurskie	-	-	2	1	1	-	2	6	-	2	424	-	8
Wielkopolskie	-	3	1	1	-	-	-	7	1	3	862	-	37
Zachodniopomorskie	-	-	-	-	-	-	-	6	-	1	113	-	9

## 2. Number of cases of selected diseases notified from 16.11 to 30.11.2005, by voivodeship (contd)

Voivodeship	Viral hepatitis			AIDS: total (B20-B24)	Mumps (B26)	Malaria (B50-B54)	Trichinellosis (B75)	Pneumococcal disease, invasive		<i>H. influenzae</i> type b disease, invasive		Influenza & influenza-like illness	
	type A (B15)	type B: total (B16; B18.0-1) <sup>/6</sup>	type C: total (B17.1; B18.2) <sup>/6</sup>					Total (B95.3) <sup>/7</sup>	of which: meningitis & encephalitis (B95.3/G04.2; G00.1)	Total (B96.3)	of which: meningitis & encephalitis (B96.3/G04.2; G00.0)	Total (J10; J11)	of which: laboratory confirmed cases (J10; J11)
POLAND	3	71	133	6	1419	-	1	11	8	-	-	13732	1
Dolnośląskie	-	12	16	1	48	-	-	-	-	-	-	645	-
Kujawsko-Pomorskie	-	10	13	-	128	-	-	2	2	-	-	204	-
Lubelskie	1	5	8	-	92	-	-	-	-	-	-	51	-
Lubuskie	-	3	7	-	10	-	1	3	1	-	-	49	-
Łódzkie	-	6	8	1	42	-	-	-	-	-	-	3195	-
Małopolskie	-	5	4	1	102	-	-	1	1	-	-	715	1
Mazowieckie	-	4	12	-	184	-	-	1	1	-	-	4351	-
Opolskie	-	1	3	-	40	-	-	-	-	-	-	656	-
Podkarpackie	-	2	1	2	51	-	-	-	-	-	-	77	-
Podlaskie	1	-	1	-	81	-	-	-	-	-	-	115	-
Pomorskie	-	3	3	-	18	-	-	1	-	-	-	248	-
Śląskie	1	8	16	-	134	-	-	1	1	-	-	2510	-
Świętokrzyskie	-	5	16	-	204	-	-	-	-	-	-	16	-
Warmińsko-Mazurskie	-	1	6	1	41	-	-	-	-	-	-	268	-
Wielkopolskie	-	6	13	-	223	-	-	2	2	-	-	422	-
Zachodniopomorskie	-	-	6	-	21	-	-	-	-	-	-	210	-

## 3. Number of cases of selected diseases notified from 16.11 to 30.11.2005 and cumulative number of cases notified since 1.01.2005, by case definition

Diseases (codes under "International Statistical Classification of Diseases and Related Health Problems" ICD-10)	Biweekly report 11/B				Cumulated data <sup>/1</sup>			
	Case definitions <sup>/8</sup>			Total	Case definitions <sup>/8</sup>			Total
	possible	probable	con- firmed		possible	probable	con- firmed	
Salmonellosis: total (A02) <sup>UE</sup>	x	8	543	551	x	895	14343	15238
Shigellosis (A03) <sup>UE</sup>	x	-	6	6	x	1	74	75
Yersiniosis: total (A04.6; A28.2) <sup>UE</sup>	x	-	11	11	x	3	122	125
Botulism (A05.1) <sup>UE</sup>	x	-	-	-	x	7	22	29
Leptospirosis (A27) <sup>UE/PL</sup>	-	-	1	1	1	2	3	6
Measles (B05) <sup>UE</sup>	-	-	-	-	4	5	1	10
Viral hepatitis - type A (B15) <sup>UE</sup>	x	-	3	3	x	2	48	50
Malaria (B50-B54) <sup>UE</sup>	x	x	-	-	x	x	16	16
Trichinellosis (B75) <sup>UE</sup>	x	-	1	1	x	11	23	34

**Notes:** (1) includes potential revisions; (2) one case can be reported in multiple positions; (3) reporting changes in 2005 did not affect comparability of the position with previous years data; (4) not elsewhere classified (NEC), excluding meningitis caused by *H. influenzae* or *S. pneumoniae*; (5) detailed information on cases notified during the reporting period is presented on pages 5 and subsequent; (6) includes cases of HBV/HCV co-infection; (7) notification not complete; (8) UE - standard European Union case definitions, UE/PL - European Union case definition adapted to Polish surveillance; (-) zero cases; (.) data not available; (x) not applicable